



Galaxy Slim 3R2

SUSPENDED | DALI SERIES

An ultra-flat housing luminaire suitable for retail, groceries & supermarkets, and DIY stores. Available in different types of optics - for a general lighting that amazes through its impressive efficiency and lighting quality ratings.

Galaxy Slim 3R2 has several series, determined by various add-on and controls:


- Galaxy Slim 3R2 Non-DALI: the standard version for retail, groceries & supermarkets, and DIY stores
- Galaxy Slim 3R2 DALI: with DALI dimming

FEATURES & BENEFITS

- CRI 80 as standard
- 4 color temperatures (3000K, 4000K, 5000K, 6500K)
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171lm/W @4000K
- Dimmable

APPLICATION

Grocery & Supermarket | Retail | DIY




SPECIFICATIONS

Power consumption	28W, 37W, 49W, 60W, 70W
Dimensions	593 x 188.4 x 57.6 ± 1mm
Weight	2.8 Kg
Housing materials	Aluminum & Polycarbonate
IK code	IK02
THD (at 230V, 50Hz, Full load)	<9%
Protection class	Safety class 1
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F
Operating humidity [%]	10 ÷ 85
Power factor	≥0.95
AC Input [Vac]	220 - 240 VAC
Lens angle [°]	30°, 60°, 90°, DA, SA
Lifespan [h]	50.000
Housing color	● Anodised black, ● Anodised grey
Lumen maintenance	L90/B10@50.000h at 25°C
IP factor	IP20
Control optional	DALI
Warranty [years]	5
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F
Emergency option	-

#	Standard
CRI	CRI80
CCT [K]	3000 / 4000 / 5000 / 6500
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	38	30	19	62	51	31
≥ 50W	Non-DALI	38	30	19	62	51	31
< 80W	DALI	27	21	13	45	35	21

RISK GROUP**Standard (CRI80)** RG1**FOOD (BVF, FBS, FSM)** RG1**FOOD <20W (FZM, FSH)** RG2 (dthr=1.8m)**FOOD >20W (FZM, FSH)** RG2 (dthr=2.2m)**FAS** RG1**AMB2200** RG1**ART** RG1**AGI** RG1**CRI90** RG1**CRI95** RG1**ENT** RG1**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269400 Galaxy Slim 3R2 AL/3000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	4575	28W	164	30°
269400 Galaxy Slim 3R2 AL/3000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	4575	28W	164	30°
269401 Galaxy Slim 3R2 AL/4000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	4765	28W	171	30°
269401 Galaxy Slim 3R2 AL/4000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	4765	28W	171	30°
269402 Galaxy Slim 3R2 AL/5000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	4895	28W	175	30°
269402 Galaxy Slim 3R2 AL/5000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	4895	28W	175	30°
269403 Galaxy Slim 3R2 AL/6500/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	4765	28W	171	30°
269403 Galaxy Slim 3R2 AL/6500/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	4765	28W	171	30°
269404 Galaxy Slim 3R2 AL/3000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	60°
269404 Galaxy Slim 3R2 AL/3000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	60°
269405 Galaxy Slim 3R2 AL/4000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	60°
269405 Galaxy Slim 3R2 AL/4000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	60°
269406 Galaxy Slim 3R2 AL/5000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	60°
269406 Galaxy Slim 3R2 AL/5000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	60°
269407 Galaxy Slim 3R2 AL/6500/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	60°
269407 Galaxy Slim 3R2 AL/6500/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	60°
269408 Galaxy Slim 3R2 AL/3000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	4560	28W	163	90°
269408 Galaxy Slim 3R2 AL/3000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	4560	28W	163	90°
269409 Galaxy Slim 3R2 AL/4000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	4750	28W	170	90°
269409 Galaxy Slim 3R2 AL/4000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	4750	28W	170	90°
269410 Galaxy Slim 3R2 AL/5000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	4880	28W	175	90°
269410 Galaxy Slim 3R2 AL/5000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	4880	28W	175	90°
269411 Galaxy Slim 3R2 AL/6500/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	4750	28W	170	90°
269411 Galaxy Slim 3R2 AL/6500/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	4750	28W	170	90°
269412 Galaxy Slim 3R2 AL/3000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	DA
269412 Galaxy Slim 3R2 AL/3000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	DA
269413 Galaxy Slim 3R2 AL/4000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	DA
269413 Galaxy Slim 3R2 AL/4000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	DA
269414 Galaxy Slim 3R2 AL/5000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	DA
269414 Galaxy Slim 3R2 AL/5000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	DA
269415 Galaxy Slim 3R2 AL/6500/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	DA
269415 Galaxy Slim 3R2 AL/6500/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	DA
269416 Galaxy Slim 3R2 AL/3000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	4335	28W	155	SA
269416 Galaxy Slim 3R2 AL/3000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	4335	28W	155	SA
269417 Galaxy Slim 3R2 AL/4000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	4515	28W	162	SA
269417 Galaxy Slim 3R2 AL/4000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	4515	28W	162	SA
269418 Galaxy Slim 3R2 AL/5000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	4640	28W	166	SA
269418 Galaxy Slim 3R2 AL/5000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	4640	28W	166	SA
269419 Galaxy Slim 3R2 AL/6500/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	4515	28W	162	SA
269419 Galaxy Slim 3R2 AL/6500/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	4515	28W	162	SA
269420 Galaxy Slim 3R2 AL/3000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	5965	37W	162	30°
269420 Galaxy Slim 3R2 AL/3000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	5965	37W	162	30°
269421 Galaxy Slim 3R2 AL/4000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	6215	37W	168	30°
269421 Galaxy Slim 3R2 AL/4000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	6215	37W	168	30°
269422 Galaxy Slim 3R2 AL/5000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	6385	37W	173	30°
269422 Galaxy Slim 3R2 AL/5000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	6385	37W	173	30°
269423 Galaxy Slim 3R2 AL/6500/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	6215	37W	168	30°
269423 Galaxy Slim 3R2 AL/6500/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	6215	37W	168	30°
269424 Galaxy Slim 3R2 AL/3000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	60°
269424 Galaxy Slim 3R2 AL/3000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	60°
269425 Galaxy Slim 3R2 AL/4000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	60°
269425 Galaxy Slim 3R2 AL/4000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	60°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269426 Galaxy Slim 3R2 AL/5000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	60°
269426 Galaxy Slim 3R2 AL/5000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	60°
269427 Galaxy Slim 3R2 AL/6500/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	60°
269427 Galaxy Slim 3R2 AL/6500/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	60°
269428 Galaxy Slim 3R2 AL/3000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	5945	37W	161	90°
269428 Galaxy Slim 3R2 AL/3000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	5945	37W	161	90°
269429 Galaxy Slim 3R2 AL/4000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	6200	37W	168	90°
269429 Galaxy Slim 3R2 AL/4000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	6200	37W	168	90°
269430 Galaxy Slim 3R2 AL/5000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	6365	37W	172	90°
269430 Galaxy Slim 3R2 AL/5000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	6365	37W	172	90°
269431 Galaxy Slim 3R2 AL/6500/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	6200	37W	168	90°
269431 Galaxy Slim 3R2 AL/6500/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	6200	37W	168	90°
269432 Galaxy Slim 3R2 AL/3000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	DA
269432 Galaxy Slim 3R2 AL/3000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	DA
269433 Galaxy Slim 3R2 AL/4000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	DA
269433 Galaxy Slim 3R2 AL/4000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	DA
269434 Galaxy Slim 3R2 AL/5000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	DA
269434 Galaxy Slim 3R2 AL/5000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	DA
269435 Galaxy Slim 3R2 AL/6500/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	DA
269435 Galaxy Slim 3R2 AL/6500/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	DA
269436 Galaxy Slim 3R2 AL/3000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	5650	37W	153	SA
269436 Galaxy Slim 3R2 AL/3000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	5650	37W	153	SA
269437 Galaxy Slim 3R2 AL/4000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	5890	37W	160	SA
269437 Galaxy Slim 3R2 AL/4000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	5890	37W	160	SA
269438 Galaxy Slim 3R2 AL/5000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	6050	37W	164	SA
269438 Galaxy Slim 3R2 AL/5000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	6050	37W	164	SA
269439 Galaxy Slim 3R2 AL/6500/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	5890	37W	160	SA
269439 Galaxy Slim 3R2 AL/6500/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	5890	37W	160	SA
269440 Galaxy Slim 3R2 AL/3000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	7915	49W	162	30°
269440 Galaxy Slim 3R2 AL/3000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	7915	49W	162	30°
269441 Galaxy Slim 3R2 AL/4000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	8250	49W	169	30°
269441 Galaxy Slim 3R2 AL/4000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	8250	49W	169	30°
269442 Galaxy Slim 3R2 AL/5000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	8470	49W	173	30°
269442 Galaxy Slim 3R2 AL/5000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	8470	49W	173	30°
269443 Galaxy Slim 3R2 AL/6500/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	8250	49W	169	30°
269443 Galaxy Slim 3R2 AL/6500/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	8250	49W	169	30°
269444 Galaxy Slim 3R2 AL/3000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	60°
269444 Galaxy Slim 3R2 AL/3000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	60°
269445 Galaxy Slim 3R2 AL/4000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	60°
269445 Galaxy Slim 3R2 AL/4000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	60°
269446 Galaxy Slim 3R2 AL/5000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	60°
269446 Galaxy Slim 3R2 AL/5000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	60°
269447 Galaxy Slim 3R2 AL/6500/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	60°
269447 Galaxy Slim 3R2 AL/6500/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	60°
269448 Galaxy Slim 3R2 AL/3000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	7895	49W	162	90°
269448 Galaxy Slim 3R2 AL/3000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	7895	49W	162	90°
269449 Galaxy Slim 3R2 AL/4000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	8225	49W	168	90°
269449 Galaxy Slim 3R2 AL/4000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	8225	49W	168	90°
269450 Galaxy Slim 3R2 AL/5000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	8450	49W	173	90°
269450 Galaxy Slim 3R2 AL/5000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	8450	49W	173	90°
269451 Galaxy Slim 3R2 AL/6500/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	8225	49W	168	90°
269451 Galaxy Slim 3R2 AL/6500/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	8225	49W	168	90°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269452 Galaxy Slim 3R2 AL/3000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	DA
269452 Galaxy Slim 3R2 AL/3000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	DA
269453 Galaxy Slim 3R2 AL/4000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	DA
269453 Galaxy Slim 3R2 AL/4000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	DA
269454 Galaxy Slim 3R2 AL/5000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	DA
269454 Galaxy Slim 3R2 AL/5000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	DA
269455 Galaxy Slim 3R2 AL/6500/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	DA
269455 Galaxy Slim 3R2 AL/6500/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	DA
269456 Galaxy Slim 3R2 AL/3000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	7500	49W	154	SA
269456 Galaxy Slim 3R2 AL/3000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	7500	49W	154	SA
269457 Galaxy Slim 3R2 AL/4000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	7820	49W	160	SA
269457 Galaxy Slim 3R2 AL/4000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	7820	49W	160	SA
269458 Galaxy Slim 3R2 AL/5000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	8030	49W	164	SA
269458 Galaxy Slim 3R2 AL/5000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	8030	49W	164	SA
269459 Galaxy Slim 3R2 AL/6500/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	7820	49W	160	SA
269459 Galaxy Slim 3R2 AL/6500/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	7820	49W	160	SA
269460 Galaxy Slim 3R2 AL/3000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	9305	60W	156	30°
269460 Galaxy Slim 3R2 AL/3000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	9305	60W	156	30°
269461 Galaxy Slim 3R2 AL/4000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	9695	60W	162	30°
269461 Galaxy Slim 3R2 AL/4000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	9695	60W	162	30°
269462 Galaxy Slim 3R2 AL/5000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	9960	60W	166	30°
269462 Galaxy Slim 3R2 AL/5000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	9960	60W	166	30°
269463 Galaxy Slim 3R2 AL/6500/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	9695	60W	162	30°
269463 Galaxy Slim 3R2 AL/6500/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	9695	60W	162	30°
269464 Galaxy Slim 3R2 AL/3000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	60°
269464 Galaxy Slim 3R2 AL/3000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	60°
269465 Galaxy Slim 3R2 AL/4000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	60°
269465 Galaxy Slim 3R2 AL/4000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	60°
269466 Galaxy Slim 3R2 AL/5000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	60°
269466 Galaxy Slim 3R2 AL/5000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	60°
269467 Galaxy Slim 3R2 AL/6500/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	60°
269467 Galaxy Slim 3R2 AL/6500/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	60°
269468 Galaxy Slim 3R2 AL/3000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	9275	60W	155	90°
269468 Galaxy Slim 3R2 AL/3000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	9275	60W	155	90°
269469 Galaxy Slim 3R2 AL/4000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	9670	60W	162	90°
269469 Galaxy Slim 3R2 AL/4000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	9670	60W	162	90°
269470 Galaxy Slim 3R2 AL/5000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	9930	60W	166	90°
269470 Galaxy Slim 3R2 AL/5000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	9930	60W	166	90°
269471 Galaxy Slim 3R2 AL/6500/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	9670	60W	162	90°
269471 Galaxy Slim 3R2 AL/6500/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	9670	60W	162	90°
269472 Galaxy Slim 3R2 AL/3000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	DA
269472 Galaxy Slim 3R2 AL/3000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	DA
269473 Galaxy Slim 3R2 AL/4000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	DA
269473 Galaxy Slim 3R2 AL/4000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	DA
269474 Galaxy Slim 3R2 AL/5000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	DA
269474 Galaxy Slim 3R2 AL/5000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	DA
269475 Galaxy Slim 3R2 AL/6500/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	DA
269475 Galaxy Slim 3R2 AL/6500/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	DA
269476 Galaxy Slim 3R2 AL/3000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	8815	60W	147	SA
269476 Galaxy Slim 3R2 AL/3000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	8815	60W	147	SA
269477 Galaxy Slim 3R2 AL/4000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	9190	60W	154	SA
269477 Galaxy Slim 3R2 AL/4000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	9190	60W	154	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269478 Galaxy Slim 3R2 AL/5000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	9435	60W	158	SA
269478 Galaxy Slim 3R2 AL/5000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	9435	60W	158	SA
269479 Galaxy Slim 3R2 AL/6500/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	9190	60W	154	SA
269479 Galaxy Slim 3R2 AL/6500/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	9190	60W	154	SA
269480 Galaxy Slim 3R2 AL/3000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	10625	70W	152	30°
269480 Galaxy Slim 3R2 AL/3000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	10625	70W	152	30°
269481 Galaxy Slim 3R2 AL/4000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	11075	70W	159	30°
269481 Galaxy Slim 3R2 AL/4000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	11075	70W	159	30°
269482 Galaxy Slim 3R2 AL/5000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	11370	70W	163	30°
269482 Galaxy Slim 3R2 AL/5000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	11370	70W	163	30°
269483 Galaxy Slim 3R2 AL/6500/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	11075	70W	159	30°
269483 Galaxy Slim 3R2 AL/6500/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	11075	70W	159	30°
269484 Galaxy Slim 3R2 AL/3000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	60°
269484 Galaxy Slim 3R2 AL/3000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	60°
269485 Galaxy Slim 3R2 AL/4000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	60°
269485 Galaxy Slim 3R2 AL/4000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	60°
269486 Galaxy Slim 3R2 AL/5000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	60°
269486 Galaxy Slim 3R2 AL/5000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	60°
269487 Galaxy Slim 3R2 AL/6500/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	60°
269487 Galaxy Slim 3R2 AL/6500/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	60°
269488 Galaxy Slim 3R2 AL/3000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	10595	70W	152	90°
269488 Galaxy Slim 3R2 AL/3000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	10595	70W	152	90°
269489 Galaxy Slim 3R2 AL/4000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	11040	70W	158	90°
269489 Galaxy Slim 3R2 AL/4000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	11040	70W	158	90°
269490 Galaxy Slim 3R2 AL/5000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	11340	70W	162	90°
269490 Galaxy Slim 3R2 AL/5000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	11340	70W	162	90°
269491 Galaxy Slim 3R2 AL/6500/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	11040	70W	158	90°
269491 Galaxy Slim 3R2 AL/6500/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	11040	70W	158	90°
269492 Galaxy Slim 3R2 AL/3000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	DA
269492 Galaxy Slim 3R2 AL/3000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	DA
269493 Galaxy Slim 3R2 AL/4000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	DA
269493 Galaxy Slim 3R2 AL/4000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	DA
269494 Galaxy Slim 3R2 AL/5000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	DA
269494 Galaxy Slim 3R2 AL/5000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	DA
269495 Galaxy Slim 3R2 AL/6500/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	DA
269495 Galaxy Slim 3R2 AL/6500/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	DA
269496 Galaxy Slim 3R2 AL/3000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	10070	70W	144	SA
269496 Galaxy Slim 3R2 AL/3000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	10070	70W	144	SA
269497 Galaxy Slim 3R2 AL/4000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	10495	70W	150	SA
269497 Galaxy Slim 3R2 AL/4000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	10495	70W	150	SA
269498 Galaxy Slim 3R2 AL/5000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	10775	70W	154	SA
269498 Galaxy Slim 3R2 AL/5000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	10775	70W	154	SA
269499 Galaxy Slim 3R2 AL/6500/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	10495	70W	150	SA
269499 Galaxy Slim 3R2 AL/6500/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	10495	70W	150	SA

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: August 8, 2022 6:09 PM. www.greentek.eu