

Galaxy Slim 3R4

SUSPENDED | DALI SENSOR SERIES

An ultra-flat housing luminaire suitable for retail, groceries & supermarkets, and DIY stores. Available in different module combinations, with different lengths and types of optics - for a general lighting that amazes through its impressive efficiency and lighting quality ratings. It can be suspended or track mounted, depending on the ceiling height, the module combination and the need for a more specific light beam.

Galaxy Slim 3R4 has several series, determined by various add-on and controls:


- Galaxy Slim 3R4 Non-DALI: the standard version for retail, groceries & supermarkets, and DIY stores
- Galaxy Slim 3R4 Non-DALI EM: with emergency kit
- Galaxy Slim 3R4 Non-DALI SENSOR: with Non-DALI movement detection sensor mounted on the luminaire
- Galaxy Slim 3R4 DALI: with DALI dimming
- **Galaxy Slim 3R4 DALI SENSOR: with dimming, light and presence detection sensor mounted on the luminaire and integrated controller**

APPLICATION

Grocery & Supermarket | Retail | DIY

FEATURES & BENEFITS

- CRI 80 as standard
- 4 color temperatures (3000K, 4000K, 5000K, 6500K)
- Long rated life: L90/B10@50.000h
- 169 lm/W @4000K
- With emergency kits of 1h and 3 h (EM series only)




SPECIFICATIONS

Power consumption	77W, 87W, 102W, 117W, 139W
Dimensions	1336 x 188.4 x 57.6 ± 1mm
Weight	5.4 Kg
Housing materials	Aluminum & Polycarbonate
IK code	IK02
THD (at 230V, 50Hz, Full load)	<20%
Protection class	Safety class 1
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F
Operating humidity [%]	10 ÷ 85
Power factor	≥0.95
AC Input [Vac]	220 - 240 VAC
Lens angle [°]	30°, 60°, 90°, DA, SA
Lifespan [h]	50.000
Housing color	● Anodised black, ● Anodised grey
Lumen maintenance	L90/B10@50.000h at 25°C
IP factor	IP20
Control optional	LIGHT & PRESENCE DETECTION DALI
Warranty [years]	5
Storage temperature range [°C]	-20°C...+55°C / -4F ... +131F
Emergency option	-

Light application	Standard
CRI	CRI 80
CCT [K]	3000K/4000K/5000K/6500K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



RISK GROUP**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM

BATTERY WARRANTY

Non-DALI EM & DALI EM: 12 months warranty

Non-DALI & DALI: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	37	30	18	62	51	31
≥ 50W	Non-DALI	37	30	18	62	51	31
< 80W	DALI	27	21	13	45	35	21

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269600 Galaxy Slim 3R4 AL/3000/77W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
269600 Galaxy Slim 3R4 AL/3000/77W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
269601 Galaxy Slim 3R4 AL/4000/77W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
269601 Galaxy Slim 3R4 AL/4000/77W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
269602 Galaxy Slim 3R4 AL/5000/77W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
269602 Galaxy Slim 3R4 AL/5000/77W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
269603 Galaxy Slim 3R4 AL/6500/77W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
269603 Galaxy Slim 3R4 AL/6500/77W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
269604 Galaxy Slim 3R4 AL/3000/77W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
269604 Galaxy Slim 3R4 AL/3000/77W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
269605 Galaxy Slim 3R4 AL/4000/77W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
269605 Galaxy Slim 3R4 AL/4000/77W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
269606 Galaxy Slim 3R4 AL/5000/77W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
269606 Galaxy Slim 3R4 AL/5000/77W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
269607 Galaxy Slim 3R4 AL/6500/77W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
269607 Galaxy Slim 3R4 AL/6500/77W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
269608 Galaxy Slim 3R4 AL/3000/77W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
269608 Galaxy Slim 3R4 AL/3000/77W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
269609 Galaxy Slim 3R4 AL/4000/77W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
269609 Galaxy Slim 3R4 AL/4000/77W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
269610 Galaxy Slim 3R4 AL/5000/77W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
269610 Galaxy Slim 3R4 AL/5000/77W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
269611 Galaxy Slim 3R4 AL/6500/77W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
269611 Galaxy Slim 3R4 AL/6500/77W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
269612 Galaxy Slim 3R4 AL/3000/77W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
269612 Galaxy Slim 3R4 AL/3000/77W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
269613 Galaxy Slim 3R4 AL/4000/77W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
269613 Galaxy Slim 3R4 AL/4000/77W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
269614 Galaxy Slim 3R4 AL/5000/77W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
269614 Galaxy Slim 3R4 AL/5000/77W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
269615 Galaxy Slim 3R4 AL/6500/77W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
269615 Galaxy Slim 3R4 AL/6500/77W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
269616 Galaxy Slim 3R4 AL/3000/77W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
269616 Galaxy Slim 3R4 AL/3000/77W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
269617 Galaxy Slim 3R4 AL/4000/77W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
269617 Galaxy Slim 3R4 AL/4000/77W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
269618 Galaxy Slim 3R4 AL/5000/77W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
269618 Galaxy Slim 3R4 AL/5000/77W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
269619 Galaxy Slim 3R4 AL/6500/77W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
269619 Galaxy Slim 3R4 AL/6500/77W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
269620 Galaxy Slim 3R4 AL/3000/87W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
269620 Galaxy Slim 3R4 AL/3000/87W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
269621 Galaxy Slim 3R4 AL/4000/87W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
269621 Galaxy Slim 3R4 AL/4000/87W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
269622 Galaxy Slim 3R4 AL/5000/87W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
269622 Galaxy Slim 3R4 AL/5000/87W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
269623 Galaxy Slim 3R4 AL/6500/87W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
269623 Galaxy Slim 3R4 AL/6500/87W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
269624 Galaxy Slim 3R4 AL/3000/87W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
269624 Galaxy Slim 3R4 AL/3000/87W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
269625 Galaxy Slim 3R4 AL/4000/87W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°
269625 Galaxy Slim 3R4 AL/4000/87W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269626 Galaxy Slim 3R4 AL/5000/87W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
269626 Galaxy Slim 3R4 AL/5000/87W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
269627 Galaxy Slim 3R4 AL/6500/87W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
269627 Galaxy Slim 3R4 AL/6500/87W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
269628 Galaxy Slim 3R4 AL/3000/87W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
269628 Galaxy Slim 3R4 AL/3000/87W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
269629 Galaxy Slim 3R4 AL/4000/87W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
269629 Galaxy Slim 3R4 AL/4000/87W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
269630 Galaxy Slim 3R4 AL/5000/87W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
269630 Galaxy Slim 3R4 AL/5000/87W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
269631 Galaxy Slim 3R4 AL/6500/87W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
269631 Galaxy Slim 3R4 AL/6500/87W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
269632 Galaxy Slim 3R4 AL/3000/87W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
269632 Galaxy Slim 3R4 AL/3000/87W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
269633 Galaxy Slim 3R4 AL/4000/87W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
269633 Galaxy Slim 3R4 AL/4000/87W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
269634 Galaxy Slim 3R4 AL/5000/87W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
269634 Galaxy Slim 3R4 AL/5000/87W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
269635 Galaxy Slim 3R4 AL/6500/87W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
269635 Galaxy Slim 3R4 AL/6500/87W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
269636 Galaxy Slim 3R4 AL/3000/87W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
269636 Galaxy Slim 3R4 AL/3000/87W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
269637 Galaxy Slim 3R4 AL/4000/87W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
269637 Galaxy Slim 3R4 AL/4000/87W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
269638 Galaxy Slim 3R4 AL/5000/87W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
269638 Galaxy Slim 3R4 AL/5000/87W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
269639 Galaxy Slim 3R4 AL/6500/87W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
269639 Galaxy Slim 3R4 AL/6500/87W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
269640 Galaxy Slim 3R4 AL/3000/102W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
269640 Galaxy Slim 3R4 AL/3000/102W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
269641 Galaxy Slim 3R4 AL/4000/102W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
269641 Galaxy Slim 3R4 AL/4000/102W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
269642 Galaxy Slim 3R4 AL/5000/102W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
269642 Galaxy Slim 3R4 AL/5000/102W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
269643 Galaxy Slim 3R4 AL/6500/102W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
269643 Galaxy Slim 3R4 AL/6500/102W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
269644 Galaxy Slim 3R4 AL/3000/102W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
269644 Galaxy Slim 3R4 AL/3000/102W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
269645 Galaxy Slim 3R4 AL/4000/102W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
269645 Galaxy Slim 3R4 AL/4000/102W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
269646 Galaxy Slim 3R4 AL/5000/102W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
269646 Galaxy Slim 3R4 AL/5000/102W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
269647 Galaxy Slim 3R4 AL/6500/102W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
269647 Galaxy Slim 3R4 AL/6500/102W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
269648 Galaxy Slim 3R4 AL/3000/102W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
269648 Galaxy Slim 3R4 AL/3000/102W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
269649 Galaxy Slim 3R4 AL/4000/102W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
269649 Galaxy Slim 3R4 AL/4000/102W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
269650 Galaxy Slim 3R4 AL/5000/102W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
269650 Galaxy Slim 3R4 AL/5000/102W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
269651 Galaxy Slim 3R4 AL/6500/102W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°
269651 Galaxy Slim 3R4 AL/6500/102W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269652 Galaxy Slim 3R4 AL/3000/102W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
269652 Galaxy Slim 3R4 AL/3000/102W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
269653 Galaxy Slim 3R4 AL/4000/102W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
269653 Galaxy Slim 3R4 AL/4000/102W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
269654 Galaxy Slim 3R4 AL/5000/102W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
269654 Galaxy Slim 3R4 AL/5000/102W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
269655 Galaxy Slim 3R4 AL/6500/102W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
269655 Galaxy Slim 3R4 AL/6500/102W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
269656 Galaxy Slim 3R4 AL/3000/102W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
269656 Galaxy Slim 3R4 AL/3000/102W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
269657 Galaxy Slim 3R4 AL/4000/102W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
269657 Galaxy Slim 3R4 AL/4000/102W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
269658 Galaxy Slim 3R4 AL/5000/102W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
269658 Galaxy Slim 3R4 AL/5000/102W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
269659 Galaxy Slim 3R4 AL/6500/102W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
269659 Galaxy Slim 3R4 AL/6500/102W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
269660 Galaxy Slim 3R4 AL/3000/117W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
269660 Galaxy Slim 3R4 AL/3000/117W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
269661 Galaxy Slim 3R4 AL/4000/117W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
269661 Galaxy Slim 3R4 AL/4000/117W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
269662 Galaxy Slim 3R4 AL/5000/117W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
269662 Galaxy Slim 3R4 AL/5000/117W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
269663 Galaxy Slim 3R4 AL/6500/117W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
269663 Galaxy Slim 3R4 AL/6500/117W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
269664 Galaxy Slim 3R4 AL/3000/117W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
269664 Galaxy Slim 3R4 AL/3000/117W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
269665 Galaxy Slim 3R4 AL/4000/117W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
269665 Galaxy Slim 3R4 AL/4000/117W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
269666 Galaxy Slim 3R4 AL/5000/117W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
269666 Galaxy Slim 3R4 AL/5000/117W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
269667 Galaxy Slim 3R4 AL/6500/117W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
269667 Galaxy Slim 3R4 AL/6500/117W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
269668 Galaxy Slim 3R4 AL/3000/117W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
269668 Galaxy Slim 3R4 AL/3000/117W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
269669 Galaxy Slim 3R4 AL/4000/117W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
269669 Galaxy Slim 3R4 AL/4000/117W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
269670 Galaxy Slim 3R4 AL/5000/117W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
269670 Galaxy Slim 3R4 AL/5000/117W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
269671 Galaxy Slim 3R4 AL/6500/117W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
269671 Galaxy Slim 3R4 AL/6500/117W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
269672 Galaxy Slim 3R4 AL/3000/117W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
269672 Galaxy Slim 3R4 AL/3000/117W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
269673 Galaxy Slim 3R4 AL/4000/117W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
269673 Galaxy Slim 3R4 AL/4000/117W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
269674 Galaxy Slim 3R4 AL/5000/117W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
269674 Galaxy Slim 3R4 AL/5000/117W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
269675 Galaxy Slim 3R4 AL/6500/117W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
269675 Galaxy Slim 3R4 AL/6500/117W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
269676 Galaxy Slim 3R4 AL/3000/117W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
269676 Galaxy Slim 3R4 AL/3000/117W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
269677 Galaxy Slim 3R4 AL/4000/117W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA
269677 Galaxy Slim 3R4 AL/4000/117W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
269678 Galaxy Slim 3R4 AL/5000/117W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
269678 Galaxy Slim 3R4 AL/5000/117W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
269679 Galaxy Slim 3R4 AL/6500/117W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
269679 Galaxy Slim 3R4 AL/6500/117W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
269680 Galaxy Slim 3R4 AL/3000/139W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
269680 Galaxy Slim 3R4 AL/3000/139W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
269681 Galaxy Slim 3R4 AL/4000/139W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
269681 Galaxy Slim 3R4 AL/4000/139W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
269682 Galaxy Slim 3R4 AL/5000/139W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
269682 Galaxy Slim 3R4 AL/5000/139W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
269683 Galaxy Slim 3R4 AL/6500/139W/80/TB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
269683 Galaxy Slim 3R4 AL/6500/139W/80/TB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
269684 Galaxy Slim 3R4 AL/3000/139W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
269684 Galaxy Slim 3R4 AL/3000/139W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
269685 Galaxy Slim 3R4 AL/4000/139W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
269685 Galaxy Slim 3R4 AL/4000/139W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
269686 Galaxy Slim 3R4 AL/5000/139W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
269686 Galaxy Slim 3R4 AL/5000/139W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
269687 Galaxy Slim 3R4 AL/6500/139W/80/NB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
269687 Galaxy Slim 3R4 AL/6500/139W/80/NB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
269688 Galaxy Slim 3R4 AL/3000/139W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
269688 Galaxy Slim 3R4 AL/3000/139W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
269689 Galaxy Slim 3R4 AL/4000/139W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
269689 Galaxy Slim 3R4 AL/4000/139W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
269690 Galaxy Slim 3R4 AL/5000/139W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
269690 Galaxy Slim 3R4 AL/5000/139W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
269691 Galaxy Slim 3R4 AL/6500/139W/80/WB + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
269691 Galaxy Slim 3R4 AL/6500/139W/80/WB + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
269692 Galaxy Slim 3R4 AL/3000/139W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
269692 Galaxy Slim 3R4 AL/3000/139W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
269693 Galaxy Slim 3R4 AL/4000/139W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
269693 Galaxy Slim 3R4 AL/4000/139W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
269694 Galaxy Slim 3R4 AL/5000/139W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
269694 Galaxy Slim 3R4 AL/5000/139W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
269695 Galaxy Slim 3R4 AL/6500/139W/80/DA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
269695 Galaxy Slim 3R4 AL/6500/139W/80/DA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
269696 Galaxy Slim 3R4 AL/3000/139W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
269696 Galaxy Slim 3R4 AL/3000/139W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
269697 Galaxy Slim 3R4 AL/4000/139W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
269697 Galaxy Slim 3R4 AL/4000/139W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
269698 Galaxy Slim 3R4 AL/5000/139W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
269698 Galaxy Slim 3R4 AL/5000/139W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
269699 Galaxy Slim 3R4 AL/6500/139W/80/SA + ECO C/S/B	1336 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA
269699 Galaxy Slim 3R4 AL/6500/139W/80/SA + ECO C/S/G	1336 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: August 10, 2022 10:09 AM. www.greentek.eu