



## Ennio Individual Lens

### SUSPENDED | NON-DALI EM SERIES

Ennio Individual Lens is a versatile suspended luminaire that emits light both upwards and downwards. Providing indirect light on its superior side, Ennio creates a mellow ambient in the working space with reduced glare due to indirect lighting by projecting the light beam towards the ceiling.

Tunable white - Light color temperature can be adjusted to reflect the need or mood of the user. The light provided by the luminaires can be changed from warm to cold, in a range between 2700K - 6500K.

PI-LED - Combines variable white light and light of the RGB color system in one single light source. It can vary the color temperature between 2700K - 6500K along Planckian curve in the course of a day.

Ennio Individual Lens has several series, determined by various add-on and controls:



- Ennio Individual Lens Non-DALI: the standard version
- **Ennio Individual Lens Non-DALI EM: the standard version with emergency option (UP)**
- Ennio Individual Lens DALI: with DALI controls for illumination adjustments
- Ennio Individual Lens DALI EM: with DALI controls for illumination adjustments and emergency options (UP)
- Ennio Individual Lens TW: the tunable white system with adjustable colour temperature
- Ennio Individual Lens PI-LED - simulates the spectral quality of natural daylight over the entire day.

### FEATURES & BENEFITS

- CRI 80 as standard
- Color temperatures: 3000K and 4000K
- Long rated life: L90/B10@50.000h
- Luminaire efficiency (UP/DOWN): 108/129 lm/w @4000K

### APPLICATION

Office | Healthcare | Hospitality | DIY




**SPECIFICATIONS**

Power consumption (UP)	32W, 38W, 50W	37W, 50W, 60W	64W, 76W, 100W	74W, 100W, 120W
Power consumption (DOWN)	16W, 19W, 22W, 26W, 29W	19W, 23W, 28W, 32W, 36W	32W, 38W, 44W, 52W, 58W	38W, 46W, 56W, 64W, 72W
Dimensions	1214 x 57 x 81 ± 1mm	1501 x 57 x 81 ± 1mm	2362 x 57 x 81 ± 1mm	2936 x 57 x 81 ± 1mm
Weight	3.9 kg - 3.9 kg	4.6 kg - 4.7 kg	7.4 kg - 7.6	8.9 kg - 9 kg
Housing materials	Aluminum & Polycarbonate			
IK code	IK02			
THD (at 230V, 50Hz, Full load)	<8%			
Protection class	Safety class 1			
Operating temperature [°C]	+5°C ... +45°C / +41F ... +113F			
Operating humidity [%]	10 ÷ 85			
Power factor	≥0.95			
AC Input [Vac]	220 - 240 VAC			
Lens angle [°] (UP)	100°			
Lens angle [°] (DOWN)	15°, 21°, 28°, 46°, 57°			
Lifespan [h]	50,000			
Housing color	● Anodised black			
Lumen maintenance	L90/B10@50.000h at 25°C			
IP factor	IP20			
Control optional	-			
Warranty [years]	5			
Storage temperature range [°C]	+5°C ... +25°C / +41F ... +77F			
Emergency option	EM1H , EM3H			
Efficiency@4000K (UP)	108 lm/W			
Efficiency@4000K (DOWN)	129 lm/W			

Light application	Standard
CRI	CRI 80
CCT [K]	3000K, 4000K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

**LIGHT DISTRIBUTION**



**TOLERANCES****Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 1214 X 57 X 81 ± 1MM AND 1501 X 57 X 81 ± 1MM**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 100W	Non-DALI	19	15	9	31	26	16
≥ 100W	Non-DALI	19	15	9	31	26	16
< 160W	DALI	13	10	6	22	17	10

**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 2362 X 57 X 81 ± 1MM AND 2936 X 57 X 81 ± 1MM**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	9	7	4	15	12	7
≥ 50W	Non-DALI	9	7	4	15	12	7
< 80W	DALI	6	5	3	11	8	5

**RISK GROUP**

<b>Standard (CRI80)</b>	RG1
<b>FOOD (BVF, FBS, FSM)</b>	RG1
<b>FOOD ≤35W (FZM, FSH)</b>	RG1
<b>FOOD &gt;35W (FZM, FSH)</b>	RG2
<b>FAS</b>	RG1
<b>AMB2200</b>	RG1
<b>ART</b>	RG1
<b>AGI</b>	RG1
<b>CRI90</b>	RG1
<b>CRI95</b>	RG1
<b>ENT</b>	RG1

**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

**RG2**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991600 Ennio S120/3000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1505	32W / 16W	100 / 95	100° / 15°
1991601 Ennio S120/3000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 19W	100 / 97	100° / 15°
1991602 Ennio S120/3000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2180	32W / 22W	100 / 100	100° / 15°
1991603 Ennio S120/3000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2510	32W / 26W	100 / 97	100° / 15°
1991604 Ennio S120/3000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2830	32W / 29W	100 / 98	100° / 15°
1991605 Ennio S120/3000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1505	38W / 16W	101 / 95	100° / 15°
1991606 Ennio S120/3000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 19W	101 / 97	100° / 15°
1991607 Ennio S120/3000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2180	38W / 22W	101 / 100	100° / 15°
1991608 Ennio S120/3000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2510	38W / 26W	101 / 97	100° / 15°
1991609 Ennio S120/3000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2830	38W / 29W	101 / 98	100° / 15°
1991610 Ennio S120/3000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1505	50W / 16W	93 / 95	100° / 15°
1991611 Ennio S120/3000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 19W	93 / 97	100° / 15°
1991612 Ennio S120/3000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2180	50W / 22W	93 / 100	100° / 15°
1991613 Ennio S120/3000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2510	50W / 26W	93 / 97	100° / 15°
1991614 Ennio S120/3000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2830	50W / 29W	93 / 98	100° / 15°
1991615 Ennio S120/4000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1615	32W / 16W	104 / 101	100° / 15°
1991616 Ennio S120/4000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1980	32W / 19W	104 / 105	100° / 15°
1991617 Ennio S120/4000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2345	32W / 22W	104 / 107	100° / 15°
1991618 Ennio S120/4000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2700	32W / 26W	104 / 104	100° / 15°
1991619 Ennio S120/4000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3045	32W / 29W	104 / 105	100° / 15°
1991620 Ennio S120/4000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1615	38W / 16W	105 / 101	100° / 15°
1991621 Ennio S120/4000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1980	38W / 19W	105 / 105	100° / 15°
1991622 Ennio S120/4000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2345	38W / 22W	105 / 107	100° / 15°
1991623 Ennio S120/4000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2700	38W / 26W	105 / 104	100° / 15°
1991624 Ennio S120/4000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3045	38W / 29W	105 / 105	100° / 15°
1991625 Ennio S120/4000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1615	50W / 16W	97 / 101	100° / 15°
1991626 Ennio S120/4000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1980	50W / 19W	97 / 105	100° / 15°
1991627 Ennio S120/4000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2345	50W / 22W	97 / 107	100° / 15°
1991628 Ennio S120/4000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2700	50W / 26W	97 / 104	100° / 15°
1991629 Ennio S120/4000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3045	50W / 29W	97 / 105	100° / 15°
1991630 Ennio S120/3000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1520	32W / 16W	100 / 95	100° / 21°
1991631 Ennio S120/3000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1860	32W / 19W	100 / 98	100° / 21°
1991632 Ennio S120/3000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2200	32W / 22W	100 / 100	100° / 21°
1991633 Ennio S120/3000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2535	32W / 26W	100 / 98	100° / 21°
1991634 Ennio S120/3000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2860	32W / 29W	100 / 99	100° / 21°
1991635 Ennio S120/3000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1520	38W / 16W	101 / 95	100° / 21°
1991636 Ennio S120/3000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1860	38W / 19W	101 / 98	100° / 21°
1991637 Ennio S120/3000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2200	38W / 22W	101 / 100	100° / 21°
1991638 Ennio S120/3000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2535	38W / 26W	101 / 98	100° / 21°
1991639 Ennio S120/3000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2860	38W / 29W	101 / 99	100° / 21°
1991640 Ennio S120/3000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1520	50W / 16W	93 / 95	100° / 21°
1991641 Ennio S120/3000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1860	50W / 19W	93 / 98	100° / 21°
1991642 Ennio S120/3000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2200	50W / 22W	93 / 100	100° / 21°
1991643 Ennio S120/3000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2535	50W / 26W	93 / 98	100° / 21°
1991644 Ennio S120/3000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2860	50W / 29W	93 / 99	100° / 21°
1991645 Ennio S120/4000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1635	32W / 16W	104 / 103	100° / 21°
1991646 Ennio S120/4000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2000	32W / 19W	104 / 106	100° / 21°
1991647 Ennio S120/4000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2365	32W / 22W	104 / 108	100° / 21°
1991648 Ennio S120/4000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2725	32W / 26W	104 / 105	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991649 Ennio S120/4000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3075	32W / 29W	104 / 107	100° / 21°
1991650 Ennio S120/4000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1635	38W / 16W	105 / 103	100° / 21°
1991651 Ennio S120/4000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2000	38W / 19W	105 / 106	100° / 21°
1991652 Ennio S120/4000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2365	38W / 22W	105 / 108	100° / 21°
1991653 Ennio S120/4000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2725	38W / 26W	105 / 105	100° / 21°
1991654 Ennio S120/4000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3075	38W / 29W	105 / 107	100° / 21°
1991655 Ennio S120/4000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1635	50W / 16W	97 / 103	100° / 21°
1991656 Ennio S120/4000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2000	50W / 19W	97 / 106	100° / 21°
1991657 Ennio S120/4000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2365	50W / 22W	97 / 108	100° / 21°
1991658 Ennio S120/4000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2725	50W / 26W	97 / 105	100° / 21°
1991659 Ennio S120/4000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3075	50W / 29W	97 / 107	100° / 21°
1991660 Ennio S120/3000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1460	32W / 16W	100 / 92	100° / 28°
1991661 Ennio S120/3000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1785	32W / 19W	100 / 94	100° / 28°
1991662 Ennio S120/3000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2115	32W / 22W	100 / 97	100° / 28°
1991663 Ennio S120/3000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2435	32W / 26W	100 / 94	100° / 28°
1991664 Ennio S120/3000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2750	32W / 29W	100 / 95	100° / 28°
1991665 Ennio S120/3000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1460	38W / 16W	101 / 92	100° / 28°
1991666 Ennio S120/3000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1785	38W / 19W	101 / 94	100° / 28°
1991667 Ennio S120/3000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2115	38W / 22W	101 / 97	100° / 28°
1991668 Ennio S120/3000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2435	38W / 26W	101 / 94	100° / 28°
1991669 Ennio S120/3000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2750	38W / 29W	101 / 95	100° / 28°
1991670 Ennio S120/3000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1460	50W / 16W	93 / 92	100° / 28°
1991671 Ennio S120/3000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1785	50W / 19W	93 / 94	100° / 28°
1991672 Ennio S120/3000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2115	50W / 22W	93 / 97	100° / 28°
1991673 Ennio S120/3000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2435	50W / 26W	93 / 94	100° / 28°
1991674 Ennio S120/3000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2750	50W / 29W	93 / 95	100° / 28°
1991675 Ennio S120/4000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1570	32W / 16W	104 / 99	100° / 28°
1991676 Ennio S120/4000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1920	32W / 19W	104 / 102	100° / 28°
1991677 Ennio S120/4000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2275	32W / 22W	104 / 104	100° / 28°
1991678 Ennio S120/4000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2620	32W / 26W	104 / 101	100° / 28°
1991679 Ennio S120/4000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 29W	104 / 102	100° / 28°
1991680 Ennio S120/4000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1570	38W / 16W	105 / 99	100° / 28°
1991681 Ennio S120/4000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1920	38W / 19W	105 / 102	100° / 28°
1991682 Ennio S120/4000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2275	38W / 22W	105 / 104	100° / 28°
1991683 Ennio S120/4000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2620	38W / 26W	105 / 101	100° / 28°
1991684 Ennio S120/4000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 29W	105 / 102	100° / 28°
1991685 Ennio S120/4000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1570	50W / 16W	97 / 99	100° / 28°
1991686 Ennio S120/4000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1920	50W / 19W	97 / 102	100° / 28°
1991687 Ennio S120/4000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2275	50W / 22W	97 / 104	100° / 28°
1991688 Ennio S120/4000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2620	50W / 26W	97 / 101	100° / 28°
1991689 Ennio S120/4000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 29W	97 / 102	100° / 28°
1991690 Ennio S120/3000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1490	32W / 16W	100 / 94	100° / 46°
1991691 Ennio S120/3000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1825	32W / 19W	100 / 97	100° / 46°
1991692 Ennio S120/3000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2160	32W / 22W	100 / 99	100° / 46°
1991693 Ennio S120/3000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2485	32W / 26W	100 / 96	100° / 46°
1991694 Ennio S120/3000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2805	32W / 29W	100 / 97	100° / 46°
1991695 Ennio S120/3000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1490	38W / 16W	101 / 94	100° / 46°
1991696 Ennio S120/3000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1825	38W / 19W	101 / 97	100° / 46°
1991697 Ennio S120/3000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2160	38W / 22W	101 / 99	100° / 46°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991698 Ennio S120/3000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2485	38W / 26W	101 / 96	100° / 46°
1991699 Ennio S120/3000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2805	38W / 29W	101 / 97	100° / 46°
1991700 Ennio S120/3000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1490	50W / 16W	93 / 94	100° / 46°
1991701 Ennio S120/3000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1825	50W / 19W	93 / 97	100° / 46°
1991702 Ennio S120/3000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2160	50W / 22W	93 / 99	100° / 46°
1991703 Ennio S120/3000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2485	50W / 26W	93 / 96	100° / 46°
1991704 Ennio S120/3000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2805	50W / 29W	93 / 97	100° / 46°
1991705 Ennio S120/4000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1600	32W / 16W	104 / 100	100° / 46°
1991706 Ennio S120/4000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1960	32W / 19W	104 / 104	100° / 46°
1991707 Ennio S120/4000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2320	32W / 22W	104 / 106	100° / 46°
1991708 Ennio S120/4000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2670	32W / 26W	104 / 103	100° / 46°
1991709 Ennio S120/4000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3015	32W / 29W	104 / 104	100° / 46°
1991710 Ennio S120/4000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1600	38W / 16W	105 / 100	100° / 46°
1991711 Ennio S120/4000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1960	38W / 19W	105 / 104	100° / 46°
1991712 Ennio S120/4000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2320	38W / 22W	105 / 106	100° / 46°
1991713 Ennio S120/4000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2670	38W / 26W	105 / 103	100° / 46°
1991714 Ennio S120/4000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3015	38W / 29W	105 / 104	100° / 46°
1991715 Ennio S120/4000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1600	50W / 16W	97 / 100	100° / 46°
1991716 Ennio S120/4000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1960	50W / 19W	97 / 104	100° / 46°
1991717 Ennio S120/4000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2320	50W / 22W	97 / 106	100° / 46°
1991718 Ennio S120/4000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2670	50W / 26W	97 / 103	100° / 46°
1991719 Ennio S120/4000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3015	50W / 29W	97 / 104	100° / 46°
1991720 Ennio S120/3000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1430	32W / 16W	100 / 90	100° / 57°
1991721 Ennio S120/3000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1750	32W / 19W	100 / 93	100° / 57°
1991722 Ennio S120/3000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2070	32W / 22W	100 / 95	100° / 57°
1991723 Ennio S120/3000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2385	32W / 26W	100 / 92	100° / 57°
1991724 Ennio S120/3000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2690	32W / 29W	100 / 93	100° / 57°
1991725 Ennio S120/3000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1430	38W / 16W	101 / 90	100° / 57°
1991726 Ennio S120/3000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1750	38W / 19W	101 / 93	100° / 57°
1991727 Ennio S120/3000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2070	38W / 22W	101 / 95	100° / 57°
1991728 Ennio S120/3000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2385	38W / 26W	101 / 92	100° / 57°
1991729 Ennio S120/3000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2690	38W / 29W	101 / 93	100° / 57°
1991730 Ennio S120/3000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1430	50W / 16W	93 / 90	100° / 57°
1991731 Ennio S120/3000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1750	50W / 19W	93 / 93	100° / 57°
1991732 Ennio S120/3000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2070	50W / 22W	93 / 95	100° / 57°
1991733 Ennio S120/3000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2385	50W / 26W	93 / 92	100° / 57°
1991734 Ennio S120/3000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2690	50W / 29W	93 / 93	100° / 57°
1991735 Ennio S120/4000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1535	32W / 16W	104 / 96	100° / 57°
1991736 Ennio S120/4000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 19W	104 / 99	100° / 57°
1991737 Ennio S120/4000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2230	32W / 22W	104 / 102	100° / 57°
1991738 Ennio S120/4000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2565	32W / 26W	104 / 99	100° / 57°
1991739 Ennio S120/4000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2895	32W / 29W	104 / 100	100° / 57°
1991740 Ennio S120/4000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1535	38W / 16W	105 / 96	100° / 57°
1991741 Ennio S120/4000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 19W	105 / 99	100° / 57°
1991742 Ennio S120/4000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2230	38W / 22W	105 / 102	100° / 57°
1991743 Ennio S120/4000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2565	38W / 26W	105 / 99	100° / 57°
1991744 Ennio S120/4000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2895	38W / 29W	105 / 100	100° / 57°
1991745 Ennio S120/4000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1535	50W / 16W	97 / 96	100° / 57°
1991746 Ennio S120/4000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 19W	97 / 99	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991747 Ennio S120/4000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2230	50W / 22W	97 / 102	100° / 57°
1991748 Ennio S120/4000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2565	50W / 26W	97 / 99	100° / 57°
1991749 Ennio S120/4000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2895	50W / 29W	97 / 100	100° / 57°
1991750 Ennio S150/3000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 1865	37W / 19W	103 / 99	100° / 15°
1991751 Ennio S150/3000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2300	37W / 23W	103 / 100	100° / 15°
1991752 Ennio S150/3000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2710	37W / 28W	103 / 97	100° / 15°
1991753 Ennio S150/3000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3120	37W / 32W	103 / 98	100° / 15°
1991754 Ennio S150/3000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3520	37W / 36W	103 / 98	100° / 15°
1991755 Ennio S150/3000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 1865	50W / 19W	100 / 99	100° / 15°
1991756 Ennio S150/3000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2300	50W / 23W	100 / 100	100° / 15°
1991757 Ennio S150/3000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2710	50W / 28W	100 / 97	100° / 15°
1991758 Ennio S150/3000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3120	50W / 32W	100 / 98	100° / 15°
1991759 Ennio S150/3000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3520	50W / 36W	100 / 98	100° / 15°
1991760 Ennio S150/3000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 1865	60W / 19W	96 / 99	100° / 15°
1991761 Ennio S150/3000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2300	60W / 23W	96 / 100	100° / 15°
1991762 Ennio S150/3000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2710	60W / 28W	96 / 97	100° / 15°
1991763 Ennio S150/3000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3120	60W / 32W	96 / 98	100° / 15°
1991764 Ennio S150/3000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3520	60W / 36W	96 / 98	100° / 15°
1991765 Ennio S150/4000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2005	37W / 19W	108 / 106	100° / 15°
1991766 Ennio S150/4000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2470	37W / 23W	108 / 108	100° / 15°
1991767 Ennio S150/4000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2915	37W / 28W	108 / 105	100° / 15°
1991768 Ennio S150/4000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3355	37W / 32W	108 / 105	100° / 15°
1991769 Ennio S150/4000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3785	37W / 36W	108 / 106	100° / 15°
1991770 Ennio S150/4000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2005	50W / 19W	105 / 106	100° / 15°
1991771 Ennio S150/4000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2470	50W / 23W	105 / 108	100° / 15°
1991772 Ennio S150/4000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2915	50W / 28W	105 / 105	100° / 15°
1991773 Ennio S150/4000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3355	50W / 32W	105 / 105	100° / 15°
1991774 Ennio S150/4000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3785	50W / 36W	105 / 106	100° / 15°
1991775 Ennio S150/4000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2005	60W / 19W	100 / 106	100° / 15°
1991776 Ennio S150/4000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2470	60W / 23W	100 / 108	100° / 15°
1991777 Ennio S150/4000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2915	60W / 28W	100 / 105	100° / 15°
1991778 Ennio S150/4000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3355	60W / 32W	100 / 105	100° / 15°
1991779 Ennio S150/4000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3785	60W / 36W	100 / 106	100° / 15°
1991780 Ennio S150/3000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 1885	37W / 19W	103 / 100	100° / 21°
1991781 Ennio S150/3000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2320	37W / 23W	103 / 101	100° / 21°
1991782 Ennio S150/3000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2740	37W / 28W	103 / 98	100° / 21°
1991783 Ennio S150/3000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3150	37W / 32W	103 / 99	100° / 21°
1991784 Ennio S150/3000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3555	37W / 36W	103 / 99	100° / 21°
1991785 Ennio S150/3000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 1885	50W / 19W	100 / 100	100° / 21°
1991786 Ennio S150/3000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2320	50W / 23W	100 / 101	100° / 21°
1991787 Ennio S150/3000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2740	50W / 28W	100 / 98	100° / 21°
1991788 Ennio S150/3000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3150	50W / 32W	100 / 99	100° / 21°
1991789 Ennio S150/3000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3555	50W / 36W	100 / 99	100° / 21°
1991790 Ennio S150/3000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 1885	60W / 19W	96 / 100	100° / 21°
1991791 Ennio S150/3000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2320	60W / 23W	96 / 101	100° / 21°
1991792 Ennio S150/3000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2740	60W / 28W	96 / 98	100° / 21°
1991793 Ennio S150/3000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3150	60W / 32W	96 / 99	100° / 21°
1991794 Ennio S150/3000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3555	60W / 36W	96 / 99	100° / 21°
1991795 Ennio S150/4000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2025	37W / 19W	108 / 107	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991796 Ennio S150/4000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2495	37W / 23W	108 / 109	100° / 21°
1991797 Ennio S150/4000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2945	37W / 28W	108 / 106	100° / 21°
1991798 Ennio S150/4000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3390	37W / 32W	108 / 106	100° / 21°
1991799 Ennio S150/4000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3825	37W / 36W	108 / 107	100° / 21°
1991800 Ennio S150/4000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2025	50W / 19W	105 / 107	100° / 21°
1991801 Ennio S150/4000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2495	50W / 23W	105 / 109	100° / 21°
1991802 Ennio S150/4000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2945	50W / 28W	105 / 106	100° / 21°
1991803 Ennio S150/4000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3390	50W / 32W	105 / 106	100° / 21°
1991804 Ennio S150/4000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3825	50W / 36W	105 / 107	100° / 21°
1991805 Ennio S150/4000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2025	60W / 19W	100 / 107	100° / 21°
1991806 Ennio S150/4000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2495	60W / 23W	100 / 109	100° / 21°
1991807 Ennio S150/4000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2945	60W / 28W	100 / 106	100° / 21°
1991808 Ennio S150/4000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3390	60W / 32W	100 / 106	100° / 21°
1991809 Ennio S150/4000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3825	60W / 36W	100 / 107	100° / 21°
1991810 Ennio S150/3000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 1810	37W / 19W	103 / 96	100° / 28°
1991811 Ennio S150/3000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2230	37W / 23W	103 / 97	100° / 28°
1991812 Ennio S150/3000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2630	37W / 28W	103 / 94	100° / 28°
1991813 Ennio S150/3000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3025	37W / 32W	103 / 95	100° / 28°
1991814 Ennio S150/3000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3415	37W / 36W	103 / 95	100° / 28°
1991815 Ennio S150/3000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 1810	50W / 19W	100 / 96	100° / 28°
1991816 Ennio S150/3000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2230	50W / 23W	100 / 97	100° / 28°
1991817 Ennio S150/3000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2630	50W / 28W	100 / 94	100° / 28°
1991818 Ennio S150/3000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3025	50W / 32W	100 / 95	100° / 28°
1991819 Ennio S150/3000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3415	50W / 36W	100 / 95	100° / 28°
1991820 Ennio S150/3000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 1810	60W / 19W	96 / 96	100° / 28°
1991821 Ennio S150/3000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2230	60W / 23W	96 / 97	100° / 28°
1991822 Ennio S150/3000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2630	60W / 28W	96 / 94	100° / 28°
1991823 Ennio S150/3000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3025	60W / 32W	96 / 95	100° / 28°
1991824 Ennio S150/3000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3415	60W / 36W	96 / 95	100° / 28°
1991825 Ennio S150/4000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 1945	37W / 19W	108 / 103	100° / 28°
1991826 Ennio S150/4000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2400	37W / 23W	108 / 105	100° / 28°
1991827 Ennio S150/4000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2830	37W / 28W	108 / 102	100° / 28°
1991828 Ennio S150/4000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3255	37W / 32W	108 / 102	100° / 28°
1991829 Ennio S150/4000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3675	37W / 36W	108 / 103	100° / 28°
1991830 Ennio S150/4000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 1945	50W / 19W	105 / 103	100° / 28°
1991831 Ennio S150/4000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2400	50W / 23W	105 / 105	100° / 28°
1991832 Ennio S150/4000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2830	50W / 28W	105 / 102	100° / 28°
1991833 Ennio S150/4000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3255	50W / 32W	105 / 102	100° / 28°
1991834 Ennio S150/4000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3675	50W / 36W	105 / 103	100° / 28°
1991835 Ennio S150/4000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 1945	60W / 19W	100 / 103	100° / 28°
1991836 Ennio S150/4000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2400	60W / 23W	100 / 105	100° / 28°
1991837 Ennio S150/4000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2830	60W / 28W	100 / 102	100° / 28°
1991838 Ennio S150/4000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3255	60W / 32W	100 / 102	100° / 28°
1991839 Ennio S150/4000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3675	60W / 36W	100 / 103	100° / 28°
1991840 Ennio S150/3000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 1845	37W / 19W	103 / 98	100° / 46°
1991841 Ennio S150/3000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2275	37W / 23W	103 / 99	100° / 46°
1991842 Ennio S150/3000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2685	37W / 28W	103 / 96	100° / 46°
1991843 Ennio S150/3000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3090	37W / 32W	103 / 97	100° / 46°
1991844 Ennio S150/3000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3485	37W / 36W	103 / 97	100° / 46°



## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991845 Ennio S150/3000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 1845	50W / 19W	100 / 98	100° / 46°
1991846 Ennio S150/3000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2275	50W / 23W	100 / 99	100° / 46°
1991847 Ennio S150/3000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2685	50W / 28W	100 / 96	100° / 46°
1991848 Ennio S150/3000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3090	50W / 32W	100 / 97	100° / 46°
1991849 Ennio S150/3000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3485	50W / 36W	100 / 97	100° / 46°
1991850 Ennio S150/3000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 1845	60W / 19W	96 / 98	100° / 46°
1991851 Ennio S150/3000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2275	60W / 23W	96 / 99	100° / 46°
1991852 Ennio S150/3000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2685	60W / 28W	96 / 96	100° / 46°
1991853 Ennio S150/3000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3090	60W / 32W	96 / 97	100° / 46°
1991854 Ennio S150/3000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3485	60W / 36W	96 / 97	100° / 46°
1991855 Ennio S150/4000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 1985	37W / 19W	108 / 105	100° / 46°
1991856 Ennio S150/4000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2445	37W / 23W	108 / 107	100° / 46°
1991857 Ennio S150/4000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2890	37W / 28W	108 / 104	100° / 46°
1991858 Ennio S150/4000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3320	37W / 32W	108 / 104	100° / 46°
1991859 Ennio S150/4000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3750	37W / 36W	108 / 105	100° / 46°
1991860 Ennio S150/4000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 1985	50W / 19W	105 / 105	100° / 46°
1991861 Ennio S150/4000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2445	50W / 23W	105 / 107	100° / 46°
1991862 Ennio S150/4000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2890	50W / 28W	105 / 104	100° / 46°
1991863 Ennio S150/4000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3320	50W / 32W	105 / 104	100° / 46°
1991864 Ennio S150/4000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3750	50W / 36W	105 / 105	100° / 46°
1991865 Ennio S150/4000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 1985	60W / 19W	100 / 105	100° / 46°
1991866 Ennio S150/4000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2445	60W / 23W	100 / 107	100° / 46°
1991867 Ennio S150/4000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2890	60W / 28W	100 / 104	100° / 46°
1991868 Ennio S150/4000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3320	60W / 32W	100 / 104	100° / 46°
1991869 Ennio S150/4000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3750	60W / 36W	100 / 105	100° / 46°
1991870 Ennio S150/3000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 1770	37W / 19W	103 / 94	100° / 57°
1991871 Ennio S150/3000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2185	37W / 23W	103 / 95	100° / 57°
1991872 Ennio S150/3000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2580	37W / 28W	103 / 93	100° / 57°
1991873 Ennio S150/3000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 32W	103 / 93	100° / 57°
1991874 Ennio S150/3000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3345	37W / 36W	103 / 93	100° / 57°
1991875 Ennio S150/3000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 1770	50W / 19W	100 / 94	100° / 57°
1991876 Ennio S150/3000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2185	50W / 23W	100 / 95	100° / 57°
1991877 Ennio S150/3000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2580	50W / 28W	100 / 93	100° / 57°
1991878 Ennio S150/3000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 32W	100 / 93	100° / 57°
1991879 Ennio S150/3000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3345	50W / 36W	100 / 93	100° / 57°
1991880 Ennio S150/3000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 1770	60W / 19W	96 / 94	100° / 57°
1991881 Ennio S150/3000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2185	60W / 23W	96 / 95	100° / 57°
1991882 Ennio S150/3000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2580	60W / 28W	96 / 93	100° / 57°
1991883 Ennio S150/3000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 32W	96 / 93	100° / 57°
1991884 Ennio S150/3000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3345	60W / 36W	96 / 93	100° / 57°
1991885 Ennio S150/4000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 1905	37W / 19W	108 / 101	100° / 57°
1991886 Ennio S150/4000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2350	37W / 23W	108 / 103	100° / 57°
1991887 Ennio S150/4000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2775	37W / 28W	108 / 100	100° / 57°
1991888 Ennio S150/4000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3190	37W / 32W	108 / 100	100° / 57°
1991889 Ennio S150/4000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3600	37W / 36W	108 / 100	100° / 57°
1991890 Ennio S150/4000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 1905	50W / 19W	105 / 101	100° / 57°
1991891 Ennio S150/4000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2350	50W / 23W	105 / 103	100° / 57°
1991892 Ennio S150/4000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2775	50W / 28W	105 / 100	100° / 57°
1991893 Ennio S150/4000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3190	50W / 32W	105 / 100	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991894 Ennio S150/4000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3600	50W / 36W	105 / 100	100° / 57°
1991895 Ennio S150/4000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 1905	60W / 19W	100 / 101	100° / 57°
1991896 Ennio S150/4000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2350	60W / 23W	100 / 103	100° / 57°
1991897 Ennio S150/4000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2775	60W / 28W	100 / 100	100° / 57°
1991898 Ennio S150/4000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3190	60W / 32W	100 / 100	100° / 57°
1991899 Ennio S150/4000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3600	60W / 36W	100 / 100	100° / 57°
1991900 Ennio S240/3000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3010	64W / 32W	100 / 95	100° / 15°
1991901 Ennio S240/3000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 38W	100 / 97	100° / 15°
1991902 Ennio S240/3000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4360	64W / 44W	100 / 100	100° / 15°
1991903 Ennio S240/3000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5020	64W / 52W	100 / 97	100° / 15°
1991904 Ennio S240/3000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5660	64W / 58W	100 / 98	100° / 15°
1991905 Ennio S240/3000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3010	76W / 32W	101 / 95	100° / 15°
1991906 Ennio S240/3000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 38W	101 / 97	100° / 15°
1991907 Ennio S240/3000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4360	76W / 44W	101 / 100	100° / 15°
1991908 Ennio S240/3000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5020	76W / 52W	101 / 97	100° / 15°
1991909 Ennio S240/3000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5660	76W / 58W	101 / 98	100° / 15°
1991910 Ennio S240/3000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3010	100W / 32W	93 / 95	100° / 15°
1991911 Ennio S240/3000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 38W	93 / 97	100° / 15°
1991912 Ennio S240/3000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4360	100W / 44W	93 / 100	100° / 15°
1991913 Ennio S240/3000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5020	100W / 52W	93 / 97	100° / 15°
1991914 Ennio S240/3000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5660	100W / 58W	93 / 98	100° / 15°
1991915 Ennio S240/4000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3230	64W / 32W	104 / 101	100° / 15°
1991916 Ennio S240/4000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3960	64W / 38W	104 / 105	100° / 15°
1991917 Ennio S240/4000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4690	64W / 44W	104 / 107	100° / 15°
1991918 Ennio S240/4000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5400	64W / 52W	104 / 104	100° / 15°
1991919 Ennio S240/4000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6090	64W / 58W	104 / 105	100° / 15°
1991920 Ennio S240/4000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3230	76W / 32W	105 / 101	100° / 15°
1991921 Ennio S240/4000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3960	76W / 38W	105 / 105	100° / 15°
1991922 Ennio S240/4000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4690	76W / 44W	105 / 107	100° / 15°
1991923 Ennio S240/4000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5400	76W / 52W	105 / 104	100° / 15°
1991924 Ennio S240/4000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6090	76W / 58W	105 / 105	100° / 15°
1991925 Ennio S240/4000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3230	100W / 32W	97 / 101	100° / 15°
1991926 Ennio S240/4000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3960	100W / 38W	97 / 105	100° / 15°
1991927 Ennio S240/4000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4690	100W / 44W	97 / 107	100° / 15°
1991928 Ennio S240/4000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5400	100W / 52W	97 / 104	100° / 15°
1991929 Ennio S240/4000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6090	100W / 58W	97 / 105	100° / 15°
1991930 Ennio S240/3000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3040	64W / 32W	100 / 95	100° / 21°
1991931 Ennio S240/3000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3720	64W / 38W	100 / 98	100° / 21°
1991932 Ennio S240/3000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4400	64W / 44W	100 / 100	100° / 21°
1991933 Ennio S240/3000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5070	64W / 52W	100 / 98	100° / 21°
1991934 Ennio S240/3000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5720	64W / 58W	100 / 99	100° / 21°
1991935 Ennio S240/3000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3040	76W / 32W	101 / 95	100° / 21°
1991936 Ennio S240/3000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3720	76W / 38W	101 / 98	100° / 21°
1991937 Ennio S240/3000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4400	76W / 44W	101 / 100	100° / 21°
1991938 Ennio S240/3000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5070	76W / 52W	101 / 98	100° / 21°
1991939 Ennio S240/3000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5720	76W / 58W	101 / 99	100° / 21°
1991940 Ennio S240/3000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3040	100W / 32W	93 / 95	100° / 21°
1991941 Ennio S240/3000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3720	100W / 38W	93 / 98	100° / 21°
1991942 Ennio S240/3000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4400	100W / 44W	93 / 100	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991943 Ennio S240/3000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5070	100W / 52W	93 / 98	100° / 21°
1991944 Ennio S240/3000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5720	100W / 58W	93 / 99	100° / 21°
1991945 Ennio S240/4000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3270	64W / 32W	104 / 103	100° / 21°
1991946 Ennio S240/4000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4000	64W / 38W	104 / 106	100° / 21°
1991947 Ennio S240/4000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4730	64W / 44W	104 / 108	100° / 21°
1991948 Ennio S240/4000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5450	64W / 52W	104 / 105	100° / 21°
1991949 Ennio S240/4000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6150	64W / 58W	104 / 107	100° / 21°
1991950 Ennio S240/4000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3270	76W / 32W	105 / 103	100° / 21°
1991951 Ennio S240/4000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4000	76W / 38W	105 / 106	100° / 21°
1991952 Ennio S240/4000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4730	76W / 44W	105 / 108	100° / 21°
1991953 Ennio S240/4000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5450	76W / 52W	105 / 105	100° / 21°
1991954 Ennio S240/4000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6150	76W / 58W	105 / 107	100° / 21°
1991955 Ennio S240/4000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3270	100W / 32W	97 / 103	100° / 21°
1991956 Ennio S240/4000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4000	100W / 38W	97 / 106	100° / 21°
1991957 Ennio S240/4000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4730	100W / 44W	97 / 108	100° / 21°
1991958 Ennio S240/4000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5450	100W / 52W	97 / 105	100° / 21°
1991959 Ennio S240/4000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6150	100W / 58W	97 / 107	100° / 21°
1991960 Ennio S240/3000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 2920	64W / 32W	100 / 92	100° / 28°
1991961 Ennio S240/3000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3570	64W / 38W	100 / 94	100° / 28°
1991962 Ennio S240/3000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4230	64W / 44W	100 / 97	100° / 28°
1991963 Ennio S240/3000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4870	64W / 52W	100 / 94	100° / 28°
1991964 Ennio S240/3000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5500	64W / 58W	100 / 95	100° / 28°
1991965 Ennio S240/3000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 2920	76W / 32W	101 / 92	100° / 28°
1991966 Ennio S240/3000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3570	76W / 38W	101 / 94	100° / 28°
1991967 Ennio S240/3000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4230	76W / 44W	101 / 97	100° / 28°
1991968 Ennio S240/3000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4870	76W / 52W	101 / 94	100° / 28°
1991969 Ennio S240/3000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5500	76W / 58W	101 / 95	100° / 28°
1991970 Ennio S240/3000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 2920	100W / 32W	93 / 92	100° / 28°
1991971 Ennio S240/3000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3570	100W / 38W	93 / 94	100° / 28°
1991972 Ennio S240/3000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4230	100W / 44W	93 / 97	100° / 28°
1991973 Ennio S240/3000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4870	100W / 52W	93 / 94	100° / 28°
1991974 Ennio S240/3000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5500	100W / 58W	93 / 95	100° / 28°
1991975 Ennio S240/4000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3140	64W / 32W	104 / 99	100° / 28°
1991976 Ennio S240/4000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3840	64W / 38W	104 / 102	100° / 28°
1991977 Ennio S240/4000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4550	64W / 44W	104 / 104	100° / 28°
1991978 Ennio S240/4000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5240	64W / 52W	104 / 101	100° / 28°
1991979 Ennio S240/4000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 58W	104 / 102	100° / 28°
1991980 Ennio S240/4000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3140	76W / 32W	105 / 99	100° / 28°
1991981 Ennio S240/4000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3840	76W / 38W	105 / 102	100° / 28°
1991982 Ennio S240/4000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4550	76W / 44W	105 / 104	100° / 28°
1991983 Ennio S240/4000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5240	76W / 52W	105 / 101	100° / 28°
1991984 Ennio S240/4000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 58W	105 / 102	100° / 28°
1991985 Ennio S240/4000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3140	100W / 32W	97 / 99	100° / 28°
1991986 Ennio S240/4000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3840	100W / 38W	97 / 102	100° / 28°
1991987 Ennio S240/4000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4550	100W / 44W	97 / 104	100° / 28°
1991988 Ennio S240/4000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5240	100W / 52W	97 / 101	100° / 28°
1991989 Ennio S240/4000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 58W	97 / 102	100° / 28°
1991990 Ennio S240/3000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 2980	64W / 32W	100 / 94	100° / 46°
1991991 Ennio S240/3000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3650	64W / 38W	100 / 97	100° / 46°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1991992 Ennio S240/3000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4320	64W / 44W	100 / 99	100° / 46°
1991993 Ennio S240/3000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4970	64W / 52W	100 / 96	100° / 46°
1991994 Ennio S240/3000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5610	64W / 58W	100 / 97	100° / 46°
1991995 Ennio S240/3000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 2980	76W / 32W	101 / 94	100° / 46°
1991996 Ennio S240/3000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3650	76W / 38W	101 / 97	100° / 46°
1991997 Ennio S240/3000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4320	76W / 44W	101 / 99	100° / 46°
1991998 Ennio S240/3000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4970	76W / 52W	101 / 96	100° / 46°
1991999 Ennio S240/3000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5610	76W / 58W	101 / 97	100° / 46°
1992000 Ennio S240/3000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 2980	100W / 32W	93 / 94	100° / 46°
1992001 Ennio S240/3000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3650	100W / 38W	93 / 97	100° / 46°
1992002 Ennio S240/3000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4320	100W / 44W	93 / 99	100° / 46°
1992003 Ennio S240/3000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4970	100W / 52W	93 / 96	100° / 46°
1992004 Ennio S240/3000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5610	100W / 58W	93 / 97	100° / 46°
1992005 Ennio S240/4000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3200	64W / 32W	104 / 100	100° / 46°
1992006 Ennio S240/4000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3920	64W / 38W	104 / 104	100° / 46°
1992007 Ennio S240/4000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4640	64W / 44W	104 / 106	100° / 46°
1992008 Ennio S240/4000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5340	64W / 52W	104 / 103	100° / 46°
1992009 Ennio S240/4000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6030	64W / 58W	104 / 104	100° / 46°
1992010 Ennio S240/4000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3200	76W / 32W	105 / 100	100° / 46°
1992011 Ennio S240/4000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3920	76W / 38W	105 / 104	100° / 46°
1992012 Ennio S240/4000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4640	76W / 44W	105 / 106	100° / 46°
1992013 Ennio S240/4000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5340	76W / 52W	105 / 103	100° / 46°
1992014 Ennio S240/4000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6030	76W / 58W	105 / 104	100° / 46°
1992015 Ennio S240/4000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3200	100W / 32W	97 / 100	100° / 46°
1992016 Ennio S240/4000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3920	100W / 38W	97 / 104	100° / 46°
1992017 Ennio S240/4000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4640	100W / 44W	97 / 106	100° / 46°
1992018 Ennio S240/4000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5340	100W / 52W	97 / 103	100° / 46°
1992019 Ennio S240/4000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6030	100W / 58W	97 / 104	100° / 46°
1992020 Ennio S240/3000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 2860	64W / 32W	100 / 90	100° / 57°
1992021 Ennio S240/3000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3500	64W / 38W	100 / 93	100° / 57°
1992022 Ennio S240/3000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4140	64W / 44W	100 / 95	100° / 57°
1992023 Ennio S240/3000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4770	64W / 52W	100 / 92	100° / 57°
1992024 Ennio S240/3000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5380	64W / 58W	100 / 93	100° / 57°
1992025 Ennio S240/3000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 2860	76W / 32W	101 / 90	100° / 57°
1992026 Ennio S240/3000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3500	76W / 38W	101 / 93	100° / 57°
1992027 Ennio S240/3000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4140	76W / 44W	101 / 95	100° / 57°
1992028 Ennio S240/3000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4770	76W / 52W	101 / 92	100° / 57°
1992029 Ennio S240/3000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5380	76W / 58W	101 / 93	100° / 57°
1992030 Ennio S240/3000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 2860	100W / 32W	93 / 90	100° / 57°
1992031 Ennio S240/3000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3500	100W / 38W	93 / 93	100° / 57°
1992032 Ennio S240/3000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4140	100W / 44W	93 / 95	100° / 57°
1992033 Ennio S240/3000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4770	100W / 52W	93 / 92	100° / 57°
1992034 Ennio S240/3000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5380	100W / 58W	93 / 93	100° / 57°
1992035 Ennio S240/4000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3070	64W / 32W	104 / 96	100° / 57°
1992036 Ennio S240/4000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 38W	104 / 99	100° / 57°
1992037 Ennio S240/4000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4460	64W / 44W	104 / 102	100° / 57°
1992038 Ennio S240/4000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5130	64W / 52W	104 / 99	100° / 57°
1992039 Ennio S240/4000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5790	64W / 58W	104 / 100	100° / 57°
1992040 Ennio S240/4000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3070	76W / 32W	105 / 96	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992041 Ennio S240/4000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 38W	105 / 99	100° / 57°
1992042 Ennio S240/4000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4460	76W / 44W	105 / 102	100° / 57°
1992043 Ennio S240/4000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5130	76W / 52W	105 / 99	100° / 57°
1992044 Ennio S240/4000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5790	76W / 58W	105 / 100	100° / 57°
1992045 Ennio S240/4000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3070	100W / 32W	97 / 96	100° / 57°
1992046 Ennio S240/4000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 38W	97 / 99	100° / 57°
1992047 Ennio S240/4000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4460	100W / 44W	97 / 102	100° / 57°
1992048 Ennio S240/4000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5130	100W / 52W	97 / 99	100° / 57°
1992049 Ennio S240/4000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5790	100W / 58W	97 / 100	100° / 57°
1992050 Ennio S300/3000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 3730	74W / 38W	103 / 99	100° / 15°
1992051 Ennio S300/3000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4600	74W / 46W	103 / 100	100° / 15°
1992052 Ennio S300/3000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5420	74W / 56W	103 / 97	100° / 15°
1992053 Ennio S300/3000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6240	74W / 64W	103 / 98	100° / 15°
1992054 Ennio S300/3000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7040	74W / 72W	103 / 98	100° / 15°
1992055 Ennio S300/3000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 3730	100W / 38W	100 / 99	100° / 15°
1992056 Ennio S300/3000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4600	100W / 46W	100 / 100	100° / 15°
1992057 Ennio S300/3000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5420	100W / 56W	100 / 97	100° / 15°
1992058 Ennio S300/3000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6240	100W / 64W	100 / 98	100° / 15°
1992059 Ennio S300/3000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7040	100W / 72W	100 / 98	100° / 15°
1992060 Ennio S300/3000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 3730	120W / 38W	96 / 99	100° / 15°
1992061 Ennio S300/3000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4600	120W / 46W	96 / 100	100° / 15°
1992062 Ennio S300/3000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5420	120W / 56W	96 / 97	100° / 15°
1992063 Ennio S300/3000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6240	120W / 64W	96 / 98	100° / 15°
1992064 Ennio S300/3000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7040	120W / 72W	96 / 98	100° / 15°
1992065 Ennio S300/4000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4010	74W / 38W	108 / 106	100° / 15°
1992066 Ennio S300/4000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4940	74W / 46W	108 / 108	100° / 15°
1992067 Ennio S300/4000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5830	74W / 56W	108 / 105	100° / 15°
1992068 Ennio S300/4000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6710	74W / 64W	108 / 105	100° / 15°
1992069 Ennio S300/4000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7570	74W / 72W	108 / 106	100° / 15°
1992070 Ennio S300/4000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4010	100W / 38W	105 / 106	100° / 15°
1992071 Ennio S300/4000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4940	100W / 46W	105 / 108	100° / 15°
1992072 Ennio S300/4000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5830	100W / 56W	105 / 105	100° / 15°
1992073 Ennio S300/4000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6710	100W / 64W	105 / 105	100° / 15°
1992074 Ennio S300/4000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7570	100W / 72W	105 / 106	100° / 15°
1992075 Ennio S300/4000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4010	120W / 38W	100 / 106	100° / 15°
1992076 Ennio S300/4000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4940	120W / 46W	100 / 108	100° / 15°
1992077 Ennio S300/4000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5830	120W / 56W	100 / 105	100° / 15°
1992078 Ennio S300/4000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6710	120W / 64W	100 / 105	100° / 15°
1992079 Ennio S300/4000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7570	120W / 72W	100 / 106	100° / 15°
1992080 Ennio S300/3000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 3770	74W / 38W	103 / 100	100° / 21°
1992081 Ennio S300/3000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4640	74W / 46W	103 / 101	100° / 21°
1992082 Ennio S300/3000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5480	74W / 56W	103 / 98	100° / 21°
1992083 Ennio S300/3000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6300	74W / 64W	103 / 99	100° / 21°
1992084 Ennio S300/3000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7110	74W / 72W	103 / 99	100° / 21°
1992085 Ennio S300/3000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 3770	100W / 38W	100 / 100	100° / 21°
1992086 Ennio S300/3000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4640	100W / 46W	100 / 101	100° / 21°
1992087 Ennio S300/3000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5480	100W / 56W	100 / 98	100° / 21°
1992088 Ennio S300/3000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6300	100W / 64W	100 / 99	100° / 21°
1992089 Ennio S300/3000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7110	100W / 72W	100 / 99	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992090 Ennio S300/3000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 3770	120W / 38W	96 / 100	100° / 21°
1992091 Ennio S300/3000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4640	120W / 46W	96 / 101	100° / 21°
1992092 Ennio S300/3000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5480	120W / 56W	96 / 98	100° / 21°
1992093 Ennio S300/3000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6300	120W / 64W	96 / 99	100° / 21°
1992094 Ennio S300/3000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7110	120W / 72W	96 / 99	100° / 21°
1992095 Ennio S300/4000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4050	74W / 38W	108 / 107	100° / 21°
1992096 Ennio S300/4000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4990	74W / 46W	108 / 109	100° / 21°
1992097 Ennio S300/4000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5890	74W / 56W	108 / 106	100° / 21°
1992098 Ennio S300/4000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6780	74W / 64W	108 / 106	100° / 21°
1992099 Ennio S300/4000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7650	74W / 72W	108 / 107	100° / 21°
1992100 Ennio S300/4000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4050	100W / 38W	105 / 107	100° / 21°
1992101 Ennio S300/4000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4990	100W / 46W	105 / 109	100° / 21°
1992102 Ennio S300/4000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5890	100W / 56W	105 / 106	100° / 21°
1992103 Ennio S300/4000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6780	100W / 64W	105 / 106	100° / 21°
1992104 Ennio S300/4000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7650	100W / 72W	105 / 107	100° / 21°
1992105 Ennio S300/4000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4050	120W / 38W	100 / 107	100° / 21°
1992106 Ennio S300/4000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4990	120W / 46W	100 / 109	100° / 21°
1992107 Ennio S300/4000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5890	120W / 56W	100 / 106	100° / 21°
1992108 Ennio S300/4000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6780	120W / 64W	100 / 106	100° / 21°
1992109 Ennio S300/4000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7650	120W / 72W	100 / 107	100° / 21°
1992110 Ennio S300/3000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 3620	74W / 38W	103 / 96	100° / 28°
1992111 Ennio S300/3000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4460	74W / 46W	103 / 97	100° / 28°
1992112 Ennio S300/3000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5260	74W / 56W	103 / 94	100° / 28°
1992113 Ennio S300/3000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6050	74W / 64W	103 / 95	100° / 28°
1992114 Ennio S300/3000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6830	74W / 72W	103 / 95	100° / 28°
1992115 Ennio S300/3000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 3620	100W / 38W	100 / 96	100° / 28°
1992116 Ennio S300/3000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4460	100W / 46W	100 / 97	100° / 28°
1992117 Ennio S300/3000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5260	100W / 56W	100 / 94	100° / 28°
1992118 Ennio S300/3000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6050	100W / 64W	100 / 95	100° / 28°
1992119 Ennio S300/3000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6830	100W / 72W	100 / 95	100° / 28°
1992120 Ennio S300/3000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 3620	120W / 38W	96 / 96	100° / 28°
1992121 Ennio S300/3000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4460	120W / 46W	96 / 97	100° / 28°
1992122 Ennio S300/3000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5260	120W / 56W	96 / 94	100° / 28°
1992123 Ennio S300/3000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6050	120W / 64W	96 / 95	100° / 28°
1992124 Ennio S300/3000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6830	120W / 72W	96 / 95	100° / 28°
1992125 Ennio S300/4000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 3890	74W / 38W	108 / 103	100° / 28°
1992126 Ennio S300/4000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4800	74W / 46W	108 / 105	100° / 28°
1992127 Ennio S300/4000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5660	74W / 56W	108 / 102	100° / 28°
1992128 Ennio S300/4000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6510	74W / 64W	108 / 102	100° / 28°
1992129 Ennio S300/4000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7350	74W / 72W	108 / 103	100° / 28°
1992130 Ennio S300/4000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 3890	100W / 38W	105 / 103	100° / 28°
1992131 Ennio S300/4000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4800	100W / 46W	105 / 105	100° / 28°
1992132 Ennio S300/4000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5660	100W / 56W	105 / 102	100° / 28°
1992133 Ennio S300/4000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6510	100W / 64W	105 / 102	100° / 28°
1992134 Ennio S300/4000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7350	100W / 72W	105 / 103	100° / 28°
1992135 Ennio S300/4000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 3890	120W / 38W	100 / 103	100° / 28°
1992136 Ennio S300/4000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4800	120W / 46W	100 / 105	100° / 28°
1992137 Ennio S300/4000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5660	120W / 56W	100 / 102	100° / 28°
1992138 Ennio S300/4000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6510	120W / 64W	100 / 102	100° / 28°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992139 Ennio S300/4000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7350	120W / 72W	100 / 103	100° / 28°
1992140 Ennio S300/3000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 3690	74W / 38W	103 / 98	100° / 46°
1992141 Ennio S300/3000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4550	74W / 46W	103 / 99	100° / 46°
1992142 Ennio S300/3000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5370	74W / 56W	103 / 96	100° / 46°
1992143 Ennio S300/3000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6180	74W / 64W	103 / 97	100° / 46°
1992144 Ennio S300/3000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6970	74W / 72W	103 / 97	100° / 46°
1992145 Ennio S300/3000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 3690	100W / 38W	100 / 98	100° / 46°
1992146 Ennio S300/3000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4550	100W / 46W	100 / 99	100° / 46°
1992147 Ennio S300/3000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5370	100W / 56W	100 / 96	100° / 46°
1992148 Ennio S300/3000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6180	100W / 64W	100 / 97	100° / 46°
1992149 Ennio S300/3000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6970	100W / 72W	100 / 97	100° / 46°
1992150 Ennio S300/3000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 3690	120W / 38W	96 / 98	100° / 46°
1992151 Ennio S300/3000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4550	120W / 46W	96 / 99	100° / 46°
1992152 Ennio S300/3000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5370	120W / 56W	96 / 96	100° / 46°
1992153 Ennio S300/3000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6180	120W / 64W	96 / 97	100° / 46°
1992154 Ennio S300/3000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6970	120W / 72W	96 / 97	100° / 46°
1992155 Ennio S300/4000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 3970	74W / 38W	108 / 105	100° / 46°
1992156 Ennio S300/4000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4890	74W / 46W	108 / 107	100° / 46°
1992157 Ennio S300/4000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5780	74W / 56W	108 / 104	100° / 46°
1992158 Ennio S300/4000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6640	74W / 64W	108 / 104	100° / 46°
1992159 Ennio S300/4000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7500	74W / 72W	108 / 105	100° / 46°
1992160 Ennio S300/4000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 3970	100W / 38W	105 / 105	100° / 46°
1992161 Ennio S300/4000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4890	100W / 46W	105 / 107	100° / 46°
1992162 Ennio S300/4000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5780	100W / 56W	105 / 104	100° / 46°
1992163 Ennio S300/4000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6640	100W / 64W	105 / 104	100° / 46°
1992164 Ennio S300/4000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7500	100W / 72W	105 / 105	100° / 46°
1992165 Ennio S300/4000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 3970	120W / 38W	100 / 105	100° / 46°
1992166 Ennio S300/4000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4890	120W / 46W	100 / 107	100° / 46°
1992167 Ennio S300/4000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5780	120W / 56W	100 / 104	100° / 46°
1992168 Ennio S300/4000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6640	120W / 64W	100 / 104	100° / 46°
1992169 Ennio S300/4000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7500	120W / 72W	100 / 105	100° / 46°
1992170 Ennio S300/3000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 3540	74W / 38W	103 / 94	100° / 57°
1992171 Ennio S300/3000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4370	74W / 46W	103 / 95	100° / 57°
1992172 Ennio S300/3000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5160	74W / 56W	103 / 93	100° / 57°
1992173 Ennio S300/3000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 64W	103 / 93	100° / 57°
1992174 Ennio S300/3000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6690	74W / 72W	103 / 93	100° / 57°
1992175 Ennio S300/3000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 3540	100W / 38W	100 / 94	100° / 57°
1992176 Ennio S300/3000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4370	100W / 46W	100 / 95	100° / 57°
1992177 Ennio S300/3000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5160	100W / 56W	100 / 93	100° / 57°
1992178 Ennio S300/3000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 64W	100 / 93	100° / 57°
1992179 Ennio S300/3000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6690	100W / 72W	100 / 93	100° / 57°
1992180 Ennio S300/3000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 3540	120W / 38W	96 / 94	100° / 57°
1992181 Ennio S300/3000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4370	120W / 46W	96 / 95	100° / 57°
1992182 Ennio S300/3000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5160	120W / 56W	96 / 93	100° / 57°
1992183 Ennio S300/3000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 64W	96 / 93	100° / 57°
1992184 Ennio S300/3000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6690	120W / 72W	96 / 93	100° / 57°
1992185 Ennio S300/4000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 3810	74W / 38W	108 / 101	100° / 57°
1992186 Ennio S300/4000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4700	74W / 46W	108 / 103	100° / 57°
1992187 Ennio S300/4000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5550	74W / 56W	108 / 100	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992188 Ennio S300/4000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6380	74W / 64W	108 / 100	100° / 57°
1992189 Ennio S300/4000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7200	74W / 72W	108 / 100	100° / 57°
1992190 Ennio S300/4000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 3810	100W / 38W	105 / 101	100° / 57°
1992191 Ennio S300/4000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4700	100W / 46W	105 / 103	100° / 57°
1992192 Ennio S300/4000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5550	100W / 56W	105 / 100	100° / 57°
1992193 Ennio S300/4000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6380	100W / 64W	105 / 100	100° / 57°
1992194 Ennio S300/4000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7200	100W / 72W	105 / 100	100° / 57°
1992195 Ennio S300/4000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 3810	120W / 38W	100 / 101	100° / 57°
1992196 Ennio S300/4000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4700	120W / 46W	100 / 103	100° / 57°
1992197 Ennio S300/4000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5550	120W / 56W	100 / 100	100° / 57°
1992198 Ennio S300/4000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6380	120W / 64W	100 / 100	100° / 57°
1992199 Ennio S300/4000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7200	120W / 72W	100 / 100	100° / 57°
1992200 Ennio S120/3000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1505	32W / 16W	100 / 95	100° / 15°
1992201 Ennio S120/3000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 19W	100 / 97	100° / 15°
1992202 Ennio S120/3000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2180	32W / 22W	100 / 100	100° / 15°
1992203 Ennio S120/3000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2510	32W / 26W	100 / 97	100° / 15°
1992204 Ennio S120/3000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2830	32W / 29W	100 / 98	100° / 15°
1992205 Ennio S120/3000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1505	38W / 16W	101 / 95	100° / 15°
1992206 Ennio S120/3000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 19W	101 / 97	100° / 15°
1992207 Ennio S120/3000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2180	38W / 22W	101 / 100	100° / 15°
1992208 Ennio S120/3000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2510	38W / 26W	101 / 97	100° / 15°
1992209 Ennio S120/3000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2830	38W / 29W	101 / 98	100° / 15°
1992210 Ennio S120/3000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1505	50W / 16W	93 / 95	100° / 15°
1992211 Ennio S120/3000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 19W	93 / 97	100° / 15°
1992212 Ennio S120/3000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2180	50W / 22W	93 / 100	100° / 15°
1992213 Ennio S120/3000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2510	50W / 26W	93 / 97	100° / 15°
1992214 Ennio S120/3000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2830	50W / 29W	93 / 98	100° / 15°
1992215 Ennio S120/4000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1615	32W / 16W	104 / 101	100° / 15°
1992216 Ennio S120/4000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1980	32W / 19W	104 / 105	100° / 15°
1992217 Ennio S120/4000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2345	32W / 22W	104 / 107	100° / 15°
1992218 Ennio S120/4000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2700	32W / 26W	104 / 104	100° / 15°
1992219 Ennio S120/4000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3045	32W / 29W	104 / 105	100° / 15°
1992220 Ennio S120/4000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1615	38W / 16W	105 / 101	100° / 15°
1992221 Ennio S120/4000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1980	38W / 19W	105 / 105	100° / 15°
1992222 Ennio S120/4000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2345	38W / 22W	105 / 107	100° / 15°
1992223 Ennio S120/4000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2700	38W / 26W	105 / 104	100° / 15°
1992224 Ennio S120/4000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3045	38W / 29W	105 / 105	100° / 15°
1992225 Ennio S120/4000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1615	50W / 16W	97 / 101	100° / 15°
1992226 Ennio S120/4000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1980	50W / 19W	97 / 105	100° / 15°
1992227 Ennio S120/4000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2345	50W / 22W	97 / 107	100° / 15°
1992228 Ennio S120/4000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2700	50W / 26W	97 / 104	100° / 15°
1992229 Ennio S120/4000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3045	50W / 29W	97 / 105	100° / 15°
1992230 Ennio S120/3000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1520	32W / 16W	100 / 95	100° / 21°
1992231 Ennio S120/3000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1860	32W / 19W	100 / 98	100° / 21°
1992232 Ennio S120/3000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2200	32W / 22W	100 / 100	100° / 21°
1992233 Ennio S120/3000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2535	32W / 26W	100 / 98	100° / 21°
1992234 Ennio S120/3000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2860	32W / 29W	100 / 99	100° / 21°
1992235 Ennio S120/3000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1520	38W / 16W	101 / 95	100° / 21°
1992236 Ennio S120/3000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1860	38W / 19W	101 / 98	100° / 21°



## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992237 Ennio S120/3000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2200	38W / 22W	101 / 100	100° / 21°
1992238 Ennio S120/3000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2535	38W / 26W	101 / 98	100° / 21°
1992239 Ennio S120/3000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2860	38W / 29W	101 / 99	100° / 21°
1992240 Ennio S120/3000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1520	50W / 16W	93 / 95	100° / 21°
1992241 Ennio S120/3000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1860	50W / 19W	93 / 98	100° / 21°
1992242 Ennio S120/3000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2200	50W / 22W	93 / 100	100° / 21°
1992243 Ennio S120/3000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2535	50W / 26W	93 / 98	100° / 21°
1992244 Ennio S120/3000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2860	50W / 29W	93 / 99	100° / 21°
1992245 Ennio S120/4000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1635	32W / 16W	104 / 103	100° / 21°
1992246 Ennio S120/4000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2000	32W / 19W	104 / 106	100° / 21°
1992247 Ennio S120/4000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2365	32W / 22W	104 / 108	100° / 21°
1992248 Ennio S120/4000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2725	32W / 26W	104 / 105	100° / 21°
1992249 Ennio S120/4000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3075	32W / 29W	104 / 107	100° / 21°
1992250 Ennio S120/4000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1635	38W / 16W	105 / 103	100° / 21°
1992251 Ennio S120/4000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2000	38W / 19W	105 / 106	100° / 21°
1992252 Ennio S120/4000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2365	38W / 22W	105 / 108	100° / 21°
1992253 Ennio S120/4000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2725	38W / 26W	105 / 105	100° / 21°
1992254 Ennio S120/4000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3075	38W / 29W	105 / 107	100° / 21°
1992255 Ennio S120/4000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1635	50W / 16W	97 / 103	100° / 21°
1992256 Ennio S120/4000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2000	50W / 19W	97 / 106	100° / 21°
1992257 Ennio S120/4000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2365	50W / 22W	97 / 108	100° / 21°
1992258 Ennio S120/4000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2725	50W / 26W	97 / 105	100° / 21°
1992259 Ennio S120/4000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3075	50W / 29W	97 / 107	100° / 21°
1992260 Ennio S120/3000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1460	32W / 16W	100 / 92	100° / 28°
1992261 Ennio S120/3000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1785	32W / 19W	100 / 94	100° / 28°
1992262 Ennio S120/3000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2115	32W / 22W	100 / 97	100° / 28°
1992263 Ennio S120/3000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2435	32W / 26W	100 / 94	100° / 28°
1992264 Ennio S120/3000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2750	32W / 29W	100 / 95	100° / 28°
1992265 Ennio S120/3000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1460	38W / 16W	101 / 92	100° / 28°
1992266 Ennio S120/3000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1785	38W / 19W	101 / 94	100° / 28°
1992267 Ennio S120/3000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2115	38W / 22W	101 / 97	100° / 28°
1992268 Ennio S120/3000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2435	38W / 26W	101 / 94	100° / 28°
1992269 Ennio S120/3000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2750	38W / 29W	101 / 95	100° / 28°
1992270 Ennio S120/3000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1460	50W / 16W	93 / 92	100° / 28°
1992271 Ennio S120/3000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1785	50W / 19W	93 / 94	100° / 28°
1992272 Ennio S120/3000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2115	50W / 22W	93 / 97	100° / 28°
1992273 Ennio S120/3000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2435	50W / 26W	93 / 94	100° / 28°
1992274 Ennio S120/3000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2750	50W / 29W	93 / 95	100° / 28°
1992275 Ennio S120/4000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1570	32W / 16W	104 / 99	100° / 28°
1992276 Ennio S120/4000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1920	32W / 19W	104 / 102	100° / 28°
1992277 Ennio S120/4000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2275	32W / 22W	104 / 104	100° / 28°
1992278 Ennio S120/4000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2620	32W / 26W	104 / 101	100° / 28°
1992279 Ennio S120/4000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 29W	104 / 102	100° / 28°
1992280 Ennio S120/4000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1570	38W / 16W	105 / 99	100° / 28°
1992281 Ennio S120/4000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1920	38W / 19W	105 / 102	100° / 28°
1992282 Ennio S120/4000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2275	38W / 22W	105 / 104	100° / 28°
1992283 Ennio S120/4000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2620	38W / 26W	105 / 101	100° / 28°
1992284 Ennio S120/4000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 29W	105 / 102	100° / 28°
1992285 Ennio S120/4000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1570	50W / 16W	97 / 99	100° / 28°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992286 Ennio S120/4000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1920	50W / 19W	97 / 102	100° / 28°
1992287 Ennio S120/4000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2275	50W / 22W	97 / 104	100° / 28°
1992288 Ennio S120/4000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2620	50W / 26W	97 / 101	100° / 28°
1992289 Ennio S120/4000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 29W	97 / 102	100° / 28°
1992290 Ennio S120/3000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1490	32W / 16W	100 / 94	100° / 46°
1992291 Ennio S120/3000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1825	32W / 19W	100 / 97	100° / 46°
1992292 Ennio S120/3000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2160	32W / 22W	100 / 99	100° / 46°
1992293 Ennio S120/3000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2485	32W / 26W	100 / 96	100° / 46°
1992294 Ennio S120/3000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2805	32W / 29W	100 / 97	100° / 46°
1992295 Ennio S120/3000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1490	38W / 16W	101 / 94	100° / 46°
1992296 Ennio S120/3000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1825	38W / 19W	101 / 97	100° / 46°
1992297 Ennio S120/3000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2160	38W / 22W	101 / 99	100° / 46°
1992298 Ennio S120/3000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2485	38W / 26W	101 / 96	100° / 46°
1992299 Ennio S120/3000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2805	38W / 29W	101 / 97	100° / 46°
1992300 Ennio S120/3000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1490	50W / 16W	93 / 94	100° / 46°
1992301 Ennio S120/3000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1825	50W / 19W	93 / 97	100° / 46°
1992302 Ennio S120/3000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2160	50W / 22W	93 / 99	100° / 46°
1992303 Ennio S120/3000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2485	50W / 26W	93 / 96	100° / 46°
1992304 Ennio S120/3000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2805	50W / 29W	93 / 97	100° / 46°
1992305 Ennio S120/4000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1600	32W / 16W	104 / 100	100° / 46°
1992306 Ennio S120/4000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1960	32W / 19W	104 / 104	100° / 46°
1992307 Ennio S120/4000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2320	32W / 22W	104 / 106	100° / 46°
1992308 Ennio S120/4000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2670	32W / 26W	104 / 103	100° / 46°
1992309 Ennio S120/4000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3015	32W / 29W	104 / 104	100° / 46°
1992310 Ennio S120/4000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1600	38W / 16W	105 / 100	100° / 46°
1992311 Ennio S120/4000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1960	38W / 19W	105 / 104	100° / 46°
1992312 Ennio S120/4000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2320	38W / 22W	105 / 106	100° / 46°
1992313 Ennio S120/4000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2670	38W / 26W	105 / 103	100° / 46°
1992314 Ennio S120/4000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3015	38W / 29W	105 / 104	100° / 46°
1992315 Ennio S120/4000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1600	50W / 16W	97 / 100	100° / 46°
1992316 Ennio S120/4000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1960	50W / 19W	97 / 104	100° / 46°
1992317 Ennio S120/4000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2320	50W / 22W	97 / 106	100° / 46°
1992318 Ennio S120/4000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2670	50W / 26W	97 / 103	100° / 46°
1992319 Ennio S120/4000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3015	50W / 29W	97 / 104	100° / 46°
1992320 Ennio S120/3000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1430	32W / 16W	100 / 90	100° / 57°
1992321 Ennio S120/3000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1750	32W / 19W	100 / 93	100° / 57°
1992322 Ennio S120/3000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2070	32W / 22W	100 / 95	100° / 57°
1992323 Ennio S120/3000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2385	32W / 26W	100 / 92	100° / 57°
1992324 Ennio S120/3000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2690	32W / 29W	100 / 93	100° / 57°
1992325 Ennio S120/3000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1430	38W / 16W	101 / 90	100° / 57°
1992326 Ennio S120/3000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1750	38W / 19W	101 / 93	100° / 57°
1992327 Ennio S120/3000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2070	38W / 22W	101 / 95	100° / 57°
1992328 Ennio S120/3000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2385	38W / 26W	101 / 92	100° / 57°
1992329 Ennio S120/3000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2690	38W / 29W	101 / 93	100° / 57°
1992330 Ennio S120/3000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1430	50W / 16W	93 / 90	100° / 57°
1992331 Ennio S120/3000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1750	50W / 19W	93 / 93	100° / 57°
1992332 Ennio S120/3000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2070	50W / 22W	93 / 95	100° / 57°
1992333 Ennio S120/3000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2385	50W / 26W	93 / 92	100° / 57°
1992334 Ennio S120/3000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2690	50W / 29W	93 / 93	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992335 Ennio S120/4000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1535	32W / 16W	104 / 96	100° / 57°
1992336 Ennio S120/4000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 19W	104 / 99	100° / 57°
1992337 Ennio S120/4000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2230	32W / 22W	104 / 102	100° / 57°
1992338 Ennio S120/4000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2565	32W / 26W	104 / 99	100° / 57°
1992339 Ennio S120/4000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2895	32W / 29W	104 / 100	100° / 57°
1992340 Ennio S120/4000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1535	38W / 16W	105 / 96	100° / 57°
1992341 Ennio S120/4000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 19W	105 / 99	100° / 57°
1992342 Ennio S120/4000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2230	38W / 22W	105 / 102	100° / 57°
1992343 Ennio S120/4000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2565	38W / 26W	105 / 99	100° / 57°
1992344 Ennio S120/4000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2895	38W / 29W	105 / 100	100° / 57°
1992345 Ennio S120/4000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1535	50W / 16W	97 / 96	100° / 57°
1992346 Ennio S120/4000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 19W	97 / 99	100° / 57°
1992347 Ennio S120/4000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2230	50W / 22W	97 / 102	100° / 57°
1992348 Ennio S120/4000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2565	50W / 26W	97 / 99	100° / 57°
1992349 Ennio S120/4000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2895	50W / 29W	97 / 100	100° / 57°
1992350 Ennio S150/3000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 1865	37W / 19W	103 / 99	100° / 15°
1992351 Ennio S150/3000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2300	37W / 23W	103 / 100	100° / 15°
1992352 Ennio S150/3000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2710	37W / 28W	103 / 97	100° / 15°
1992353 Ennio S150/3000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3120	37W / 32W	103 / 98	100° / 15°
1992354 Ennio S150/3000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3520	37W / 36W	103 / 98	100° / 15°
1992355 Ennio S150/3000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 1865	50W / 19W	100 / 99	100° / 15°
1992356 Ennio S150/3000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2300	50W / 23W	100 / 100	100° / 15°
1992357 Ennio S150/3000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2710	50W / 28W	100 / 97	100° / 15°
1992358 Ennio S150/3000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3120	50W / 32W	100 / 98	100° / 15°
1992359 Ennio S150/3000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3520	50W / 36W	100 / 98	100° / 15°
1992360 Ennio S150/3000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 1865	60W / 19W	96 / 99	100° / 15°
1992361 Ennio S150/3000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2300	60W / 23W	96 / 100	100° / 15°
1992362 Ennio S150/3000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2710	60W / 28W	96 / 97	100° / 15°
1992363 Ennio S150/3000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3120	60W / 32W	96 / 98	100° / 15°
1992364 Ennio S150/3000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3520	60W / 36W	96 / 98	100° / 15°
1992365 Ennio S150/4000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2005	37W / 19W	108 / 106	100° / 15°
1992366 Ennio S150/4000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2470	37W / 23W	108 / 108	100° / 15°
1992367 Ennio S150/4000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2915	37W / 28W	108 / 105	100° / 15°
1992368 Ennio S150/4000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3355	37W / 32W	108 / 105	100° / 15°
1992369 Ennio S150/4000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3785	37W / 36W	108 / 106	100° / 15°
1992370 Ennio S150/4000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2005	50W / 19W	105 / 106	100° / 15°
1992371 Ennio S150/4000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2470	50W / 23W	105 / 108	100° / 15°
1992372 Ennio S150/4000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2915	50W / 28W	105 / 105	100° / 15°
1992373 Ennio S150/4000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3355	50W / 32W	105 / 105	100° / 15°
1992374 Ennio S150/4000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3785	50W / 36W	105 / 106	100° / 15°
1992375 Ennio S150/4000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2005	60W / 19W	100 / 106	100° / 15°
1992376 Ennio S150/4000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2470	60W / 23W	100 / 108	100° / 15°
1992377 Ennio S150/4000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2915	60W / 28W	100 / 105	100° / 15°
1992378 Ennio S150/4000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3355	60W / 32W	100 / 105	100° / 15°
1992379 Ennio S150/4000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3785	60W / 36W	100 / 106	100° / 15°
1992380 Ennio S150/3000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 1885	37W / 19W	103 / 100	100° / 21°
1992381 Ennio S150/3000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2320	37W / 23W	103 / 101	100° / 21°
1992382 Ennio S150/3000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2740	37W / 28W	103 / 98	100° / 21°
1992383 Ennio S150/3000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3150	37W / 32W	103 / 99	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992384 Ennio S150/3000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3555	37W / 36W	103 / 99	100° / 21°
1992385 Ennio S150/3000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 1885	50W / 19W	100 / 100	100° / 21°
1992386 Ennio S150/3000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2320	50W / 23W	100 / 101	100° / 21°
1992387 Ennio S150/3000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2740	50W / 28W	100 / 98	100° / 21°
1992388 Ennio S150/3000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3150	50W / 32W	100 / 99	100° / 21°
1992389 Ennio S150/3000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3555	50W / 36W	100 / 99	100° / 21°
1992390 Ennio S150/3000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 1885	60W / 19W	96 / 100	100° / 21°
1992391 Ennio S150/3000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2320	60W / 23W	96 / 101	100° / 21°
1992392 Ennio S150/3000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2740	60W / 28W	96 / 98	100° / 21°
1992393 Ennio S150/3000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3150	60W / 32W	96 / 99	100° / 21°
1992394 Ennio S150/3000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3555	60W / 36W	96 / 99	100° / 21°
1992395 Ennio S150/4000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2025	37W / 19W	108 / 107	100° / 21°
1992396 Ennio S150/4000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2495	37W / 23W	108 / 109	100° / 21°
1992397 Ennio S150/4000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2945	37W / 28W	108 / 106	100° / 21°
1992398 Ennio S150/4000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3390	37W / 32W	108 / 106	100° / 21°
1992399 Ennio S150/4000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3825	37W / 36W	108 / 107	100° / 21°
1992400 Ennio S150/4000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2025	50W / 19W	105 / 107	100° / 21°
1992401 Ennio S150/4000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2495	50W / 23W	105 / 109	100° / 21°
1992402 Ennio S150/4000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2945	50W / 28W	105 / 106	100° / 21°
1992403 Ennio S150/4000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3390	50W / 32W	105 / 106	100° / 21°
1992404 Ennio S150/4000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3825	50W / 36W	105 / 107	100° / 21°
1992405 Ennio S150/4000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2025	60W / 19W	100 / 107	100° / 21°
1992406 Ennio S150/4000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2495	60W / 23W	100 / 109	100° / 21°
1992407 Ennio S150/4000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2945	60W / 28W	100 / 106	100° / 21°
1992408 Ennio S150/4000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3390	60W / 32W	100 / 106	100° / 21°
1992409 Ennio S150/4000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3825	60W / 36W	100 / 107	100° / 21°
1992410 Ennio S150/3000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 1810	37W / 19W	103 / 96	100° / 28°
1992411 Ennio S150/3000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2230	37W / 23W	103 / 97	100° / 28°
1992412 Ennio S150/3000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2630	37W / 28W	103 / 94	100° / 28°
1992413 Ennio S150/3000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3025	37W / 32W	103 / 95	100° / 28°
1992414 Ennio S150/3000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3415	37W / 36W	103 / 95	100° / 28°
1992415 Ennio S150/3000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 1810	50W / 19W	100 / 96	100° / 28°
1992416 Ennio S150/3000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2230	50W / 23W	100 / 97	100° / 28°
1992417 Ennio S150/3000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2630	50W / 28W	100 / 94	100° / 28°
1992418 Ennio S150/3000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3025	50W / 32W	100 / 95	100° / 28°
1992419 Ennio S150/3000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3415	50W / 36W	100 / 95	100° / 28°
1992420 Ennio S150/3000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 1810	60W / 19W	96 / 96	100° / 28°
1992421 Ennio S150/3000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2230	60W / 23W	96 / 97	100° / 28°
1992422 Ennio S150/3000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2630	60W / 28W	96 / 94	100° / 28°
1992423 Ennio S150/3000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3025	60W / 32W	96 / 95	100° / 28°
1992424 Ennio S150/3000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3415	60W / 36W	96 / 95	100° / 28°
1992425 Ennio S150/4000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 1945	37W / 19W	108 / 103	100° / 28°
1992426 Ennio S150/4000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2400	37W / 23W	108 / 105	100° / 28°
1992427 Ennio S150/4000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2830	37W / 28W	108 / 102	100° / 28°
1992428 Ennio S150/4000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3255	37W / 32W	108 / 102	100° / 28°
1992429 Ennio S150/4000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3675	37W / 36W	108 / 103	100° / 28°
1992430 Ennio S150/4000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 1945	50W / 19W	105 / 103	100° / 28°
1992431 Ennio S150/4000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2400	50W / 23W	105 / 105	100° / 28°
1992432 Ennio S150/4000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2830	50W / 28W	105 / 102	100° / 28°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992433 Ennio S150/4000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3255	50W / 32W	105 / 102	100° / 28°
1992434 Ennio S150/4000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3675	50W / 36W	105 / 103	100° / 28°
1992435 Ennio S150/4000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 1945	60W / 19W	100 / 103	100° / 28°
1992436 Ennio S150/4000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2400	60W / 23W	100 / 105	100° / 28°
1992437 Ennio S150/4000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2830	60W / 28W	100 / 102	100° / 28°
1992438 Ennio S150/4000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3255	60W / 32W	100 / 102	100° / 28°
1992439 Ennio S150/4000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3675	60W / 36W	100 / 103	100° / 28°
1992440 Ennio S150/3000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 1845	37W / 19W	103 / 98	100° / 46°
1992441 Ennio S150/3000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2275	37W / 23W	103 / 99	100° / 46°
1992442 Ennio S150/3000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2685	37W / 28W	103 / 96	100° / 46°
1992443 Ennio S150/3000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3090	37W / 32W	103 / 97	100° / 46°
1992444 Ennio S150/3000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3485	37W / 36W	103 / 97	100° / 46°
1992445 Ennio S150/3000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 1845	50W / 19W	100 / 98	100° / 46°
1992446 Ennio S150/3000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2275	50W / 23W	100 / 99	100° / 46°
1992447 Ennio S150/3000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2685	50W / 28W	100 / 96	100° / 46°
1992448 Ennio S150/3000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3090	50W / 32W	100 / 97	100° / 46°
1992449 Ennio S150/3000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3485	50W / 36W	100 / 97	100° / 46°
1992450 Ennio S150/3000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 1845	60W / 19W	96 / 98	100° / 46°
1992451 Ennio S150/3000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2275	60W / 23W	96 / 99	100° / 46°
1992452 Ennio S150/3000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2685	60W / 28W	96 / 96	100° / 46°
1992453 Ennio S150/3000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3090	60W / 32W	96 / 97	100° / 46°
1992454 Ennio S150/3000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3485	60W / 36W	96 / 97	100° / 46°
1992455 Ennio S150/4000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 1985	37W / 19W	108 / 105	100° / 46°
1992456 Ennio S150/4000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2445	37W / 23W	108 / 107	100° / 46°
1992457 Ennio S150/4000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2890	37W / 28W	108 / 104	100° / 46°
1992458 Ennio S150/4000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3320	37W / 32W	108 / 104	100° / 46°
1992459 Ennio S150/4000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3750	37W / 36W	108 / 105	100° / 46°
1992460 Ennio S150/4000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 1985	50W / 19W	105 / 105	100° / 46°
1992461 Ennio S150/4000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2445	50W / 23W	105 / 107	100° / 46°
1992462 Ennio S150/4000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2890	50W / 28W	105 / 104	100° / 46°
1992463 Ennio S150/4000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3320	50W / 32W	105 / 104	100° / 46°
1992464 Ennio S150/4000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3750	50W / 36W	105 / 105	100° / 46°
1992465 Ennio S150/4000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 1985	60W / 19W	100 / 105	100° / 46°
1992466 Ennio S150/4000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2445	60W / 23W	100 / 107	100° / 46°
1992467 Ennio S150/4000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2890	60W / 28W	100 / 104	100° / 46°
1992468 Ennio S150/4000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3320	60W / 32W	100 / 104	100° / 46°
1992469 Ennio S150/4000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3750	60W / 36W	100 / 105	100° / 46°
1992470 Ennio S150/3000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 1770	37W / 19W	103 / 94	100° / 57°
1992471 Ennio S150/3000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2185	37W / 23W	103 / 95	100° / 57°
1992472 Ennio S150/3000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2580	37W / 28W	103 / 93	100° / 57°
1992473 Ennio S150/3000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 32W	103 / 93	100° / 57°
1992474 Ennio S150/3000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3345	37W / 36W	103 / 93	100° / 57°
1992475 Ennio S150/3000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 1770	50W / 19W	100 / 94	100° / 57°
1992476 Ennio S150/3000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2185	50W / 23W	100 / 95	100° / 57°
1992477 Ennio S150/3000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2580	50W / 28W	100 / 93	100° / 57°
1992478 Ennio S150/3000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 32W	100 / 93	100° / 57°
1992479 Ennio S150/3000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3345	50W / 36W	100 / 93	100° / 57°
1992480 Ennio S150/3000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 1770	60W / 19W	96 / 94	100° / 57°
1992481 Ennio S150/3000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2185	60W / 23W	96 / 95	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992482 Ennio S150/3000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2580	60W / 28W	96 / 93	100° / 57°
1992483 Ennio S150/3000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 32W	96 / 93	100° / 57°
1992484 Ennio S150/3000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3345	60W / 36W	96 / 93	100° / 57°
1992485 Ennio S150/4000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 1905	37W / 19W	108 / 101	100° / 57°
1992486 Ennio S150/4000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2350	37W / 23W	108 / 103	100° / 57°
1992487 Ennio S150/4000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2775	37W / 28W	108 / 100	100° / 57°
1992488 Ennio S150/4000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3190	37W / 32W	108 / 100	100° / 57°
1992489 Ennio S150/4000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3600	37W / 36W	108 / 100	100° / 57°
1992490 Ennio S150/4000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 1905	50W / 19W	105 / 101	100° / 57°
1992491 Ennio S150/4000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2350	50W / 23W	105 / 103	100° / 57°
1992492 Ennio S150/4000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2775	50W / 28W	105 / 100	100° / 57°
1992493 Ennio S150/4000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3190	50W / 32W	105 / 100	100° / 57°
1992494 Ennio S150/4000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3600	50W / 36W	105 / 100	100° / 57°
1992495 Ennio S150/4000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 1905	60W / 19W	100 / 101	100° / 57°
1992496 Ennio S150/4000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2350	60W / 23W	100 / 103	100° / 57°
1992497 Ennio S150/4000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2775	60W / 28W	100 / 100	100° / 57°
1992498 Ennio S150/4000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3190	60W / 32W	100 / 100	100° / 57°
1992499 Ennio S150/4000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3600	60W / 36W	100 / 100	100° / 57°
1992500 Ennio S240/3000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3010	64W / 32W	100 / 95	100° / 15°
1992501 Ennio S240/3000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 38W	100 / 97	100° / 15°
1992502 Ennio S240/3000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4360	64W / 44W	100 / 100	100° / 15°
1992503 Ennio S240/3000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5020	64W / 52W	100 / 97	100° / 15°
1992504 Ennio S240/3000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5660	64W / 58W	100 / 98	100° / 15°
1992505 Ennio S240/3000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3010	76W / 32W	101 / 95	100° / 15°
1992506 Ennio S240/3000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 38W	101 / 97	100° / 15°
1992507 Ennio S240/3000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4360	76W / 44W	101 / 100	100° / 15°
1992508 Ennio S240/3000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5020	76W / 52W	101 / 97	100° / 15°
1992509 Ennio S240/3000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5660	76W / 58W	101 / 98	100° / 15°
1992510 Ennio S240/3000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3010	100W / 32W	93 / 95	100° / 15°
1992511 Ennio S240/3000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 38W	93 / 97	100° / 15°
1992512 Ennio S240/3000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4360	100W / 44W	93 / 100	100° / 15°
1992513 Ennio S240/3000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5020	100W / 52W	93 / 97	100° / 15°
1992514 Ennio S240/3000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5660	100W / 58W	93 / 98	100° / 15°
1992515 Ennio S240/4000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3230	64W / 32W	104 / 101	100° / 15°
1992516 Ennio S240/4000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3960	64W / 38W	104 / 105	100° / 15°
1992517 Ennio S240/4000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4690	64W / 44W	104 / 107	100° / 15°
1992518 Ennio S240/4000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5400	64W / 52W	104 / 104	100° / 15°
1992519 Ennio S240/4000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6090	64W / 58W	104 / 105	100° / 15°
1992520 Ennio S240/4000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3230	76W / 32W	105 / 101	100° / 15°
1992521 Ennio S240/4000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3960	76W / 38W	105 / 105	100° / 15°
1992522 Ennio S240/4000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4690	76W / 44W	105 / 107	100° / 15°
1992523 Ennio S240/4000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5400	76W / 52W	105 / 104	100° / 15°
1992524 Ennio S240/4000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6090	76W / 58W	105 / 105	100° / 15°
1992525 Ennio S240/4000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3230	100W / 32W	97 / 101	100° / 15°
1992526 Ennio S240/4000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3960	100W / 38W	97 / 105	100° / 15°
1992527 Ennio S240/4000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4690	100W / 44W	97 / 107	100° / 15°
1992528 Ennio S240/4000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5400	100W / 52W	97 / 104	100° / 15°
1992529 Ennio S240/4000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6090	100W / 58W	97 / 105	100° / 15°
1992530 Ennio S240/3000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3040	64W / 32W	100 / 95	100° / 21°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992531 Ennio S240/3000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3720	64W / 38W	100 / 98	100° / 21°
1992532 Ennio S240/3000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4400	64W / 44W	100 / 100	100° / 21°
1992533 Ennio S240/3000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5070	64W / 52W	100 / 98	100° / 21°
1992534 Ennio S240/3000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5720	64W / 58W	100 / 99	100° / 21°
1992535 Ennio S240/3000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3040	76W / 32W	101 / 95	100° / 21°
1992536 Ennio S240/3000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3720	76W / 38W	101 / 98	100° / 21°
1992537 Ennio S240/3000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4400	76W / 44W	101 / 100	100° / 21°
1992538 Ennio S240/3000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5070	76W / 52W	101 / 98	100° / 21°
1992539 Ennio S240/3000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5720	76W / 58W	101 / 99	100° / 21°
1992540 Ennio S240/3000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3040	100W / 32W	93 / 95	100° / 21°
1992541 Ennio S240/3000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3720	100W / 38W	93 / 98	100° / 21°
1992542 Ennio S240/3000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4400	100W / 44W	93 / 100	100° / 21°
1992543 Ennio S240/3000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5070	100W / 52W	93 / 98	100° / 21°
1992544 Ennio S240/3000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5720	100W / 58W	93 / 99	100° / 21°
1992545 Ennio S240/4000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3270	64W / 32W	104 / 103	100° / 21°
1992546 Ennio S240/4000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4000	64W / 38W	104 / 106	100° / 21°
1992547 Ennio S240/4000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4730	64W / 44W	104 / 108	100° / 21°
1992548 Ennio S240/4000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5450	64W / 52W	104 / 105	100° / 21°
1992549 Ennio S240/4000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6150	64W / 58W	104 / 107	100° / 21°
1992550 Ennio S240/4000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3270	76W / 32W	105 / 103	100° / 21°
1992551 Ennio S240/4000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4000	76W / 38W	105 / 106	100° / 21°
1992552 Ennio S240/4000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4730	76W / 44W	105 / 108	100° / 21°
1992553 Ennio S240/4000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5450	76W / 52W	105 / 105	100° / 21°
1992554 Ennio S240/4000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6150	76W / 58W	105 / 107	100° / 21°
1992555 Ennio S240/4000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3270	100W / 32W	97 / 103	100° / 21°
1992556 Ennio S240/4000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4000	100W / 38W	97 / 106	100° / 21°
1992557 Ennio S240/4000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4730	100W / 44W	97 / 108	100° / 21°
1992558 Ennio S240/4000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5450	100W / 52W	97 / 105	100° / 21°
1992559 Ennio S240/4000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6150	100W / 58W	97 / 107	100° / 21°
1992560 Ennio S240/3000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 2920	64W / 32W	100 / 92	100° / 28°
1992561 Ennio S240/3000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3570	64W / 38W	100 / 94	100° / 28°
1992562 Ennio S240/3000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4230	64W / 44W	100 / 97	100° / 28°
1992563 Ennio S240/3000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4870	64W / 52W	100 / 94	100° / 28°
1992564 Ennio S240/3000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5500	64W / 58W	100 / 95	100° / 28°
1992565 Ennio S240/3000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 2920	76W / 32W	101 / 92	100° / 28°
1992566 Ennio S240/3000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3570	76W / 38W	101 / 94	100° / 28°
1992567 Ennio S240/3000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4230	76W / 44W	101 / 97	100° / 28°
1992568 Ennio S240/3000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4870	76W / 52W	101 / 94	100° / 28°
1992569 Ennio S240/3000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5500	76W / 58W	101 / 95	100° / 28°
1992570 Ennio S240/3000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 2920	100W / 32W	93 / 92	100° / 28°
1992571 Ennio S240/3000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3570	100W / 38W	93 / 94	100° / 28°
1992572 Ennio S240/3000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4230	100W / 44W	93 / 97	100° / 28°
1992573 Ennio S240/3000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4870	100W / 52W	93 / 94	100° / 28°
1992574 Ennio S240/3000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5500	100W / 58W	93 / 95	100° / 28°
1992575 Ennio S240/4000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3140	64W / 32W	104 / 99	100° / 28°
1992576 Ennio S240/4000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3840	64W / 38W	104 / 102	100° / 28°
1992577 Ennio S240/4000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4550	64W / 44W	104 / 104	100° / 28°
1992578 Ennio S240/4000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5240	64W / 52W	104 / 101	100° / 28°
1992579 Ennio S240/4000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 58W	104 / 102	100° / 28°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992580 Ennio S240/4000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3140	76W / 32W	105 / 99	100° / 28°
1992581 Ennio S240/4000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3840	76W / 38W	105 / 102	100° / 28°
1992582 Ennio S240/4000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4550	76W / 44W	105 / 104	100° / 28°
1992583 Ennio S240/4000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5240	76W / 52W	105 / 101	100° / 28°
1992584 Ennio S240/4000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 58W	105 / 102	100° / 28°
1992585 Ennio S240/4000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3140	100W / 32W	97 / 99	100° / 28°
1992586 Ennio S240/4000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3840	100W / 38W	97 / 102	100° / 28°
1992587 Ennio S240/4000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4550	100W / 44W	97 / 104	100° / 28°
1992588 Ennio S240/4000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5240	100W / 52W	97 / 101	100° / 28°
1992589 Ennio S240/4000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 58W	97 / 102	100° / 28°
1992590 Ennio S240/3000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 2980	64W / 32W	100 / 94	100° / 46°
1992591 Ennio S240/3000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3650	64W / 38W	100 / 97	100° / 46°
1992592 Ennio S240/3000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4320	64W / 44W	100 / 99	100° / 46°
1992593 Ennio S240/3000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4970	64W / 52W	100 / 96	100° / 46°
1992594 Ennio S240/3000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5610	64W / 58W	100 / 97	100° / 46°
1992595 Ennio S240/3000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 2980	76W / 32W	101 / 94	100° / 46°
1992596 Ennio S240/3000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3650	76W / 38W	101 / 97	100° / 46°
1992597 Ennio S240/3000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4320	76W / 44W	101 / 99	100° / 46°
1992598 Ennio S240/3000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4970	76W / 52W	101 / 96	100° / 46°
1992599 Ennio S240/3000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5610	76W / 58W	101 / 97	100° / 46°
1992600 Ennio S240/3000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 2980	100W / 32W	93 / 94	100° / 46°
1992601 Ennio S240/3000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3650	100W / 38W	93 / 97	100° / 46°
1992602 Ennio S240/3000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4320	100W / 44W	93 / 99	100° / 46°
1992603 Ennio S240/3000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4970	100W / 52W	93 / 96	100° / 46°
1992604 Ennio S240/3000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5610	100W / 58W	93 / 97	100° / 46°
1992605 Ennio S240/4000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3200	64W / 32W	104 / 100	100° / 46°
1992606 Ennio S240/4000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3920	64W / 38W	104 / 104	100° / 46°
1992607 Ennio S240/4000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4640	64W / 44W	104 / 106	100° / 46°
1992608 Ennio S240/4000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5340	64W / 52W	104 / 103	100° / 46°
1992609 Ennio S240/4000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6030	64W / 58W	104 / 104	100° / 46°
1992610 Ennio S240/4000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3200	76W / 32W	105 / 100	100° / 46°
1992611 Ennio S240/4000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3920	76W / 38W	105 / 104	100° / 46°
1992612 Ennio S240/4000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4640	76W / 44W	105 / 106	100° / 46°
1992613 Ennio S240/4000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5340	76W / 52W	105 / 103	100° / 46°
1992614 Ennio S240/4000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6030	76W / 58W	105 / 104	100° / 46°
1992615 Ennio S240/4000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3200	100W / 32W	97 / 100	100° / 46°
1992616 Ennio S240/4000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3920	100W / 38W	97 / 104	100° / 46°
1992617 Ennio S240/4000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4640	100W / 44W	97 / 106	100° / 46°
1992618 Ennio S240/4000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5340	100W / 52W	97 / 103	100° / 46°
1992619 Ennio S240/4000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6030	100W / 58W	97 / 104	100° / 46°
1992620 Ennio S240/3000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 2860	64W / 32W	100 / 90	100° / 57°
1992621 Ennio S240/3000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3500	64W / 38W	100 / 93	100° / 57°
1992622 Ennio S240/3000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4140	64W / 44W	100 / 95	100° / 57°
1992623 Ennio S240/3000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4770	64W / 52W	100 / 92	100° / 57°
1992624 Ennio S240/3000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5380	64W / 58W	100 / 93	100° / 57°
1992625 Ennio S240/3000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 2860	76W / 32W	101 / 90	100° / 57°
1992626 Ennio S240/3000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3500	76W / 38W	101 / 93	100° / 57°
1992627 Ennio S240/3000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4140	76W / 44W	101 / 95	100° / 57°
1992628 Ennio S240/3000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4770	76W / 52W	101 / 92	100° / 57°



## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992629 Ennio S240/3000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5380	76W / 58W	101 / 93	100° / 57°
1992630 Ennio S240/3000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 2860	100W / 32W	93 / 90	100° / 57°
1992631 Ennio S240/3000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3500	100W / 38W	93 / 93	100° / 57°
1992632 Ennio S240/3000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4140	100W / 44W	93 / 95	100° / 57°
1992633 Ennio S240/3000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4770	100W / 52W	93 / 92	100° / 57°
1992634 Ennio S240/3000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5380	100W / 58W	93 / 93	100° / 57°
1992635 Ennio S240/4000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3070	64W / 32W	104 / 96	100° / 57°
1992636 Ennio S240/4000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 38W	104 / 99	100° / 57°
1992637 Ennio S240/4000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4460	64W / 44W	104 / 102	100° / 57°
1992638 Ennio S240/4000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5130	64W / 52W	104 / 99	100° / 57°
1992639 Ennio S240/4000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5790	64W / 58W	104 / 100	100° / 57°
1992640 Ennio S240/4000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3070	76W / 32W	105 / 96	100° / 57°
1992641 Ennio S240/4000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 38W	105 / 99	100° / 57°
1992642 Ennio S240/4000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4460	76W / 44W	105 / 102	100° / 57°
1992643 Ennio S240/4000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5130	76W / 52W	105 / 99	100° / 57°
1992644 Ennio S240/4000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5790	76W / 58W	105 / 100	100° / 57°
1992645 Ennio S240/4000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3070	100W / 32W	97 / 96	100° / 57°
1992646 Ennio S240/4000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 38W	97 / 99	100° / 57°
1992647 Ennio S240/4000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4460	100W / 44W	97 / 102	100° / 57°
1992648 Ennio S240/4000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5130	100W / 52W	97 / 99	100° / 57°
1992649 Ennio S240/4000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5790	100W / 58W	97 / 100	100° / 57°
1992650 Ennio S300/3000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 3730	74W / 38W	103 / 99	100° / 15°
1992651 Ennio S300/3000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4600	74W / 46W	103 / 100	100° / 15°
1992652 Ennio S300/3000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5420	74W / 56W	103 / 97	100° / 15°
1992653 Ennio S300/3000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6240	74W / 64W	103 / 98	100° / 15°
1992654 Ennio S300/3000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7040	74W / 72W	103 / 98	100° / 15°
1992655 Ennio S300/3000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 3730	100W / 38W	100 / 99	100° / 15°
1992656 Ennio S300/3000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4600	100W / 46W	100 / 100	100° / 15°
1992657 Ennio S300/3000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5420	100W / 56W	100 / 97	100° / 15°
1992658 Ennio S300/3000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6240	100W / 64W	100 / 98	100° / 15°
1992659 Ennio S300/3000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7040	100W / 72W	100 / 98	100° / 15°
1992660 Ennio S300/3000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 3730	120W / 38W	96 / 99	100° / 15°
1992661 Ennio S300/3000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4600	120W / 46W	96 / 100	100° / 15°
1992662 Ennio S300/3000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5420	120W / 56W	96 / 97	100° / 15°
1992663 Ennio S300/3000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6240	120W / 64W	96 / 98	100° / 15°
1992664 Ennio S300/3000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7040	120W / 72W	96 / 98	100° / 15°
1992665 Ennio S300/4000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4010	74W / 38W	108 / 106	100° / 15°
1992666 Ennio S300/4000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4940	74W / 46W	108 / 108	100° / 15°
1992667 Ennio S300/4000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5830	74W / 56W	108 / 105	100° / 15°
1992668 Ennio S300/4000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6710	74W / 64W	108 / 105	100° / 15°
1992669 Ennio S300/4000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7570	74W / 72W	108 / 106	100° / 15°
1992670 Ennio S300/4000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4010	100W / 38W	105 / 106	100° / 15°
1992671 Ennio S300/4000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4940	100W / 46W	105 / 108	100° / 15°
1992672 Ennio S300/4000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5830	100W / 56W	105 / 105	100° / 15°
1992673 Ennio S300/4000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6710	100W / 64W	105 / 105	100° / 15°
1992674 Ennio S300/4000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7570	100W / 72W	105 / 106	100° / 15°
1992675 Ennio S300/4000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4010	120W / 38W	100 / 106	100° / 15°
1992676 Ennio S300/4000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4940	120W / 46W	100 / 108	100° / 15°
1992677 Ennio S300/4000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5830	120W / 56W	100 / 105	100° / 15°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992678 Ennio S300/4000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6710	120W / 64W	100 / 105	100° / 15°
1992679 Ennio S300/4000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7570	120W / 72W	100 / 106	100° / 15°
1992680 Ennio S300/3000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 3770	74W / 38W	103 / 100	100° / 21°
1992681 Ennio S300/3000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4640	74W / 46W	103 / 101	100° / 21°
1992682 Ennio S300/3000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5480	74W / 56W	103 / 98	100° / 21°
1992683 Ennio S300/3000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6300	74W / 64W	103 / 99	100° / 21°
1992684 Ennio S300/3000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7110	74W / 72W	103 / 99	100° / 21°
1992685 Ennio S300/3000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 3770	100W / 38W	100 / 100	100° / 21°
1992686 Ennio S300/3000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4640	100W / 46W	100 / 101	100° / 21°
1992687 Ennio S300/3000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5480	100W / 56W	100 / 98	100° / 21°
1992688 Ennio S300/3000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6300	100W / 64W	100 / 99	100° / 21°
1992689 Ennio S300/3000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7110	100W / 72W	100 / 99	100° / 21°
1992690 Ennio S300/3000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 3770	120W / 38W	96 / 100	100° / 21°
1992691 Ennio S300/3000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4640	120W / 46W	96 / 101	100° / 21°
1992692 Ennio S300/3000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5480	120W / 56W	96 / 98	100° / 21°
1992693 Ennio S300/3000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6300	120W / 64W	96 / 99	100° / 21°
1992694 Ennio S300/3000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7110	120W / 72W	96 / 99	100° / 21°
1992695 Ennio S300/4000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4050	74W / 38W	108 / 107	100° / 21°
1992696 Ennio S300/4000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4990	74W / 46W	108 / 109	100° / 21°
1992697 Ennio S300/4000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5890	74W / 56W	108 / 106	100° / 21°
1992698 Ennio S300/4000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6780	74W / 64W	108 / 106	100° / 21°
1992699 Ennio S300/4000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7650	74W / 72W	108 / 107	100° / 21°
1992700 Ennio S300/4000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4050	100W / 38W	105 / 107	100° / 21°
1992701 Ennio S300/4000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4990	100W / 46W	105 / 109	100° / 21°
1992702 Ennio S300/4000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5890	100W / 56W	105 / 106	100° / 21°
1992703 Ennio S300/4000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6780	100W / 64W	105 / 106	100° / 21°
1992704 Ennio S300/4000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7650	100W / 72W	105 / 107	100° / 21°
1992705 Ennio S300/4000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4050	120W / 38W	100 / 107	100° / 21°
1992706 Ennio S300/4000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4990	120W / 46W	100 / 109	100° / 21°
1992707 Ennio S300/4000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5890	120W / 56W	100 / 106	100° / 21°
1992708 Ennio S300/4000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6780	120W / 64W	100 / 106	100° / 21°
1992709 Ennio S300/4000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7650	120W / 72W	100 / 107	100° / 21°
1992710 Ennio S300/3000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 3620	74W / 38W	103 / 96	100° / 28°
1992711 Ennio S300/3000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4460	74W / 46W	103 / 97	100° / 28°
1992712 Ennio S300/3000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5260	74W / 56W	103 / 94	100° / 28°
1992713 Ennio S300/3000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6050	74W / 64W	103 / 95	100° / 28°
1992714 Ennio S300/3000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6830	74W / 72W	103 / 95	100° / 28°
1992715 Ennio S300/3000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 3620	100W / 38W	100 / 96	100° / 28°
1992716 Ennio S300/3000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4460	100W / 46W	100 / 97	100° / 28°
1992717 Ennio S300/3000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5260	100W / 56W	100 / 94	100° / 28°
1992718 Ennio S300/3000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6050	100W / 64W	100 / 95	100° / 28°
1992719 Ennio S300/3000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6830	100W / 72W	100 / 95	100° / 28°
1992720 Ennio S300/3000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 3620	120W / 38W	96 / 96	100° / 28°
1992721 Ennio S300/3000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4460	120W / 46W	96 / 97	100° / 28°
1992722 Ennio S300/3000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5260	120W / 56W	96 / 94	100° / 28°
1992723 Ennio S300/3000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6050	120W / 64W	96 / 95	100° / 28°
1992724 Ennio S300/3000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6830	120W / 72W	96 / 95	100° / 28°
1992725 Ennio S300/4000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 3890	74W / 38W	108 / 103	100° / 28°
1992726 Ennio S300/4000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4800	74W / 46W	108 / 105	100° / 28°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992727 Ennio S300/4000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5660	74W / 56W	108 / 102	100° / 28°
1992728 Ennio S300/4000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6510	74W / 64W	108 / 102	100° / 28°
1992729 Ennio S300/4000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7350	74W / 72W	108 / 103	100° / 28°
1992730 Ennio S300/4000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 3890	100W / 38W	105 / 103	100° / 28°
1992731 Ennio S300/4000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4800	100W / 46W	105 / 105	100° / 28°
1992732 Ennio S300/4000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5660	100W / 56W	105 / 102	100° / 28°
1992733 Ennio S300/4000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6510	100W / 64W	105 / 102	100° / 28°
1992734 Ennio S300/4000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7350	100W / 72W	105 / 103	100° / 28°
1992735 Ennio S300/4000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 3890	120W / 38W	100 / 103	100° / 28°
1992736 Ennio S300/4000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4800	120W / 46W	100 / 105	100° / 28°
1992737 Ennio S300/4000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5660	120W / 56W	100 / 102	100° / 28°
1992738 Ennio S300/4000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6510	120W / 64W	100 / 102	100° / 28°
1992739 Ennio S300/4000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7350	120W / 72W	100 / 103	100° / 28°
1992740 Ennio S300/3000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 3690	74W / 38W	103 / 98	100° / 46°
1992741 Ennio S300/3000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4550	74W / 46W	103 / 99	100° / 46°
1992742 Ennio S300/3000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5370	74W / 56W	103 / 96	100° / 46°
1992743 Ennio S300/3000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6180	74W / 64W	103 / 97	100° / 46°
1992744 Ennio S300/3000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6970	74W / 72W	103 / 97	100° / 46°
1992745 Ennio S300/3000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 3690	100W / 38W	100 / 98	100° / 46°
1992746 Ennio S300/3000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4550	100W / 46W	100 / 99	100° / 46°
1992747 Ennio S300/3000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5370	100W / 56W	100 / 96	100° / 46°
1992748 Ennio S300/3000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6180	100W / 64W	100 / 97	100° / 46°
1992749 Ennio S300/3000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6970	100W / 72W	100 / 97	100° / 46°
1992750 Ennio S300/3000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 3690	120W / 38W	96 / 98	100° / 46°
1992751 Ennio S300/3000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4550	120W / 46W	96 / 99	100° / 46°
1992752 Ennio S300/3000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5370	120W / 56W	96 / 96	100° / 46°
1992753 Ennio S300/3000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6180	120W / 64W	96 / 97	100° / 46°
1992754 Ennio S300/3000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6970	120W / 72W	96 / 97	100° / 46°
1992755 Ennio S300/4000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 3970	74W / 38W	108 / 105	100° / 46°
1992756 Ennio S300/4000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4890	74W / 46W	108 / 107	100° / 46°
1992757 Ennio S300/4000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5780	74W / 56W	108 / 104	100° / 46°
1992758 Ennio S300/4000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6640	74W / 64W	108 / 104	100° / 46°
1992759 Ennio S300/4000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7500	74W / 72W	108 / 105	100° / 46°
1992760 Ennio S300/4000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 3970	100W / 38W	105 / 105	100° / 46°
1992761 Ennio S300/4000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4890	100W / 46W	105 / 107	100° / 46°
1992762 Ennio S300/4000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5780	100W / 56W	105 / 104	100° / 46°
1992763 Ennio S300/4000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6640	100W / 64W	105 / 104	100° / 46°
1992764 Ennio S300/4000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7500	100W / 72W	105 / 105	100° / 46°
1992765 Ennio S300/4000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 3970	120W / 38W	100 / 105	100° / 46°
1992766 Ennio S300/4000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4890	120W / 46W	100 / 107	100° / 46°
1992767 Ennio S300/4000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5780	120W / 56W	100 / 104	100° / 46°
1992768 Ennio S300/4000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6640	120W / 64W	100 / 104	100° / 46°
1992769 Ennio S300/4000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7500	120W / 72W	100 / 105	100° / 46°
1992770 Ennio S300/3000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 3540	74W / 38W	103 / 94	100° / 57°
1992771 Ennio S300/3000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4370	74W / 46W	103 / 95	100° / 57°
1992772 Ennio S300/3000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5160	74W / 56W	103 / 93	100° / 57°
1992773 Ennio S300/3000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 64W	103 / 93	100° / 57°
1992774 Ennio S300/3000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6690	74W / 72W	103 / 93	100° / 57°
1992775 Ennio S300/3000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 3540	100W / 38W	100 / 94	100° / 57°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
<b>CRI 80</b>						
1992776 Ennio S300/3000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4370	100W / 46W	100 / 95	100° / 57°
1992777 Ennio S300/3000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5160	100W / 56W	100 / 93	100° / 57°
1992778 Ennio S300/3000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 64W	100 / 93	100° / 57°
1992779 Ennio S300/3000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6690	100W / 72W	100 / 93	100° / 57°
1992780 Ennio S300/3000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 3540	120W / 38W	96 / 94	100° / 57°
1992781 Ennio S300/3000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4370	120W / 46W	96 / 95	100° / 57°
1992782 Ennio S300/3000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5160	120W / 56W	96 / 93	100° / 57°
1992783 Ennio S300/3000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 64W	96 / 93	100° / 57°
1992784 Ennio S300/3000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6690	120W / 72W	96 / 93	100° / 57°
1992785 Ennio S300/4000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 3810	74W / 38W	108 / 101	100° / 57°
1992786 Ennio S300/4000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4700	74W / 46W	108 / 103	100° / 57°
1992787 Ennio S300/4000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5550	74W / 56W	108 / 100	100° / 57°
1992788 Ennio S300/4000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6380	74W / 64W	108 / 100	100° / 57°
1992789 Ennio S300/4000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7200	74W / 72W	108 / 100	100° / 57°
1992790 Ennio S300/4000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 3810	100W / 38W	105 / 101	100° / 57°
1992791 Ennio S300/4000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4700	100W / 46W	105 / 103	100° / 57°
1992792 Ennio S300/4000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5550	100W / 56W	105 / 100	100° / 57°
1992793 Ennio S300/4000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6380	100W / 64W	105 / 100	100° / 57°
1992794 Ennio S300/4000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7200	100W / 72W	105 / 100	100° / 57°
1992795 Ennio S300/4000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 3810	120W / 38W	100 / 101	100° / 57°
1992796 Ennio S300/4000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4700	120W / 46W	100 / 103	100° / 57°
1992797 Ennio S300/4000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5550	120W / 56W	100 / 100	100° / 57°
1992798 Ennio S300/4000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6380	120W / 64W	100 / 100	100° / 57°
1992799 Ennio S300/4000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7200	120W / 72W	100 / 100	100° / 57°

## PRODUCT CUSTOMIZATION

This product has a great customization capability for combining CRI and CCT.

Below we presented possible CRI / CCT options:

UP	DOWN
2700 CRI80	2400K CRI80
3000 CRI80	2700K CRI80
4000 CRI80	3000K CRI80
5000 CRI80	4000K CRI80
6500 CRI80	2700K CRI90
TW	2700K CRI90
PI	3000K CRI90
	4000K CRI90
	2700K CRI95
	3000K CRI95
	3500K CRI95
	4000K CRI95

For more information please send us a message using the [contact form](#) on our website.