



Ennio UP&DOWN Individual Lens

SUSPENDED | DALI EM SERIES

Ennio UP&DOWN Individual Lens is a versatile suspended luminaire that emits light both upwards and downwards. Providing indirect light on its superior side, Ennio creates a mellow ambient in the working space with reduced glare due to indirect lighting by projecting the light beam towards the ceiling.

Tunable white - Light color temperature can be adjusted to reflect the need or mood of the user. The light provided by the luminaires can be changed from warm to cold, in a range between 2700K - 6500K.

PI-LED - Combines variable white light and light of the RGB color system in one single light source. It can vary the color temperature between 2700K - 6500K along Planckian curve in the course of a day.

Ennio UP&DOWN Individual Lens has several series, determined by various add-on and controls:



- Ennio UP&DOWN Individual Lens Non-DALI: the standard version
- Ennio UP&DOWN Individual Lens Non-DALI EM: the standard version with emergency option (UP)
- Ennio UP&DOWN Individual Lens DALI: with DALI controls for illumination adjustments
- **Ennio UP&DOWN Individual Lens DALI EM: with DALI controls for illumination adjustments and emergency options (UP)**
- Ennio UP&DOWN Individual Lens TW: the tunable white system with adjustable colour temperature
- Ennio UP&DOWN Individual Lens PI-LED - simulates the spectral quality of natural daylight over the entire day.

FEATURES & BENEFITS

- CRI 80 as standard
- Color temperatures: 3000K and 4000K
- Long rated life: L90/B10@50.000h
- Luminaire efficiency (UP/DOWN): 108/129 lm/w @4000K

APPLICATION

Office | Healthcare | Hospitality | DIY




SPECIFICATIONS

Power consumption (UP)	32W, 38W, 50W	37W, 50W, 60W	64W, 76W, 100W	74W, 100W, 120W
Power consumption (DOWN)	16W, 19W, 22W, 26W, 29W	19W, 23W, 28W, 32W, 36W	32W, 38W, 44W, 52W, 58W	38W, 46W, 56W, 64W, 72W
Dimensions	1214 x 57 x 81 ± 1mm	1501 x 57 x 81 ± 1mm	2362 x 57 x 81 ± 1mm	2936 x 57 x 81 ± 1mm
Weight	4 kg - 4.1 kg	4.8 kg - 4.8 kg	7.7 kg - 7.8 kg	9.1 kg - 9.3 kg
DALI addresses	3 addresses	3 addresses	5 addresses	5 addresses
Housing materials	Aluminum & Polycarbonate			
IK code	IK02			
THD (at 230V, 50Hz, Full load)	<9%			
Protection class	Safety class 1			
Operating temperature [°C]	+5°C ... +45°C / +41F ... +113F			
Operating humidity [%]	10 ÷ 85			
Power factor	≥0.95			
AC Input [Vac]	220 - 240 VAC			
Lens angle [°] (UP)	100°			
Lens angle [°] (DOWN)	15°, 21°, 28°, 46°, 57°			
Lifespan [h]	50,000			
Housing color	● Anodised black			
Lumen maintenance	L90/B10@50.000h at 25°C			
IP factor	IP20			
Control optional	DALI			
Warranty [years]	5			
Storage temperature range [°C]	+5°C ... +25°C / +41F ... +77F			
Emergency option	EM1H , EM3H			
Efficiency@4000K (UP)	108 lm/W			
Efficiency@4000K (DOWN)	129 lm/W			

Light application	Standard
CRI	CRI 80
CCT [K]	3000K, 4000K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 1214 X 57 X 81 ± 1MM AND 1501 X 57 X 81 ± 1MM**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 100W	Non-DALI	19	15	9	31	26	16
≥ 100W	Non-DALI	19	15	9	31	26	16
< 160W	DALI	13	10	6	22	17	10

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 2362 X 57 X 81 ± 1MM AND 2936 X 57 X 81 ± 1MM

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	9	7	4	15	12	7
≥ 50W	Non-DALI	9	7	4	15	12	7
< 80W	DALI	6	5	3	11	8	5

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD >35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991600 Ennio S120/3000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1895	32W / 16W	100 / 119	100° / 15°
2991601 Ennio S120/3000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2355	32W / 19W	100 / 124	100° / 15°
2991602 Ennio S120/3000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2735	32W / 22W	100 / 125	100° / 15°
2991603 Ennio S120/3000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3110	32W / 26W	100 / 120	100° / 15°
2991604 Ennio S120/3000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3610	32W / 29W	100 / 125	100° / 15°
2991605 Ennio S120/3000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1895	38W / 16W	101 / 119	100° / 15°
2991606 Ennio S120/3000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2355	38W / 19W	101 / 124	100° / 15°
2991607 Ennio S120/3000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2735	38W / 22W	101 / 125	100° / 15°
2991608 Ennio S120/3000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3110	38W / 26W	101 / 120	100° / 15°
2991609 Ennio S120/3000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3610	38W / 29W	101 / 125	100° / 15°
2991610 Ennio S120/3000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1895	50W / 16W	93 / 119	100° / 15°
2991611 Ennio S120/3000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2355	50W / 19W	93 / 124	100° / 15°
2991612 Ennio S120/3000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2735	50W / 22W	93 / 125	100° / 15°
2991613 Ennio S120/3000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3110	50W / 26W	93 / 120	100° / 15°
2991614 Ennio S120/3000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3610	50W / 29W	93 / 125	100° / 15°
2991615 Ennio S120/4000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1895	32W / 16W	104 / 119	100° / 15°
2991616 Ennio S120/4000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2355	32W / 19W	104 / 124	100° / 15°
2991617 Ennio S120/4000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2735	32W / 22W	104 / 125	100° / 15°
2991618 Ennio S120/4000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3110	32W / 26W	104 / 120	100° / 15°
2991619 Ennio S120/4000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3610	32W / 29W	104 / 125	100° / 15°
2991620 Ennio S120/4000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1895	38W / 16W	105 / 119	100° / 15°
2991621 Ennio S120/4000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2355	38W / 19W	105 / 124	100° / 15°
2991622 Ennio S120/4000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2735	38W / 22W	105 / 125	100° / 15°
2991623 Ennio S120/4000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3110	38W / 26W	105 / 120	100° / 15°
2991624 Ennio S120/4000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3610	38W / 29W	105 / 125	100° / 15°
2991625 Ennio S120/4000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1895	50W / 16W	97 / 119	100° / 15°
2991626 Ennio S120/4000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2355	50W / 19W	97 / 124	100° / 15°
2991627 Ennio S120/4000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2735	50W / 22W	97 / 125	100° / 15°
2991628 Ennio S120/4000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3110	50W / 26W	97 / 120	100° / 15°
2991629 Ennio S120/4000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3610	50W / 29W	97 / 125	100° / 15°
2991630 Ennio S120/3000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1915	32W / 16W	100 / 120	100° / 21°
2991631 Ennio S120/3000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2375	32W / 19W	100 / 125	100° / 21°
2991632 Ennio S120/3000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2760	32W / 22W	100 / 126	100° / 21°
2991633 Ennio S120/3000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3140	32W / 26W	100 / 121	100° / 21°
2991634 Ennio S120/3000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3645	32W / 29W	100 / 126	100° / 21°
2991635 Ennio S120/3000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1915	38W / 16W	101 / 120	100° / 21°
2991636 Ennio S120/3000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2375	38W / 19W	101 / 125	100° / 21°
2991637 Ennio S120/3000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2760	38W / 22W	101 / 126	100° / 21°
2991638 Ennio S120/3000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3140	38W / 26W	101 / 121	100° / 21°
2991639 Ennio S120/3000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3645	38W / 29W	101 / 126	100° / 21°
2991640 Ennio S120/3000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1915	50W / 16W	93 / 120	100° / 21°
2991641 Ennio S120/3000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2375	50W / 19W	93 / 125	100° / 21°
2991642 Ennio S120/3000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2760	50W / 22W	93 / 126	100° / 21°
2991643 Ennio S120/3000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3140	50W / 26W	93 / 121	100° / 21°
2991644 Ennio S120/3000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3645	50W / 29W	93 / 126	100° / 21°
2991645 Ennio S120/4000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1915	32W / 16W	104 / 120	100° / 21°
2991646 Ennio S120/4000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2375	32W / 19W	104 / 125	100° / 21°
2991647 Ennio S120/4000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2760	32W / 22W	104 / 126	100° / 21°
2991648 Ennio S120/4000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3140	32W / 26W	104 / 121	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991649 Ennio S120/4000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3645	32W / 29W	104 / 126	100° / 21°
2991650 Ennio S120/4000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1915	38W / 16W	105 / 120	100° / 21°
2991651 Ennio S120/4000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2375	38W / 19W	105 / 125	100° / 21°
2991652 Ennio S120/4000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2760	38W / 22W	105 / 126	100° / 21°
2991653 Ennio S120/4000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3140	38W / 26W	105 / 121	100° / 21°
2991654 Ennio S120/4000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3645	38W / 29W	105 / 126	100° / 21°
2991655 Ennio S120/4000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1915	50W / 16W	97 / 120	100° / 21°
2991656 Ennio S120/4000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2375	50W / 19W	97 / 125	100° / 21°
2991657 Ennio S120/4000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2760	50W / 22W	97 / 126	100° / 21°
2991658 Ennio S120/4000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3140	50W / 26W	97 / 121	100° / 21°
2991659 Ennio S120/4000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3645	50W / 29W	97 / 126	100° / 21°
2991660 Ennio S120/3000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 16W	100 / 115	100° / 28°
2991661 Ennio S120/3000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2285	32W / 19W	100 / 121	100° / 28°
2991662 Ennio S120/3000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2655	32W / 22W	100 / 121	100° / 28°
2991663 Ennio S120/3000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3020	32W / 26W	100 / 117	100° / 28°
2991664 Ennio S120/3000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3505	32W / 29W	100 / 121	100° / 28°
2991665 Ennio S120/3000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 16W	101 / 115	100° / 28°
2991666 Ennio S120/3000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2285	38W / 19W	101 / 121	100° / 28°
2991667 Ennio S120/3000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2655	38W / 22W	101 / 121	100° / 28°
2991668 Ennio S120/3000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3020	38W / 26W	101 / 117	100° / 28°
2991669 Ennio S120/3000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3505	38W / 29W	101 / 121	100° / 28°
2991670 Ennio S120/3000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 16W	93 / 115	100° / 28°
2991671 Ennio S120/3000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2285	50W / 19W	93 / 121	100° / 28°
2991672 Ennio S120/3000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2655	50W / 22W	93 / 121	100° / 28°
2991673 Ennio S120/3000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3020	50W / 26W	93 / 117	100° / 28°
2991674 Ennio S120/3000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3505	50W / 29W	93 / 121	100° / 28°
2991675 Ennio S120/4000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1840	32W / 16W	104 / 115	100° / 28°
2991676 Ennio S120/4000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2285	32W / 19W	104 / 121	100° / 28°
2991677 Ennio S120/4000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2655	32W / 22W	104 / 121	100° / 28°
2991678 Ennio S120/4000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3020	32W / 26W	104 / 117	100° / 28°
2991679 Ennio S120/4000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3505	32W / 29W	104 / 121	100° / 28°
2991680 Ennio S120/4000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1840	38W / 16W	105 / 115	100° / 28°
2991681 Ennio S120/4000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2285	38W / 19W	105 / 121	100° / 28°
2991682 Ennio S120/4000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2655	38W / 22W	105 / 121	100° / 28°
2991683 Ennio S120/4000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3020	38W / 26W	105 / 117	100° / 28°
2991684 Ennio S120/4000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3505	38W / 29W	105 / 121	100° / 28°
2991685 Ennio S120/4000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1840	50W / 16W	97 / 115	100° / 28°
2991686 Ennio S120/4000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2285	50W / 19W	97 / 121	100° / 28°
2991687 Ennio S120/4000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2655	50W / 22W	97 / 121	100° / 28°
2991688 Ennio S120/4000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3020	50W / 26W	97 / 117	100° / 28°
2991689 Ennio S120/4000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3505	50W / 29W	97 / 121	100° / 28°
2991690 Ennio S120/3000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1880	32W / 16W	100 / 118	100° / 46°
2991691 Ennio S120/3000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2330	32W / 19W	100 / 123	100° / 46°
2991692 Ennio S120/3000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2705	32W / 22W	100 / 123	100° / 46°
2991693 Ennio S120/3000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3080	32W / 26W	100 / 119	100° / 46°
2991694 Ennio S120/3000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3575	32W / 29W	100 / 124	100° / 46°
2991695 Ennio S120/3000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1880	38W / 16W	101 / 118	100° / 46°
2991696 Ennio S120/3000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2330	38W / 19W	101 / 123	100° / 46°
2991697 Ennio S120/3000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2705	38W / 22W	101 / 123	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991698 Ennio S120/3000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3080	38W / 26W	101 / 119	100° / 46°
2991699 Ennio S120/3000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3575	38W / 29W	101 / 124	100° / 46°
2991700 Ennio S120/3000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1880	50W / 16W	93 / 118	100° / 46°
2991701 Ennio S120/3000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2330	50W / 19W	93 / 123	100° / 46°
2991702 Ennio S120/3000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2705	50W / 22W	93 / 123	100° / 46°
2991703 Ennio S120/3000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3080	50W / 26W	93 / 119	100° / 46°
2991704 Ennio S120/3000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3575	50W / 29W	93 / 124	100° / 46°
2991705 Ennio S120/4000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 16W	104 / 118	100° / 46°
2991706 Ennio S120/4000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2330	32W / 19W	104 / 123	100° / 46°
2991707 Ennio S120/4000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2705	32W / 22W	104 / 123	100° / 46°
2991708 Ennio S120/4000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3080	32W / 26W	104 / 119	100° / 46°
2991709 Ennio S120/4000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3575	32W / 29W	104 / 124	100° / 46°
2991710 Ennio S120/4000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 16W	105 / 118	100° / 46°
2991711 Ennio S120/4000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2330	38W / 19W	105 / 123	100° / 46°
2991712 Ennio S120/4000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2705	38W / 22W	105 / 123	100° / 46°
2991713 Ennio S120/4000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3080	38W / 26W	105 / 119	100° / 46°
2991714 Ennio S120/4000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3575	38W / 29W	105 / 124	100° / 46°
2991715 Ennio S120/4000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 16W	97 / 118	100° / 46°
2991716 Ennio S120/4000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2330	50W / 19W	97 / 123	100° / 46°
2991717 Ennio S120/4000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2705	50W / 22W	97 / 123	100° / 46°
2991718 Ennio S120/4000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3080	50W / 26W	97 / 119	100° / 46°
2991719 Ennio S120/4000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3575	50W / 29W	97 / 124	100° / 46°
2991720 Ennio S120/3000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1805	32W / 16W	100 / 113	100° / 57°
2991721 Ennio S120/3000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2235	32W / 19W	100 / 118	100° / 57°
2991722 Ennio S120/3000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2600	32W / 22W	100 / 119	100° / 57°
2991723 Ennio S120/3000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2955	32W / 26W	100 / 114	100° / 57°
2991724 Ennio S120/3000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3430	32W / 29W	100 / 119	100° / 57°
2991725 Ennio S120/3000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1805	38W / 16W	101 / 113	100° / 57°
2991726 Ennio S120/3000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2235	38W / 19W	101 / 118	100° / 57°
2991727 Ennio S120/3000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2600	38W / 22W	101 / 119	100° / 57°
2991728 Ennio S120/3000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2955	38W / 26W	101 / 114	100° / 57°
2991729 Ennio S120/3000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3430	38W / 29W	101 / 119	100° / 57°
2991730 Ennio S120/3000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1805	50W / 16W	93 / 113	100° / 57°
2991731 Ennio S120/3000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2235	50W / 19W	93 / 118	100° / 57°
2991732 Ennio S120/3000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2600	50W / 22W	93 / 119	100° / 57°
2991733 Ennio S120/3000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2955	50W / 26W	93 / 114	100° / 57°
2991734 Ennio S120/3000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3430	50W / 29W	93 / 119	100° / 57°
2991735 Ennio S120/4000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1805	32W / 16W	104 / 113	100° / 57°
2991736 Ennio S120/4000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2235	32W / 19W	104 / 118	100° / 57°
2991737 Ennio S120/4000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2600	32W / 22W	104 / 119	100° / 57°
2991738 Ennio S120/4000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 26W	104 / 114	100° / 57°
2991739 Ennio S120/4000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3430	32W / 29W	104 / 119	100° / 57°
2991740 Ennio S120/4000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1805	38W / 16W	105 / 113	100° / 57°
2991741 Ennio S120/4000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2235	38W / 19W	105 / 118	100° / 57°
2991742 Ennio S120/4000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2600	38W / 22W	105 / 119	100° / 57°
2991743 Ennio S120/4000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 26W	105 / 114	100° / 57°
2991744 Ennio S120/4000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3430	38W / 29W	105 / 119	100° / 57°
2991745 Ennio S120/4000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1805	50W / 16W	97 / 113	100° / 57°
2991746 Ennio S120/4000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2235	50W / 19W	97 / 118	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991747 Ennio S120/4000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2600	50W / 22W	97 / 119	100° / 57°
2991748 Ennio S120/4000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 26W	97 / 114	100° / 57°
2991749 Ennio S120/4000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3430	50W / 29W	97 / 119	100° / 57°
2991750 Ennio S150/3000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2360	37W / 19W	103 / 125	100° / 15°
2991751 Ennio S150/3000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2935	37W / 23W	103 / 128	100° / 15°
2991752 Ennio S150/3000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3410	37W / 28W	103 / 122	100° / 15°
2991753 Ennio S150/3000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3885	37W / 32W	103 / 122	100° / 15°
2991754 Ennio S150/3000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4480	37W / 36W	103 / 125	100° / 15°
2991755 Ennio S150/3000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2360	50W / 19W	100 / 125	100° / 15°
2991756 Ennio S150/3000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2935	50W / 23W	100 / 128	100° / 15°
2991757 Ennio S150/3000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3410	50W / 28W	100 / 122	100° / 15°
2991758 Ennio S150/3000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3885	50W / 32W	100 / 122	100° / 15°
2991759 Ennio S150/3000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4480	50W / 36W	100 / 125	100° / 15°
2991760 Ennio S150/3000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2360	60W / 19W	96 / 125	100° / 15°
2991761 Ennio S150/3000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2935	60W / 23W	96 / 128	100° / 15°
2991762 Ennio S150/3000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3410	60W / 28W	96 / 122	100° / 15°
2991763 Ennio S150/3000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3885	60W / 32W	96 / 122	100° / 15°
2991764 Ennio S150/3000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4480	60W / 36W	96 / 125	100° / 15°
2991765 Ennio S150/4000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2360	37W / 19W	108 / 125	100° / 15°
2991766 Ennio S150/4000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2935	37W / 23W	108 / 128	100° / 15°
2991767 Ennio S150/4000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3410	37W / 28W	108 / 122	100° / 15°
2991768 Ennio S150/4000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3885	37W / 32W	108 / 122	100° / 15°
2991769 Ennio S150/4000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4480	37W / 36W	108 / 125	100° / 15°
2991770 Ennio S150/4000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2360	50W / 19W	105 / 125	100° / 15°
2991771 Ennio S150/4000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2935	50W / 23W	105 / 128	100° / 15°
2991772 Ennio S150/4000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3410	50W / 28W	105 / 122	100° / 15°
2991773 Ennio S150/4000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3885	50W / 32W	105 / 122	100° / 15°
2991774 Ennio S150/4000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4480	50W / 36W	105 / 125	100° / 15°
2991775 Ennio S150/4000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2360	60W / 19W	100 / 125	100° / 15°
2991776 Ennio S150/4000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2935	60W / 23W	100 / 128	100° / 15°
2991777 Ennio S150/4000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3410	60W / 28W	100 / 122	100° / 15°
2991778 Ennio S150/4000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3885	60W / 32W	100 / 122	100° / 15°
2991779 Ennio S150/4000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4480	60W / 36W	100 / 125	100° / 15°
2991780 Ennio S150/3000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2385	37W / 19W	103 / 126	100° / 21°
2991781 Ennio S150/3000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 23W	103 / 129	100° / 21°
2991782 Ennio S150/3000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3445	37W / 28W	103 / 124	100° / 21°
2991783 Ennio S150/3000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3925	37W / 32W	103 / 123	100° / 21°
2991784 Ennio S150/3000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4525	37W / 36W	103 / 126	100° / 21°
2991785 Ennio S150/3000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2385	50W / 19W	100 / 126	100° / 21°
2991786 Ennio S150/3000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 23W	100 / 129	100° / 21°
2991787 Ennio S150/3000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3445	50W / 28W	100 / 124	100° / 21°
2991788 Ennio S150/3000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3925	50W / 32W	100 / 123	100° / 21°
2991789 Ennio S150/3000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4525	50W / 36W	100 / 126	100° / 21°
2991790 Ennio S150/3000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2385	60W / 19W	96 / 126	100° / 21°
2991791 Ennio S150/3000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 23W	96 / 129	100° / 21°
2991792 Ennio S150/3000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3445	60W / 28W	96 / 124	100° / 21°
2991793 Ennio S150/3000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3925	60W / 32W	96 / 123	100° / 21°
2991794 Ennio S150/3000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4525	60W / 36W	96 / 126	100° / 21°
2991795 Ennio S150/4000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2385	37W / 19W	108 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991796 Ennio S150/4000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2965	37W / 23W	108 / 129	100° / 21°
2991797 Ennio S150/4000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3445	37W / 28W	108 / 124	100° / 21°
2991798 Ennio S150/4000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3925	37W / 32W	108 / 123	100° / 21°
2991799 Ennio S150/4000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4525	37W / 36W	108 / 126	100° / 21°
2991800 Ennio S150/4000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2385	50W / 19W	105 / 126	100° / 21°
2991801 Ennio S150/4000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2965	50W / 23W	105 / 129	100° / 21°
2991802 Ennio S150/4000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3445	50W / 28W	105 / 124	100° / 21°
2991803 Ennio S150/4000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3925	50W / 32W	105 / 123	100° / 21°
2991804 Ennio S150/4000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4525	50W / 36W	105 / 126	100° / 21°
2991805 Ennio S150/4000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2385	60W / 19W	100 / 126	100° / 21°
2991806 Ennio S150/4000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2965	60W / 23W	100 / 129	100° / 21°
2991807 Ennio S150/4000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3445	60W / 28W	100 / 124	100° / 21°
2991808 Ennio S150/4000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3925	60W / 32W	100 / 123	100° / 21°
2991809 Ennio S150/4000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4525	60W / 36W	100 / 126	100° / 21°
2991810 Ennio S150/3000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2290	37W / 19W	103 / 121	100° / 28°
2991811 Ennio S150/3000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2850	37W / 23W	103 / 124	100° / 28°
2991812 Ennio S150/3000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3310	37W / 28W	103 / 119	100° / 28°
2991813 Ennio S150/3000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3770	37W / 32W	103 / 118	100° / 28°
2991814 Ennio S150/3000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4350	37W / 36W	103 / 121	100° / 28°
2991815 Ennio S150/3000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2290	50W / 19W	100 / 121	100° / 28°
2991816 Ennio S150/3000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2850	50W / 23W	100 / 124	100° / 28°
2991817 Ennio S150/3000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3310	50W / 28W	100 / 119	100° / 28°
2991818 Ennio S150/3000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3770	50W / 32W	100 / 118	100° / 28°
2991819 Ennio S150/3000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4350	50W / 36W	100 / 121	100° / 28°
2991820 Ennio S150/3000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2290	60W / 19W	96 / 121	100° / 28°
2991821 Ennio S150/3000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2850	60W / 23W	96 / 124	100° / 28°
2991822 Ennio S150/3000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3310	60W / 28W	96 / 119	100° / 28°
2991823 Ennio S150/3000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3770	60W / 32W	96 / 118	100° / 28°
2991824 Ennio S150/3000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4350	60W / 36W	96 / 121	100° / 28°
2991825 Ennio S150/4000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2290	37W / 19W	108 / 121	100° / 28°
2991826 Ennio S150/4000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2850	37W / 23W	108 / 124	100° / 28°
2991827 Ennio S150/4000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3310	37W / 28W	108 / 119	100° / 28°
2991828 Ennio S150/4000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3770	37W / 32W	108 / 118	100° / 28°
2991829 Ennio S150/4000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4350	37W / 36W	108 / 121	100° / 28°
2991830 Ennio S150/4000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2290	50W / 19W	105 / 121	100° / 28°
2991831 Ennio S150/4000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2850	50W / 23W	105 / 124	100° / 28°
2991832 Ennio S150/4000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3310	50W / 28W	105 / 119	100° / 28°
2991833 Ennio S150/4000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3770	50W / 32W	105 / 118	100° / 28°
2991834 Ennio S150/4000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4350	50W / 36W	105 / 121	100° / 28°
2991835 Ennio S150/4000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2290	60W / 19W	100 / 121	100° / 28°
2991836 Ennio S150/4000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2850	60W / 23W	100 / 124	100° / 28°
2991837 Ennio S150/4000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3310	60W / 28W	100 / 119	100° / 28°
2991838 Ennio S150/4000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3770	60W / 32W	100 / 118	100° / 28°
2991839 Ennio S150/4000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4350	60W / 36W	100 / 121	100° / 28°
2991840 Ennio S150/3000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2340	37W / 19W	103 / 124	100° / 46°
2991841 Ennio S150/3000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2905	37W / 23W	103 / 127	100° / 46°
2991842 Ennio S150/3000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3380	37W / 28W	103 / 121	100° / 46°
2991843 Ennio S150/3000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3850	37W / 32W	103 / 121	100° / 46°
2991844 Ennio S150/3000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4435	37W / 36W	103 / 124	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991845 Ennio S150/3000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2340	50W / 19W	100 / 124	100° / 46°
2991846 Ennio S150/3000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2905	50W / 23W	100 / 127	100° / 46°
2991847 Ennio S150/3000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3380	50W / 28W	100 / 121	100° / 46°
2991848 Ennio S150/3000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3850	50W / 32W	100 / 121	100° / 46°
2991849 Ennio S150/3000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4435	50W / 36W	100 / 124	100° / 46°
2991850 Ennio S150/3000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2340	60W / 19W	96 / 124	100° / 46°
2991851 Ennio S150/3000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2905	60W / 23W	96 / 127	100° / 46°
2991852 Ennio S150/3000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3380	60W / 28W	96 / 121	100° / 46°
2991853 Ennio S150/3000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3850	60W / 32W	96 / 121	100° / 46°
2991854 Ennio S150/3000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4435	60W / 36W	96 / 124	100° / 46°
2991855 Ennio S150/4000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2340	37W / 19W	108 / 124	100° / 46°
2991856 Ennio S150/4000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2905	37W / 23W	108 / 127	100° / 46°
2991857 Ennio S150/4000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3380	37W / 28W	108 / 121	100° / 46°
2991858 Ennio S150/4000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3850	37W / 32W	108 / 121	100° / 46°
2991859 Ennio S150/4000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4435	37W / 36W	108 / 124	100° / 46°
2991860 Ennio S150/4000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2340	50W / 19W	105 / 124	100° / 46°
2991861 Ennio S150/4000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2905	50W / 23W	105 / 127	100° / 46°
2991862 Ennio S150/4000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3380	50W / 28W	105 / 121	100° / 46°
2991863 Ennio S150/4000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3850	50W / 32W	105 / 121	100° / 46°
2991864 Ennio S150/4000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4435	50W / 36W	105 / 124	100° / 46°
2991865 Ennio S150/4000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2340	60W / 19W	100 / 124	100° / 46°
2991866 Ennio S150/4000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2905	60W / 23W	100 / 127	100° / 46°
2991867 Ennio S150/4000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3380	60W / 28W	100 / 121	100° / 46°
2991868 Ennio S150/4000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3850	60W / 32W	100 / 121	100° / 46°
2991869 Ennio S150/4000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4435	60W / 36W	100 / 124	100° / 46°
2991870 Ennio S150/3000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2245	37W / 19W	103 / 119	100° / 57°
2991871 Ennio S150/3000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2790	37W / 23W	103 / 122	100° / 57°
2991872 Ennio S150/3000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3245	37W / 28W	103 / 116	100° / 57°
2991873 Ennio S150/3000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3695	37W / 32W	103 / 116	100° / 57°
2991874 Ennio S150/3000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4260	37W / 36W	103 / 119	100° / 57°
2991875 Ennio S150/3000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2245	50W / 19W	100 / 119	100° / 57°
2991876 Ennio S150/3000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2790	50W / 23W	100 / 122	100° / 57°
2991877 Ennio S150/3000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3245	50W / 28W	100 / 116	100° / 57°
2991878 Ennio S150/3000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3695	50W / 32W	100 / 116	100° / 57°
2991879 Ennio S150/3000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4260	50W / 36W	100 / 119	100° / 57°
2991880 Ennio S150/3000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2245	60W / 19W	96 / 119	100° / 57°
2991881 Ennio S150/3000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2790	60W / 23W	96 / 122	100° / 57°
2991882 Ennio S150/3000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3245	60W / 28W	96 / 116	100° / 57°
2991883 Ennio S150/3000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3695	60W / 32W	96 / 116	100° / 57°
2991884 Ennio S150/3000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4260	60W / 36W	96 / 119	100° / 57°
2991885 Ennio S150/4000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2245	37W / 19W	108 / 119	100° / 57°
2991886 Ennio S150/4000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2790	37W / 23W	108 / 122	100° / 57°
2991887 Ennio S150/4000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3245	37W / 28W	108 / 116	100° / 57°
2991888 Ennio S150/4000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3695	37W / 32W	108 / 116	100° / 57°
2991889 Ennio S150/4000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4260	37W / 36W	108 / 119	100° / 57°
2991890 Ennio S150/4000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2245	50W / 19W	105 / 119	100° / 57°
2991891 Ennio S150/4000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2790	50W / 23W	105 / 122	100° / 57°
2991892 Ennio S150/4000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3245	50W / 28W	105 / 116	100° / 57°
2991893 Ennio S150/4000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3695	50W / 32W	105 / 116	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991894 Ennio S150/4000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4260	50W / 36W	105 / 119	100° / 57°
2991895 Ennio S150/4000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2245	60W / 19W	100 / 119	100° / 57°
2991896 Ennio S150/4000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2790	60W / 23W	100 / 122	100° / 57°
2991897 Ennio S150/4000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3245	60W / 28W	100 / 116	100° / 57°
2991898 Ennio S150/4000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3695	60W / 32W	100 / 116	100° / 57°
2991899 Ennio S150/4000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4260	60W / 36W	100 / 119	100° / 57°
2991900 Ennio S240/3000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3790	64W / 32W	100 / 119	100° / 15°
2991901 Ennio S240/3000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4710	64W / 38W	100 / 124	100° / 15°
2991902 Ennio S240/3000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5470	64W / 44W	100 / 125	100° / 15°
2991903 Ennio S240/3000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6220	64W / 52W	100 / 120	100° / 15°
2991904 Ennio S240/3000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7220	64W / 58W	100 / 125	100° / 15°
2991905 Ennio S240/3000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3790	76W / 32W	101 / 119	100° / 15°
2991906 Ennio S240/3000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4710	76W / 38W	101 / 124	100° / 15°
2991907 Ennio S240/3000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5470	76W / 44W	101 / 125	100° / 15°
2991908 Ennio S240/3000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6220	76W / 52W	101 / 120	100° / 15°
2991909 Ennio S240/3000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7220	76W / 58W	101 / 125	100° / 15°
2991910 Ennio S240/3000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3790	100W / 32W	93 / 119	100° / 15°
2991911 Ennio S240/3000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4710	100W / 38W	93 / 124	100° / 15°
2991912 Ennio S240/3000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5470	100W / 44W	93 / 125	100° / 15°
2991913 Ennio S240/3000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6220	100W / 52W	93 / 120	100° / 15°
2991914 Ennio S240/3000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7220	100W / 58W	93 / 125	100° / 15°
2991915 Ennio S240/4000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3790	64W / 32W	104 / 119	100° / 15°
2991916 Ennio S240/4000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4710	64W / 38W	104 / 124	100° / 15°
2991917 Ennio S240/4000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5470	64W / 44W	104 / 125	100° / 15°
2991918 Ennio S240/4000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6220	64W / 52W	104 / 120	100° / 15°
2991919 Ennio S240/4000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7220	64W / 58W	104 / 125	100° / 15°
2991920 Ennio S240/4000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3790	76W / 32W	105 / 119	100° / 15°
2991921 Ennio S240/4000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4710	76W / 38W	105 / 124	100° / 15°
2991922 Ennio S240/4000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5470	76W / 44W	105 / 125	100° / 15°
2991923 Ennio S240/4000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6220	76W / 52W	105 / 120	100° / 15°
2991924 Ennio S240/4000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7220	76W / 58W	105 / 125	100° / 15°
2991925 Ennio S240/4000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3790	100W / 32W	97 / 119	100° / 15°
2991926 Ennio S240/4000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4710	100W / 38W	97 / 124	100° / 15°
2991927 Ennio S240/4000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5470	100W / 44W	97 / 125	100° / 15°
2991928 Ennio S240/4000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6220	100W / 52W	97 / 120	100° / 15°
2991929 Ennio S240/4000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7220	100W / 58W	97 / 125	100° / 15°
2991930 Ennio S240/3000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3830	64W / 32W	100 / 120	100° / 21°
2991931 Ennio S240/3000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4750	64W / 38W	100 / 125	100° / 21°
2991932 Ennio S240/3000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5520	64W / 44W	100 / 126	100° / 21°
2991933 Ennio S240/3000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6280	64W / 52W	100 / 121	100° / 21°
2991934 Ennio S240/3000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7290	64W / 58W	100 / 126	100° / 21°
2991935 Ennio S240/3000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3830	76W / 32W	101 / 120	100° / 21°
2991936 Ennio S240/3000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4750	76W / 38W	101 / 125	100° / 21°
2991937 Ennio S240/3000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5520	76W / 44W	101 / 126	100° / 21°
2991938 Ennio S240/3000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6280	76W / 52W	101 / 121	100° / 21°
2991939 Ennio S240/3000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7290	76W / 58W	101 / 126	100° / 21°
2991940 Ennio S240/3000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3830	100W / 32W	93 / 120	100° / 21°
2991941 Ennio S240/3000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4750	100W / 38W	93 / 125	100° / 21°
2991942 Ennio S240/3000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5520	100W / 44W	93 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991943 Ennio S240/3000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6280	100W / 52W	93 / 121	100° / 21°
2991944 Ennio S240/3000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7290	100W / 58W	93 / 126	100° / 21°
2991945 Ennio S240/4000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3830	64W / 32W	104 / 120	100° / 21°
2991946 Ennio S240/4000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4750	64W / 38W	104 / 125	100° / 21°
2991947 Ennio S240/4000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5520	64W / 44W	104 / 126	100° / 21°
2991948 Ennio S240/4000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6280	64W / 52W	104 / 121	100° / 21°
2991949 Ennio S240/4000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7290	64W / 58W	104 / 126	100° / 21°
2991950 Ennio S240/4000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3830	76W / 32W	105 / 120	100° / 21°
2991951 Ennio S240/4000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4750	76W / 38W	105 / 125	100° / 21°
2991952 Ennio S240/4000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5520	76W / 44W	105 / 126	100° / 21°
2991953 Ennio S240/4000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6280	76W / 52W	105 / 121	100° / 21°
2991954 Ennio S240/4000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7290	76W / 58W	105 / 126	100° / 21°
2991955 Ennio S240/4000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3830	100W / 32W	97 / 120	100° / 21°
2991956 Ennio S240/4000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4750	100W / 38W	97 / 125	100° / 21°
2991957 Ennio S240/4000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5520	100W / 44W	97 / 126	100° / 21°
2991958 Ennio S240/4000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6280	100W / 52W	97 / 121	100° / 21°
2991959 Ennio S240/4000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7290	100W / 58W	97 / 126	100° / 21°
2991960 Ennio S240/3000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 32W	100 / 115	100° / 28°
2991961 Ennio S240/3000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4570	64W / 38W	100 / 121	100° / 28°
2991962 Ennio S240/3000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5310	64W / 44W	100 / 121	100° / 28°
2991963 Ennio S240/3000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6040	64W / 52W	100 / 117	100° / 28°
2991964 Ennio S240/3000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7010	64W / 58W	100 / 121	100° / 28°
2991965 Ennio S240/3000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 32W	101 / 115	100° / 28°
2991966 Ennio S240/3000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4570	76W / 38W	101 / 121	100° / 28°
2991967 Ennio S240/3000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5310	76W / 44W	101 / 121	100° / 28°
2991968 Ennio S240/3000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6040	76W / 52W	101 / 117	100° / 28°
2991969 Ennio S240/3000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7010	76W / 58W	101 / 121	100° / 28°
2991970 Ennio S240/3000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 32W	93 / 115	100° / 28°
2991971 Ennio S240/3000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4570	100W / 38W	93 / 121	100° / 28°
2991972 Ennio S240/3000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5310	100W / 44W	93 / 121	100° / 28°
2991973 Ennio S240/3000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6040	100W / 52W	93 / 117	100° / 28°
2991974 Ennio S240/3000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7010	100W / 58W	93 / 121	100° / 28°
2991975 Ennio S240/4000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3680	64W / 32W	104 / 115	100° / 28°
2991976 Ennio S240/4000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4570	64W / 38W	104 / 121	100° / 28°
2991977 Ennio S240/4000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5310	64W / 44W	104 / 121	100° / 28°
2991978 Ennio S240/4000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6040	64W / 52W	104 / 117	100° / 28°
2991979 Ennio S240/4000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7010	64W / 58W	104 / 121	100° / 28°
2991980 Ennio S240/4000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3680	76W / 32W	105 / 115	100° / 28°
2991981 Ennio S240/4000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4570	76W / 38W	105 / 121	100° / 28°
2991982 Ennio S240/4000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5310	76W / 44W	105 / 121	100° / 28°
2991983 Ennio S240/4000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6040	76W / 52W	105 / 117	100° / 28°
2991984 Ennio S240/4000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7010	76W / 58W	105 / 121	100° / 28°
2991985 Ennio S240/4000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3680	100W / 32W	97 / 115	100° / 28°
2991986 Ennio S240/4000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4570	100W / 38W	97 / 121	100° / 28°
2991987 Ennio S240/4000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5310	100W / 44W	97 / 121	100° / 28°
2991988 Ennio S240/4000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6040	100W / 52W	97 / 117	100° / 28°
2991989 Ennio S240/4000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7010	100W / 58W	97 / 121	100° / 28°
2991990 Ennio S240/3000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3760	64W / 32W	100 / 118	100° / 46°
2991991 Ennio S240/3000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4660	64W / 38W	100 / 123	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2991992 Ennio S240/3000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5410	64W / 44W	100 / 123	100° / 46°
2991993 Ennio S240/3000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6160	64W / 52W	100 / 119	100° / 46°
2991994 Ennio S240/3000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7150	64W / 58W	100 / 124	100° / 46°
2991995 Ennio S240/3000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3760	76W / 32W	101 / 118	100° / 46°
2991996 Ennio S240/3000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4660	76W / 38W	101 / 123	100° / 46°
2991997 Ennio S240/3000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5410	76W / 44W	101 / 123	100° / 46°
2991998 Ennio S240/3000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6160	76W / 52W	101 / 119	100° / 46°
2991999 Ennio S240/3000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7150	76W / 58W	101 / 124	100° / 46°
2992000 Ennio S240/3000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3760	100W / 32W	93 / 118	100° / 46°
2992001 Ennio S240/3000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4660	100W / 38W	93 / 123	100° / 46°
2992002 Ennio S240/3000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5410	100W / 44W	93 / 123	100° / 46°
2992003 Ennio S240/3000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6160	100W / 52W	93 / 119	100° / 46°
2992004 Ennio S240/3000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7150	100W / 58W	93 / 124	100° / 46°
2992005 Ennio S240/4000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 32W	104 / 118	100° / 46°
2992006 Ennio S240/4000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4660	64W / 38W	104 / 123	100° / 46°
2992007 Ennio S240/4000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5410	64W / 44W	104 / 123	100° / 46°
2992008 Ennio S240/4000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6160	64W / 52W	104 / 119	100° / 46°
2992009 Ennio S240/4000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7150	64W / 58W	104 / 124	100° / 46°
2992010 Ennio S240/4000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 32W	105 / 118	100° / 46°
2992011 Ennio S240/4000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4660	76W / 38W	105 / 123	100° / 46°
2992012 Ennio S240/4000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5410	76W / 44W	105 / 123	100° / 46°
2992013 Ennio S240/4000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6160	76W / 52W	105 / 119	100° / 46°
2992014 Ennio S240/4000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7150	76W / 58W	105 / 124	100° / 46°
2992015 Ennio S240/4000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 32W	97 / 118	100° / 46°
2992016 Ennio S240/4000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4660	100W / 38W	97 / 123	100° / 46°
2992017 Ennio S240/4000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5410	100W / 44W	97 / 123	100° / 46°
2992018 Ennio S240/4000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6160	100W / 52W	97 / 119	100° / 46°
2992019 Ennio S240/4000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7150	100W / 58W	97 / 124	100° / 46°
2992020 Ennio S240/3000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3610	64W / 32W	100 / 113	100° / 57°
2992021 Ennio S240/3000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4470	64W / 38W	100 / 118	100° / 57°
2992022 Ennio S240/3000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5200	64W / 44W	100 / 119	100° / 57°
2992023 Ennio S240/3000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5910	64W / 52W	100 / 114	100° / 57°
2992024 Ennio S240/3000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6860	64W / 58W	100 / 119	100° / 57°
2992025 Ennio S240/3000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3610	76W / 32W	101 / 113	100° / 57°
2992026 Ennio S240/3000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4470	76W / 38W	101 / 118	100° / 57°
2992027 Ennio S240/3000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5200	76W / 44W	101 / 119	100° / 57°
2992028 Ennio S240/3000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5910	76W / 52W	101 / 114	100° / 57°
2992029 Ennio S240/3000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6860	76W / 58W	101 / 119	100° / 57°
2992030 Ennio S240/3000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3610	100W / 32W	93 / 113	100° / 57°
2992031 Ennio S240/3000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4470	100W / 38W	93 / 118	100° / 57°
2992032 Ennio S240/3000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5200	100W / 44W	93 / 119	100° / 57°
2992033 Ennio S240/3000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5910	100W / 52W	93 / 114	100° / 57°
2992034 Ennio S240/3000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6860	100W / 58W	93 / 119	100° / 57°
2992035 Ennio S240/4000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3610	64W / 32W	104 / 113	100° / 57°
2992036 Ennio S240/4000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4470	64W / 38W	104 / 118	100° / 57°
2992037 Ennio S240/4000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5200	64W / 44W	104 / 119	100° / 57°
2992038 Ennio S240/4000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 52W	104 / 114	100° / 57°
2992039 Ennio S240/4000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6860	64W / 58W	104 / 119	100° / 57°
2992040 Ennio S240/4000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3610	76W / 32W	105 / 113	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992041 Ennio S240/4000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4470	76W / 38W	105 / 118	100° / 57°
2992042 Ennio S240/4000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5200	76W / 44W	105 / 119	100° / 57°
2992043 Ennio S240/4000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 52W	105 / 114	100° / 57°
2992044 Ennio S240/4000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6860	76W / 58W	105 / 119	100° / 57°
2992045 Ennio S240/4000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3610	100W / 32W	97 / 113	100° / 57°
2992046 Ennio S240/4000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4470	100W / 38W	97 / 118	100° / 57°
2992047 Ennio S240/4000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5200	100W / 44W	97 / 119	100° / 57°
2992048 Ennio S240/4000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 52W	97 / 114	100° / 57°
2992049 Ennio S240/4000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6860	100W / 58W	97 / 119	100° / 57°
2992050 Ennio S300/3000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4720	74W / 38W	103 / 125	100° / 15°
2992051 Ennio S300/3000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5870	74W / 46W	103 / 128	100° / 15°
2992052 Ennio S300/3000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6820	74W / 56W	103 / 122	100° / 15°
2992053 Ennio S300/3000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7770	74W / 64W	103 / 122	100° / 15°
2992054 Ennio S300/3000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8960	74W / 72W	103 / 125	100° / 15°
2992055 Ennio S300/3000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4720	100W / 38W	100 / 125	100° / 15°
2992056 Ennio S300/3000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5870	100W / 46W	100 / 128	100° / 15°
2992057 Ennio S300/3000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6820	100W / 56W	100 / 122	100° / 15°
2992058 Ennio S300/3000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7770	100W / 64W	100 / 122	100° / 15°
2992059 Ennio S300/3000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8960	100W / 72W	100 / 125	100° / 15°
2992060 Ennio S300/3000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4720	120W / 38W	96 / 125	100° / 15°
2992061 Ennio S300/3000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5870	120W / 46W	96 / 128	100° / 15°
2992062 Ennio S300/3000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6820	120W / 56W	96 / 122	100° / 15°
2992063 Ennio S300/3000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7770	120W / 64W	96 / 122	100° / 15°
2992064 Ennio S300/3000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8960	120W / 72W	96 / 125	100° / 15°
2992065 Ennio S300/4000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4720	74W / 38W	108 / 125	100° / 15°
2992066 Ennio S300/4000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5870	74W / 46W	108 / 128	100° / 15°
2992067 Ennio S300/4000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6820	74W / 56W	108 / 122	100° / 15°
2992068 Ennio S300/4000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7770	74W / 64W	108 / 122	100° / 15°
2992069 Ennio S300/4000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8960	74W / 72W	108 / 125	100° / 15°
2992070 Ennio S300/4000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4720	100W / 38W	105 / 125	100° / 15°
2992071 Ennio S300/4000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5870	100W / 46W	105 / 128	100° / 15°
2992072 Ennio S300/4000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6820	100W / 56W	105 / 122	100° / 15°
2992073 Ennio S300/4000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7770	100W / 64W	105 / 122	100° / 15°
2992074 Ennio S300/4000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8960	100W / 72W	105 / 125	100° / 15°
2992075 Ennio S300/4000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4720	120W / 38W	100 / 125	100° / 15°
2992076 Ennio S300/4000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5870	120W / 46W	100 / 128	100° / 15°
2992077 Ennio S300/4000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6820	120W / 56W	100 / 122	100° / 15°
2992078 Ennio S300/4000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7770	120W / 64W	100 / 122	100° / 15°
2992079 Ennio S300/4000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8960	120W / 72W	100 / 125	100° / 15°
2992080 Ennio S300/3000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4770	74W / 38W	103 / 126	100° / 21°
2992081 Ennio S300/3000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 46W	103 / 129	100° / 21°
2992082 Ennio S300/3000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6890	74W / 56W	103 / 124	100° / 21°
2992083 Ennio S300/3000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7850	74W / 64W	103 / 123	100° / 21°
2992084 Ennio S300/3000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 9050	74W / 72W	103 / 126	100° / 21°
2992085 Ennio S300/3000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4770	100W / 38W	100 / 126	100° / 21°
2992086 Ennio S300/3000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 46W	100 / 129	100° / 21°
2992087 Ennio S300/3000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6890	100W / 56W	100 / 124	100° / 21°
2992088 Ennio S300/3000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7850	100W / 64W	100 / 123	100° / 21°
2992089 Ennio S300/3000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 9050	100W / 72W	100 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992090 Ennio S300/3000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4770	120W / 38W	96 / 126	100° / 21°
2992091 Ennio S300/3000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 46W	96 / 129	100° / 21°
2992092 Ennio S300/3000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6890	120W / 56W	96 / 124	100° / 21°
2992093 Ennio S300/3000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7850	120W / 64W	96 / 123	100° / 21°
2992094 Ennio S300/3000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 9050	120W / 72W	96 / 126	100° / 21°
2992095 Ennio S300/4000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4770	74W / 38W	108 / 126	100° / 21°
2992096 Ennio S300/4000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5930	74W / 46W	108 / 129	100° / 21°
2992097 Ennio S300/4000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6890	74W / 56W	108 / 124	100° / 21°
2992098 Ennio S300/4000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7850	74W / 64W	108 / 123	100° / 21°
2992099 Ennio S300/4000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 9050	74W / 72W	108 / 126	100° / 21°
2992100 Ennio S300/4000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4770	100W / 38W	105 / 126	100° / 21°
2992101 Ennio S300/4000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5930	100W / 46W	105 / 129	100° / 21°
2992102 Ennio S300/4000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6890	100W / 56W	105 / 124	100° / 21°
2992103 Ennio S300/4000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7850	100W / 64W	105 / 123	100° / 21°
2992104 Ennio S300/4000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 9050	100W / 72W	105 / 126	100° / 21°
2992105 Ennio S300/4000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4770	120W / 38W	100 / 126	100° / 21°
2992106 Ennio S300/4000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5930	120W / 46W	100 / 129	100° / 21°
2992107 Ennio S300/4000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6890	120W / 56W	100 / 124	100° / 21°
2992108 Ennio S300/4000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7850	120W / 64W	100 / 123	100° / 21°
2992109 Ennio S300/4000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 9050	120W / 72W	100 / 126	100° / 21°
2992110 Ennio S300/3000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4580	74W / 38W	103 / 121	100° / 28°
2992111 Ennio S300/3000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5700	74W / 46W	103 / 124	100° / 28°
2992112 Ennio S300/3000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6620	74W / 56W	103 / 119	100° / 28°
2992113 Ennio S300/3000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7540	74W / 64W	103 / 118	100° / 28°
2992114 Ennio S300/3000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8700	74W / 72W	103 / 121	100° / 28°
2992115 Ennio S300/3000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4580	100W / 38W	100 / 121	100° / 28°
2992116 Ennio S300/3000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5700	100W / 46W	100 / 124	100° / 28°
2992117 Ennio S300/3000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6620	100W / 56W	100 / 119	100° / 28°
2992118 Ennio S300/3000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7540	100W / 64W	100 / 118	100° / 28°
2992119 Ennio S300/3000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8700	100W / 72W	100 / 121	100° / 28°
2992120 Ennio S300/3000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4580	120W / 38W	96 / 121	100° / 28°
2992121 Ennio S300/3000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5700	120W / 46W	96 / 124	100° / 28°
2992122 Ennio S300/3000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6620	120W / 56W	96 / 119	100° / 28°
2992123 Ennio S300/3000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7540	120W / 64W	96 / 118	100° / 28°
2992124 Ennio S300/3000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8700	120W / 72W	96 / 121	100° / 28°
2992125 Ennio S300/4000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4580	74W / 38W	108 / 121	100° / 28°
2992126 Ennio S300/4000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5700	74W / 46W	108 / 124	100° / 28°
2992127 Ennio S300/4000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6620	74W / 56W	108 / 119	100° / 28°
2992128 Ennio S300/4000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7540	74W / 64W	108 / 118	100° / 28°
2992129 Ennio S300/4000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8700	74W / 72W	108 / 121	100° / 28°
2992130 Ennio S300/4000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4580	100W / 38W	105 / 121	100° / 28°
2992131 Ennio S300/4000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5700	100W / 46W	105 / 124	100° / 28°
2992132 Ennio S300/4000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6620	100W / 56W	105 / 119	100° / 28°
2992133 Ennio S300/4000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7540	100W / 64W	105 / 118	100° / 28°
2992134 Ennio S300/4000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8700	100W / 72W	105 / 121	100° / 28°
2992135 Ennio S300/4000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4580	120W / 38W	100 / 121	100° / 28°
2992136 Ennio S300/4000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5700	120W / 46W	100 / 124	100° / 28°
2992137 Ennio S300/4000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6620	120W / 56W	100 / 119	100° / 28°
2992138 Ennio S300/4000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7540	120W / 64W	100 / 118	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992139 Ennio S300/4000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8700	120W / 72W	100 / 121	100° / 28°
2992140 Ennio S300/3000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4680	74W / 38W	103 / 124	100° / 46°
2992141 Ennio S300/3000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5810	74W / 46W	103 / 127	100° / 46°
2992142 Ennio S300/3000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6760	74W / 56W	103 / 121	100° / 46°
2992143 Ennio S300/3000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7700	74W / 64W	103 / 121	100° / 46°
2992144 Ennio S300/3000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8870	74W / 72W	103 / 124	100° / 46°
2992145 Ennio S300/3000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4680	100W / 38W	100 / 124	100° / 46°
2992146 Ennio S300/3000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5810	100W / 46W	100 / 127	100° / 46°
2992147 Ennio S300/3000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6760	100W / 56W	100 / 121	100° / 46°
2992148 Ennio S300/3000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7700	100W / 64W	100 / 121	100° / 46°
2992149 Ennio S300/3000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8870	100W / 72W	100 / 124	100° / 46°
2992150 Ennio S300/3000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4680	120W / 38W	96 / 124	100° / 46°
2992151 Ennio S300/3000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5810	120W / 46W	96 / 127	100° / 46°
2992152 Ennio S300/3000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6760	120W / 56W	96 / 121	100° / 46°
2992153 Ennio S300/3000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7700	120W / 64W	96 / 121	100° / 46°
2992154 Ennio S300/3000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8870	120W / 72W	96 / 124	100° / 46°
2992155 Ennio S300/4000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4680	74W / 38W	108 / 124	100° / 46°
2992156 Ennio S300/4000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5810	74W / 46W	108 / 127	100° / 46°
2992157 Ennio S300/4000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6760	74W / 56W	108 / 121	100° / 46°
2992158 Ennio S300/4000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7700	74W / 64W	108 / 121	100° / 46°
2992159 Ennio S300/4000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8870	74W / 72W	108 / 124	100° / 46°
2992160 Ennio S300/4000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4680	100W / 38W	105 / 124	100° / 46°
2992161 Ennio S300/4000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5810	100W / 46W	105 / 127	100° / 46°
2992162 Ennio S300/4000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6760	100W / 56W	105 / 121	100° / 46°
2992163 Ennio S300/4000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7700	100W / 64W	105 / 121	100° / 46°
2992164 Ennio S300/4000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8870	100W / 72W	105 / 124	100° / 46°
2992165 Ennio S300/4000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4680	120W / 38W	100 / 124	100° / 46°
2992166 Ennio S300/4000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5810	120W / 46W	100 / 127	100° / 46°
2992167 Ennio S300/4000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6760	120W / 56W	100 / 121	100° / 46°
2992168 Ennio S300/4000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7700	120W / 64W	100 / 121	100° / 46°
2992169 Ennio S300/4000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8870	120W / 72W	100 / 124	100° / 46°
2992170 Ennio S300/3000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4490	74W / 38W	103 / 119	100° / 57°
2992171 Ennio S300/3000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5580	74W / 46W	103 / 122	100° / 57°
2992172 Ennio S300/3000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6490	74W / 56W	103 / 116	100° / 57°
2992173 Ennio S300/3000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7390	74W / 64W	103 / 116	100° / 57°
2992174 Ennio S300/3000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8520	74W / 72W	103 / 119	100° / 57°
2992175 Ennio S300/3000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4490	100W / 38W	100 / 119	100° / 57°
2992176 Ennio S300/3000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5580	100W / 46W	100 / 122	100° / 57°
2992177 Ennio S300/3000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6490	100W / 56W	100 / 116	100° / 57°
2992178 Ennio S300/3000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7390	100W / 64W	100 / 116	100° / 57°
2992179 Ennio S300/3000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8520	100W / 72W	100 / 119	100° / 57°
2992180 Ennio S300/3000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4490	120W / 38W	96 / 119	100° / 57°
2992181 Ennio S300/3000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5580	120W / 46W	96 / 122	100° / 57°
2992182 Ennio S300/3000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6490	120W / 56W	96 / 116	100° / 57°
2992183 Ennio S300/3000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7390	120W / 64W	96 / 116	100° / 57°
2992184 Ennio S300/3000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8520	120W / 72W	96 / 119	100° / 57°
2992185 Ennio S300/4000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4490	74W / 38W	108 / 119	100° / 57°
2992186 Ennio S300/4000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5580	74W / 46W	108 / 122	100° / 57°
2992187 Ennio S300/4000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6490	74W / 56W	108 / 116	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992188 Ennio S300/4000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7390	74W / 64W	108 / 116	100° / 57°
2992189 Ennio S300/4000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8520	74W / 72W	108 / 119	100° / 57°
2992190 Ennio S300/4000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4490	100W / 38W	105 / 119	100° / 57°
2992191 Ennio S300/4000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5580	100W / 46W	105 / 122	100° / 57°
2992192 Ennio S300/4000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6490	100W / 56W	105 / 116	100° / 57°
2992193 Ennio S300/4000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7390	100W / 64W	105 / 116	100° / 57°
2992194 Ennio S300/4000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8520	100W / 72W	105 / 119	100° / 57°
2992195 Ennio S300/4000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4490	120W / 38W	100 / 119	100° / 57°
2992196 Ennio S300/4000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5580	120W / 46W	100 / 122	100° / 57°
2992197 Ennio S300/4000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6490	120W / 56W	100 / 116	100° / 57°
2992198 Ennio S300/4000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7390	120W / 64W	100 / 116	100° / 57°
2992199 Ennio S300/4000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8520	120W / 72W	100 / 119	100° / 57°
2992200 Ennio S120/3000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1895	32W / 16W	100 / 119	100° / 15°
2992201 Ennio S120/3000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2355	32W / 19W	100 / 124	100° / 15°
2992202 Ennio S120/3000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2735	32W / 22W	100 / 125	100° / 15°
2992203 Ennio S120/3000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3110	32W / 26W	100 / 120	100° / 15°
2992204 Ennio S120/3000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3610	32W / 29W	100 / 125	100° / 15°
2992205 Ennio S120/3000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1895	38W / 16W	101 / 119	100° / 15°
2992206 Ennio S120/3000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2355	38W / 19W	101 / 124	100° / 15°
2992207 Ennio S120/3000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2735	38W / 22W	101 / 125	100° / 15°
2992208 Ennio S120/3000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3110	38W / 26W	101 / 120	100° / 15°
2992209 Ennio S120/3000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3610	38W / 29W	101 / 125	100° / 15°
2992210 Ennio S120/3000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1895	50W / 16W	93 / 119	100° / 15°
2992211 Ennio S120/3000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2355	50W / 19W	93 / 124	100° / 15°
2992212 Ennio S120/3000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2735	50W / 22W	93 / 125	100° / 15°
2992213 Ennio S120/3000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3110	50W / 26W	93 / 120	100° / 15°
2992214 Ennio S120/3000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3610	50W / 29W	93 / 125	100° / 15°
2992215 Ennio S120/4000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1895	32W / 16W	104 / 119	100° / 15°
2992216 Ennio S120/4000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2355	32W / 19W	104 / 124	100° / 15°
2992217 Ennio S120/4000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2735	32W / 22W	104 / 125	100° / 15°
2992218 Ennio S120/4000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3110	32W / 26W	104 / 120	100° / 15°
2992219 Ennio S120/4000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3610	32W / 29W	104 / 125	100° / 15°
2992220 Ennio S120/4000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1895	38W / 16W	105 / 119	100° / 15°
2992221 Ennio S120/4000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2355	38W / 19W	105 / 124	100° / 15°
2992222 Ennio S120/4000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2735	38W / 22W	105 / 125	100° / 15°
2992223 Ennio S120/4000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3110	38W / 26W	105 / 120	100° / 15°
2992224 Ennio S120/4000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3610	38W / 29W	105 / 125	100° / 15°
2992225 Ennio S120/4000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1895	50W / 16W	97 / 119	100° / 15°
2992226 Ennio S120/4000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2355	50W / 19W	97 / 124	100° / 15°
2992227 Ennio S120/4000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2735	50W / 22W	97 / 125	100° / 15°
2992228 Ennio S120/4000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3110	50W / 26W	97 / 120	100° / 15°
2992229 Ennio S120/4000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3610	50W / 29W	97 / 125	100° / 15°
2992230 Ennio S120/3000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1915	32W / 16W	100 / 120	100° / 21°
2992231 Ennio S120/3000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2375	32W / 19W	100 / 125	100° / 21°
2992232 Ennio S120/3000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2760	32W / 22W	100 / 126	100° / 21°
2992233 Ennio S120/3000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3140	32W / 26W	100 / 121	100° / 21°
2992234 Ennio S120/3000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3645	32W / 29W	100 / 126	100° / 21°
2992235 Ennio S120/3000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1915	38W / 16W	101 / 120	100° / 21°
2992236 Ennio S120/3000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2375	38W / 19W	101 / 125	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992237 Ennio S120/3000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2760	38W / 22W	101 / 126	100° / 21°
2992238 Ennio S120/3000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3140	38W / 26W	101 / 121	100° / 21°
2992239 Ennio S120/3000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3645	38W / 29W	101 / 126	100° / 21°
2992240 Ennio S120/3000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1915	50W / 16W	93 / 120	100° / 21°
2992241 Ennio S120/3000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2375	50W / 19W	93 / 125	100° / 21°
2992242 Ennio S120/3000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2760	50W / 22W	93 / 126	100° / 21°
2992243 Ennio S120/3000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3140	50W / 26W	93 / 121	100° / 21°
2992244 Ennio S120/3000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3645	50W / 29W	93 / 126	100° / 21°
2992245 Ennio S120/4000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1915	32W / 16W	104 / 120	100° / 21°
2992246 Ennio S120/4000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2375	32W / 19W	104 / 125	100° / 21°
2992247 Ennio S120/4000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2760	32W / 22W	104 / 126	100° / 21°
2992248 Ennio S120/4000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3140	32W / 26W	104 / 121	100° / 21°
2992249 Ennio S120/4000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3645	32W / 29W	104 / 126	100° / 21°
2992250 Ennio S120/4000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1915	38W / 16W	105 / 120	100° / 21°
2992251 Ennio S120/4000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2375	38W / 19W	105 / 125	100° / 21°
2992252 Ennio S120/4000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2760	38W / 22W	105 / 126	100° / 21°
2992253 Ennio S120/4000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3140	38W / 26W	105 / 121	100° / 21°
2992254 Ennio S120/4000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3645	38W / 29W	105 / 126	100° / 21°
2992255 Ennio S120/4000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1915	50W / 16W	97 / 120	100° / 21°
2992256 Ennio S120/4000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2375	50W / 19W	97 / 125	100° / 21°
2992257 Ennio S120/4000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2760	50W / 22W	97 / 126	100° / 21°
2992258 Ennio S120/4000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3140	50W / 26W	97 / 121	100° / 21°
2992259 Ennio S120/4000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3645	50W / 29W	97 / 126	100° / 21°
2992260 Ennio S120/3000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 16W	100 / 115	100° / 28°
2992261 Ennio S120/3000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2285	32W / 19W	100 / 121	100° / 28°
2992262 Ennio S120/3000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2655	32W / 22W	100 / 121	100° / 28°
2992263 Ennio S120/3000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3020	32W / 26W	100 / 117	100° / 28°
2992264 Ennio S120/3000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3505	32W / 29W	100 / 121	100° / 28°
2992265 Ennio S120/3000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 16W	101 / 115	100° / 28°
2992266 Ennio S120/3000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2285	38W / 19W	101 / 121	100° / 28°
2992267 Ennio S120/3000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2655	38W / 22W	101 / 121	100° / 28°
2992268 Ennio S120/3000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3020	38W / 26W	101 / 117	100° / 28°
2992269 Ennio S120/3000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3505	38W / 29W	101 / 121	100° / 28°
2992270 Ennio S120/3000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 16W	93 / 115	100° / 28°
2992271 Ennio S120/3000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2285	50W / 19W	93 / 121	100° / 28°
2992272 Ennio S120/3000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2655	50W / 22W	93 / 121	100° / 28°
2992273 Ennio S120/3000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3020	50W / 26W	93 / 117	100° / 28°
2992274 Ennio S120/3000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3505	50W / 29W	93 / 121	100° / 28°
2992275 Ennio S120/4000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1840	32W / 16W	104 / 115	100° / 28°
2992276 Ennio S120/4000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2285	32W / 19W	104 / 121	100° / 28°
2992277 Ennio S120/4000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2655	32W / 22W	104 / 121	100° / 28°
2992278 Ennio S120/4000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3020	32W / 26W	104 / 117	100° / 28°
2992279 Ennio S120/4000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3505	32W / 29W	104 / 121	100° / 28°
2992280 Ennio S120/4000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1840	38W / 16W	105 / 115	100° / 28°
2992281 Ennio S120/4000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2285	38W / 19W	105 / 121	100° / 28°
2992282 Ennio S120/4000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2655	38W / 22W	105 / 121	100° / 28°
2992283 Ennio S120/4000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3020	38W / 26W	105 / 117	100° / 28°
2992284 Ennio S120/4000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3505	38W / 29W	105 / 121	100° / 28°
2992285 Ennio S120/4000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1840	50W / 16W	97 / 115	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992286 Ennio S120/4000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2285	50W / 19W	97 / 121	100° / 28°
2992287 Ennio S120/4000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2655	50W / 22W	97 / 121	100° / 28°
2992288 Ennio S120/4000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3020	50W / 26W	97 / 117	100° / 28°
2992289 Ennio S120/4000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3505	50W / 29W	97 / 121	100° / 28°
2992290 Ennio S120/3000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1880	32W / 16W	100 / 118	100° / 46°
2992291 Ennio S120/3000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2330	32W / 19W	100 / 123	100° / 46°
2992292 Ennio S120/3000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2705	32W / 22W	100 / 123	100° / 46°
2992293 Ennio S120/3000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3080	32W / 26W	100 / 119	100° / 46°
2992294 Ennio S120/3000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3575	32W / 29W	100 / 124	100° / 46°
2992295 Ennio S120/3000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1880	38W / 16W	101 / 118	100° / 46°
2992296 Ennio S120/3000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2330	38W / 19W	101 / 123	100° / 46°
2992297 Ennio S120/3000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2705	38W / 22W	101 / 123	100° / 46°
2992298 Ennio S120/3000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3080	38W / 26W	101 / 119	100° / 46°
2992299 Ennio S120/3000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3575	38W / 29W	101 / 124	100° / 46°
2992300 Ennio S120/3000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1880	50W / 16W	93 / 118	100° / 46°
2992301 Ennio S120/3000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2330	50W / 19W	93 / 123	100° / 46°
2992302 Ennio S120/3000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2705	50W / 22W	93 / 123	100° / 46°
2992303 Ennio S120/3000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3080	50W / 26W	93 / 119	100° / 46°
2992304 Ennio S120/3000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3575	50W / 29W	93 / 124	100° / 46°
2992305 Ennio S120/4000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 16W	104 / 118	100° / 46°
2992306 Ennio S120/4000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2330	32W / 19W	104 / 123	100° / 46°
2992307 Ennio S120/4000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2705	32W / 22W	104 / 123	100° / 46°
2992308 Ennio S120/4000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3080	32W / 26W	104 / 119	100° / 46°
2992309 Ennio S120/4000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3575	32W / 29W	104 / 124	100° / 46°
2992310 Ennio S120/4000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 16W	105 / 118	100° / 46°
2992311 Ennio S120/4000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2330	38W / 19W	105 / 123	100° / 46°
2992312 Ennio S120/4000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2705	38W / 22W	105 / 123	100° / 46°
2992313 Ennio S120/4000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3080	38W / 26W	105 / 119	100° / 46°
2992314 Ennio S120/4000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3575	38W / 29W	105 / 124	100° / 46°
2992315 Ennio S120/4000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 16W	97 / 118	100° / 46°
2992316 Ennio S120/4000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2330	50W / 19W	97 / 123	100° / 46°
2992317 Ennio S120/4000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2705	50W / 22W	97 / 123	100° / 46°
2992318 Ennio S120/4000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3080	50W / 26W	97 / 119	100° / 46°
2992319 Ennio S120/4000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3575	50W / 29W	97 / 124	100° / 46°
2992320 Ennio S120/3000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1805	32W / 16W	100 / 113	100° / 57°
2992321 Ennio S120/3000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2235	32W / 19W	100 / 118	100° / 57°
2992322 Ennio S120/3000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2600	32W / 22W	100 / 119	100° / 57°
2992323 Ennio S120/3000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2955	32W / 26W	100 / 114	100° / 57°
2992324 Ennio S120/3000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3430	32W / 29W	100 / 119	100° / 57°
2992325 Ennio S120/3000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1805	38W / 16W	101 / 113	100° / 57°
2992326 Ennio S120/3000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2235	38W / 19W	101 / 118	100° / 57°
2992327 Ennio S120/3000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2600	38W / 22W	101 / 119	100° / 57°
2992328 Ennio S120/3000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2955	38W / 26W	101 / 114	100° / 57°
2992329 Ennio S120/3000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3430	38W / 29W	101 / 119	100° / 57°
2992330 Ennio S120/3000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1805	50W / 16W	93 / 113	100° / 57°
2992331 Ennio S120/3000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2235	50W / 19W	93 / 118	100° / 57°
2992332 Ennio S120/3000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2600	50W / 22W	93 / 119	100° / 57°
2992333 Ennio S120/3000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2955	50W / 26W	93 / 114	100° / 57°
2992334 Ennio S120/3000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3430	50W / 29W	93 / 119	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992335 Ennio S120/4000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1805	32W / 16W	104 / 113	100° / 57°
2992336 Ennio S120/4000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2235	32W / 19W	104 / 118	100° / 57°
2992337 Ennio S120/4000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2600	32W / 22W	104 / 119	100° / 57°
2992338 Ennio S120/4000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 26W	104 / 114	100° / 57°
2992339 Ennio S120/4000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3430	32W / 29W	104 / 119	100° / 57°
2992340 Ennio S120/4000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1805	38W / 16W	105 / 113	100° / 57°
2992341 Ennio S120/4000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2235	38W / 19W	105 / 118	100° / 57°
2992342 Ennio S120/4000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2600	38W / 22W	105 / 119	100° / 57°
2992343 Ennio S120/4000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 26W	105 / 114	100° / 57°
2992344 Ennio S120/4000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3430	38W / 29W	105 / 119	100° / 57°
2992345 Ennio S120/4000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1805	50W / 16W	97 / 113	100° / 57°
2992346 Ennio S120/4000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2235	50W / 19W	97 / 118	100° / 57°
2992347 Ennio S120/4000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2600	50W / 22W	97 / 119	100° / 57°
2992348 Ennio S120/4000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 26W	97 / 114	100° / 57°
2992349 Ennio S120/4000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3430	50W / 29W	97 / 119	100° / 57°
2992350 Ennio S150/3000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2360	37W / 19W	103 / 125	100° / 15°
2992351 Ennio S150/3000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2935	37W / 23W	103 / 128	100° / 15°
2992352 Ennio S150/3000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3410	37W / 28W	103 / 122	100° / 15°
2992353 Ennio S150/3000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3885	37W / 32W	103 / 122	100° / 15°
2992354 Ennio S150/3000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4480	37W / 36W	103 / 125	100° / 15°
2992355 Ennio S150/3000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2360	50W / 19W	100 / 125	100° / 15°
2992356 Ennio S150/3000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2935	50W / 23W	100 / 128	100° / 15°
2992357 Ennio S150/3000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3410	50W / 28W	100 / 122	100° / 15°
2992358 Ennio S150/3000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3885	50W / 32W	100 / 122	100° / 15°
2992359 Ennio S150/3000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4480	50W / 36W	100 / 125	100° / 15°
2992360 Ennio S150/3000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2360	60W / 19W	96 / 125	100° / 15°
2992361 Ennio S150/3000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2935	60W / 23W	96 / 128	100° / 15°
2992362 Ennio S150/3000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3410	60W / 28W	96 / 122	100° / 15°
2992363 Ennio S150/3000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3885	60W / 32W	96 / 122	100° / 15°
2992364 Ennio S150/3000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4480	60W / 36W	96 / 125	100° / 15°
2992365 Ennio S150/4000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2360	37W / 19W	108 / 125	100° / 15°
2992366 Ennio S150/4000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2935	37W / 23W	108 / 128	100° / 15°
2992367 Ennio S150/4000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3410	37W / 28W	108 / 122	100° / 15°
2992368 Ennio S150/4000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3885	37W / 32W	108 / 122	100° / 15°
2992369 Ennio S150/4000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4480	37W / 36W	108 / 125	100° / 15°
2992370 Ennio S150/4000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2360	50W / 19W	105 / 125	100° / 15°
2992371 Ennio S150/4000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2935	50W / 23W	105 / 128	100° / 15°
2992372 Ennio S150/4000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3410	50W / 28W	105 / 122	100° / 15°
2992373 Ennio S150/4000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3885	50W / 32W	105 / 122	100° / 15°
2992374 Ennio S150/4000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4480	50W / 36W	105 / 125	100° / 15°
2992375 Ennio S150/4000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2360	60W / 19W	100 / 125	100° / 15°
2992376 Ennio S150/4000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2935	60W / 23W	100 / 128	100° / 15°
2992377 Ennio S150/4000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3410	60W / 28W	100 / 122	100° / 15°
2992378 Ennio S150/4000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3885	60W / 32W	100 / 122	100° / 15°
2992379 Ennio S150/4000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4480	60W / 36W	100 / 125	100° / 15°
2992380 Ennio S150/3000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2385	37W / 19W	103 / 126	100° / 21°
2992381 Ennio S150/3000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 23W	103 / 129	100° / 21°
2992382 Ennio S150/3000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3445	37W / 28W	103 / 124	100° / 21°
2992383 Ennio S150/3000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3925	37W / 32W	103 / 123	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992384 Ennio S150/3000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4525	37W / 36W	103 / 126	100° / 21°
2992385 Ennio S150/3000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2385	50W / 19W	100 / 126	100° / 21°
2992386 Ennio S150/3000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 23W	100 / 129	100° / 21°
2992387 Ennio S150/3000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3445	50W / 28W	100 / 124	100° / 21°
2992388 Ennio S150/3000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3925	50W / 32W	100 / 123	100° / 21°
2992389 Ennio S150/3000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4525	50W / 36W	100 / 126	100° / 21°
2992390 Ennio S150/3000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2385	60W / 19W	96 / 126	100° / 21°
2992391 Ennio S150/3000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 23W	96 / 129	100° / 21°
2992392 Ennio S150/3000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3445	60W / 28W	96 / 124	100° / 21°
2992393 Ennio S150/3000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3925	60W / 32W	96 / 123	100° / 21°
2992394 Ennio S150/3000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4525	60W / 36W	96 / 126	100° / 21°
2992395 Ennio S150/4000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2385	37W / 19W	108 / 126	100° / 21°
2992396 Ennio S150/4000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2965	37W / 23W	108 / 129	100° / 21°
2992397 Ennio S150/4000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3445	37W / 28W	108 / 124	100° / 21°
2992398 Ennio S150/4000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3925	37W / 32W	108 / 123	100° / 21°
2992399 Ennio S150/4000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4525	37W / 36W	108 / 126	100° / 21°
2992400 Ennio S150/4000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2385	50W / 19W	105 / 126	100° / 21°
2992401 Ennio S150/4000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2965	50W / 23W	105 / 129	100° / 21°
2992402 Ennio S150/4000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3445	50W / 28W	105 / 124	100° / 21°
2992403 Ennio S150/4000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3925	50W / 32W	105 / 123	100° / 21°
2992404 Ennio S150/4000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4525	50W / 36W	105 / 126	100° / 21°
2992405 Ennio S150/4000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2385	60W / 19W	100 / 126	100° / 21°
2992406 Ennio S150/4000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2965	60W / 23W	100 / 129	100° / 21°
2992407 Ennio S150/4000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3445	60W / 28W	100 / 124	100° / 21°
2992408 Ennio S150/4000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3925	60W / 32W	100 / 123	100° / 21°
2992409 Ennio S150/4000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4525	60W / 36W	100 / 126	100° / 21°
2992410 Ennio S150/3000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2290	37W / 19W	103 / 121	100° / 28°
2992411 Ennio S150/3000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2850	37W / 23W	103 / 124	100° / 28°
2992412 Ennio S150/3000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3310	37W / 28W	103 / 119	100° / 28°
2992413 Ennio S150/3000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3770	37W / 32W	103 / 118	100° / 28°
2992414 Ennio S150/3000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4350	37W / 36W	103 / 121	100° / 28°
2992415 Ennio S150/3000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2290	50W / 19W	100 / 121	100° / 28°
2992416 Ennio S150/3000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2850	50W / 23W	100 / 124	100° / 28°
2992417 Ennio S150/3000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3310	50W / 28W	100 / 119	100° / 28°
2992418 Ennio S150/3000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3770	50W / 32W	100 / 118	100° / 28°
2992419 Ennio S150/3000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4350	50W / 36W	100 / 121	100° / 28°
2992420 Ennio S150/3000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2290	60W / 19W	96 / 121	100° / 28°
2992421 Ennio S150/3000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2850	60W / 23W	96 / 124	100° / 28°
2992422 Ennio S150/3000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3310	60W / 28W	96 / 119	100° / 28°
2992423 Ennio S150/3000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3770	60W / 32W	96 / 118	100° / 28°
2992424 Ennio S150/3000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4350	60W / 36W	96 / 121	100° / 28°
2992425 Ennio S150/4000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2290	37W / 19W	108 / 121	100° / 28°
2992426 Ennio S150/4000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2850	37W / 23W	108 / 124	100° / 28°
2992427 Ennio S150/4000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3310	37W / 28W	108 / 119	100° / 28°
2992428 Ennio S150/4000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3770	37W / 32W	108 / 118	100° / 28°
2992429 Ennio S150/4000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4350	37W / 36W	108 / 121	100° / 28°
2992430 Ennio S150/4000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2290	50W / 19W	105 / 121	100° / 28°
2992431 Ennio S150/4000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2850	50W / 23W	105 / 124	100° / 28°
2992432 Ennio S150/4000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3310	50W / 28W	105 / 119	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992433 Ennio S150/4000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3770	50W / 32W	105 / 118	100° / 28°
2992434 Ennio S150/4000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4350	50W / 36W	105 / 121	100° / 28°
2992435 Ennio S150/4000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2290	60W / 19W	100 / 121	100° / 28°
2992436 Ennio S150/4000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2850	60W / 23W	100 / 124	100° / 28°
2992437 Ennio S150/4000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3310	60W / 28W	100 / 119	100° / 28°
2992438 Ennio S150/4000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3770	60W / 32W	100 / 118	100° / 28°
2992439 Ennio S150/4000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4350	60W / 36W	100 / 121	100° / 28°
2992440 Ennio S150/3000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2340	37W / 19W	103 / 124	100° / 46°
2992441 Ennio S150/3000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2905	37W / 23W	103 / 127	100° / 46°
2992442 Ennio S150/3000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3380	37W / 28W	103 / 121	100° / 46°
2992443 Ennio S150/3000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3850	37W / 32W	103 / 121	100° / 46°
2992444 Ennio S150/3000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4435	37W / 36W	103 / 124	100° / 46°
2992445 Ennio S150/3000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2340	50W / 19W	100 / 124	100° / 46°
2992446 Ennio S150/3000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2905	50W / 23W	100 / 127	100° / 46°
2992447 Ennio S150/3000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3380	50W / 28W	100 / 121	100° / 46°
2992448 Ennio S150/3000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3850	50W / 32W	100 / 121	100° / 46°
2992449 Ennio S150/3000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4435	50W / 36W	100 / 124	100° / 46°
2992450 Ennio S150/3000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2340	60W / 19W	96 / 124	100° / 46°
2992451 Ennio S150/3000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2905	60W / 23W	96 / 127	100° / 46°
2992452 Ennio S150/3000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3380	60W / 28W	96 / 121	100° / 46°
2992453 Ennio S150/3000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3850	60W / 32W	96 / 121	100° / 46°
2992454 Ennio S150/3000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4435	60W / 36W	96 / 124	100° / 46°
2992455 Ennio S150/4000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2340	37W / 19W	108 / 124	100° / 46°
2992456 Ennio S150/4000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2905	37W / 23W	108 / 127	100° / 46°
2992457 Ennio S150/4000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3380	37W / 28W	108 / 121	100° / 46°
2992458 Ennio S150/4000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3850	37W / 32W	108 / 121	100° / 46°
2992459 Ennio S150/4000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4435	37W / 36W	108 / 124	100° / 46°
2992460 Ennio S150/4000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2340	50W / 19W	105 / 124	100° / 46°
2992461 Ennio S150/4000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2905	50W / 23W	105 / 127	100° / 46°
2992462 Ennio S150/4000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3380	50W / 28W	105 / 121	100° / 46°
2992463 Ennio S150/4000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3850	50W / 32W	105 / 121	100° / 46°
2992464 Ennio S150/4000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4435	50W / 36W	105 / 124	100° / 46°
2992465 Ennio S150/4000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2340	60W / 19W	100 / 124	100° / 46°
2992466 Ennio S150/4000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2905	60W / 23W	100 / 127	100° / 46°
2992467 Ennio S150/4000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3380	60W / 28W	100 / 121	100° / 46°
2992468 Ennio S150/4000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3850	60W / 32W	100 / 121	100° / 46°
2992469 Ennio S150/4000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4435	60W / 36W	100 / 124	100° / 46°
2992470 Ennio S150/3000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2245	37W / 19W	103 / 119	100° / 57°
2992471 Ennio S150/3000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2790	37W / 23W	103 / 122	100° / 57°
2992472 Ennio S150/3000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3245	37W / 28W	103 / 116	100° / 57°
2992473 Ennio S150/3000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3695	37W / 32W	103 / 116	100° / 57°
2992474 Ennio S150/3000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4260	37W / 36W	103 / 119	100° / 57°
2992475 Ennio S150/3000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2245	50W / 19W	100 / 119	100° / 57°
2992476 Ennio S150/3000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2790	50W / 23W	100 / 122	100° / 57°
2992477 Ennio S150/3000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3245	50W / 28W	100 / 116	100° / 57°
2992478 Ennio S150/3000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3695	50W / 32W	100 / 116	100° / 57°
2992479 Ennio S150/3000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4260	50W / 36W	100 / 119	100° / 57°
2992480 Ennio S150/3000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2245	60W / 19W	96 / 119	100° / 57°
2992481 Ennio S150/3000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2790	60W / 23W	96 / 122	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992482 Ennio S150/3000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3245	60W / 28W	96 / 116	100° / 57°
2992483 Ennio S150/3000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3695	60W / 32W	96 / 116	100° / 57°
2992484 Ennio S150/3000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4260	60W / 36W	96 / 119	100° / 57°
2992485 Ennio S150/4000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2245	37W / 19W	108 / 119	100° / 57°
2992486 Ennio S150/4000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2790	37W / 23W	108 / 122	100° / 57°
2992487 Ennio S150/4000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3245	37W / 28W	108 / 116	100° / 57°
2992488 Ennio S150/4000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3695	37W / 32W	108 / 116	100° / 57°
2992489 Ennio S150/4000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4260	37W / 36W	108 / 119	100° / 57°
2992490 Ennio S150/4000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2245	50W / 19W	105 / 119	100° / 57°
2992491 Ennio S150/4000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2790	50W / 23W	105 / 122	100° / 57°
2992492 Ennio S150/4000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3245	50W / 28W	105 / 116	100° / 57°
2992493 Ennio S150/4000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3695	50W / 32W	105 / 116	100° / 57°
2992494 Ennio S150/4000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4260	50W / 36W	105 / 119	100° / 57°
2992495 Ennio S150/4000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2245	60W / 19W	100 / 119	100° / 57°
2992496 Ennio S150/4000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2790	60W / 23W	100 / 122	100° / 57°
2992497 Ennio S150/4000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3245	60W / 28W	100 / 116	100° / 57°
2992498 Ennio S150/4000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3695	60W / 32W	100 / 116	100° / 57°
2992499 Ennio S150/4000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4260	60W / 36W	100 / 119	100° / 57°
2992500 Ennio S240/3000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3790	64W / 32W	100 / 119	100° / 15°
2992501 Ennio S240/3000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4710	64W / 38W	100 / 124	100° / 15°
2992502 Ennio S240/3000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5470	64W / 44W	100 / 125	100° / 15°
2992503 Ennio S240/3000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6220	64W / 52W	100 / 120	100° / 15°
2992504 Ennio S240/3000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7220	64W / 58W	100 / 125	100° / 15°
2992505 Ennio S240/3000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3790	76W / 32W	101 / 119	100° / 15°
2992506 Ennio S240/3000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4710	76W / 38W	101 / 124	100° / 15°
2992507 Ennio S240/3000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5470	76W / 44W	101 / 125	100° / 15°
2992508 Ennio S240/3000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6220	76W / 52W	101 / 120	100° / 15°
2992509 Ennio S240/3000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7220	76W / 58W	101 / 125	100° / 15°
2992510 Ennio S240/3000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3790	100W / 32W	93 / 119	100° / 15°
2992511 Ennio S240/3000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4710	100W / 38W	93 / 124	100° / 15°
2992512 Ennio S240/3000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5470	100W / 44W	93 / 125	100° / 15°
2992513 Ennio S240/3000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6220	100W / 52W	93 / 120	100° / 15°
2992514 Ennio S240/3000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7220	100W / 58W	93 / 125	100° / 15°
2992515 Ennio S240/4000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3790	64W / 32W	104 / 119	100° / 15°
2992516 Ennio S240/4000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4710	64W / 38W	104 / 124	100° / 15°
2992517 Ennio S240/4000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5470	64W / 44W	104 / 125	100° / 15°
2992518 Ennio S240/4000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6220	64W / 52W	104 / 120	100° / 15°
2992519 Ennio S240/4000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7220	64W / 58W	104 / 125	100° / 15°
2992520 Ennio S240/4000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3790	76W / 32W	105 / 119	100° / 15°
2992521 Ennio S240/4000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4710	76W / 38W	105 / 124	100° / 15°
2992522 Ennio S240/4000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5470	76W / 44W	105 / 125	100° / 15°
2992523 Ennio S240/4000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6220	76W / 52W	105 / 120	100° / 15°
2992524 Ennio S240/4000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7220	76W / 58W	105 / 125	100° / 15°
2992525 Ennio S240/4000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3790	100W / 32W	97 / 119	100° / 15°
2992526 Ennio S240/4000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4710	100W / 38W	97 / 124	100° / 15°
2992527 Ennio S240/4000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5470	100W / 44W	97 / 125	100° / 15°
2992528 Ennio S240/4000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6220	100W / 52W	97 / 120	100° / 15°
2992529 Ennio S240/4000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7220	100W / 58W	97 / 125	100° / 15°
2992530 Ennio S240/3000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3830	64W / 32W	100 / 120	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992531 Ennio S240/3000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4750	64W / 38W	100 / 125	100° / 21°
2992532 Ennio S240/3000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5520	64W / 44W	100 / 126	100° / 21°
2992533 Ennio S240/3000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6280	64W / 52W	100 / 121	100° / 21°
2992534 Ennio S240/3000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7290	64W / 58W	100 / 126	100° / 21°
2992535 Ennio S240/3000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3830	76W / 32W	101 / 120	100° / 21°
2992536 Ennio S240/3000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4750	76W / 38W	101 / 125	100° / 21°
2992537 Ennio S240/3000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5520	76W / 44W	101 / 126	100° / 21°
2992538 Ennio S240/3000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6280	76W / 52W	101 / 121	100° / 21°
2992539 Ennio S240/3000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7290	76W / 58W	101 / 126	100° / 21°
2992540 Ennio S240/3000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3830	100W / 32W	93 / 120	100° / 21°
2992541 Ennio S240/3000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4750	100W / 38W	93 / 125	100° / 21°
2992542 Ennio S240/3000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5520	100W / 44W	93 / 126	100° / 21°
2992543 Ennio S240/3000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6280	100W / 52W	93 / 121	100° / 21°
2992544 Ennio S240/3000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7290	100W / 58W	93 / 126	100° / 21°
2992545 Ennio S240/4000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3830	64W / 32W	104 / 120	100° / 21°
2992546 Ennio S240/4000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4750	64W / 38W	104 / 125	100° / 21°
2992547 Ennio S240/4000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5520	64W / 44W	104 / 126	100° / 21°
2992548 Ennio S240/4000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6280	64W / 52W	104 / 121	100° / 21°
2992549 Ennio S240/4000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7290	64W / 58W	104 / 126	100° / 21°
2992550 Ennio S240/4000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3830	76W / 32W	105 / 120	100° / 21°
2992551 Ennio S240/4000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4750	76W / 38W	105 / 125	100° / 21°
2992552 Ennio S240/4000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5520	76W / 44W	105 / 126	100° / 21°
2992553 Ennio S240/4000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6280	76W / 52W	105 / 121	100° / 21°
2992554 Ennio S240/4000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7290	76W / 58W	105 / 126	100° / 21°
2992555 Ennio S240/4000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3830	100W / 32W	97 / 120	100° / 21°
2992556 Ennio S240/4000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4750	100W / 38W	97 / 125	100° / 21°
2992557 Ennio S240/4000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5520	100W / 44W	97 / 126	100° / 21°
2992558 Ennio S240/4000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6280	100W / 52W	97 / 121	100° / 21°
2992559 Ennio S240/4000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7290	100W / 58W	97 / 126	100° / 21°
2992560 Ennio S240/3000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 32W	100 / 115	100° / 28°
2992561 Ennio S240/3000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4570	64W / 38W	100 / 121	100° / 28°
2992562 Ennio S240/3000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5310	64W / 44W	100 / 121	100° / 28°
2992563 Ennio S240/3000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6040	64W / 52W	100 / 117	100° / 28°
2992564 Ennio S240/3000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7010	64W / 58W	100 / 121	100° / 28°
2992565 Ennio S240/3000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 32W	101 / 115	100° / 28°
2992566 Ennio S240/3000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4570	76W / 38W	101 / 121	100° / 28°
2992567 Ennio S240/3000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5310	76W / 44W	101 / 121	100° / 28°
2992568 Ennio S240/3000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6040	76W / 52W	101 / 117	100° / 28°
2992569 Ennio S240/3000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7010	76W / 58W	101 / 121	100° / 28°
2992570 Ennio S240/3000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 32W	93 / 115	100° / 28°
2992571 Ennio S240/3000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4570	100W / 38W	93 / 121	100° / 28°
2992572 Ennio S240/3000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5310	100W / 44W	93 / 121	100° / 28°
2992573 Ennio S240/3000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6040	100W / 52W	93 / 117	100° / 28°
2992574 Ennio S240/3000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7010	100W / 58W	93 / 121	100° / 28°
2992575 Ennio S240/4000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3680	64W / 32W	104 / 115	100° / 28°
2992576 Ennio S240/4000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4570	64W / 38W	104 / 121	100° / 28°
2992577 Ennio S240/4000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5310	64W / 44W	104 / 121	100° / 28°
2992578 Ennio S240/4000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6040	64W / 52W	104 / 117	100° / 28°
2992579 Ennio S240/4000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7010	64W / 58W	104 / 121	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992580 Ennio S240/4000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3680	76W / 32W	105 / 115	100° / 28°
2992581 Ennio S240/4000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4570	76W / 38W	105 / 121	100° / 28°
2992582 Ennio S240/4000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5310	76W / 44W	105 / 121	100° / 28°
2992583 Ennio S240/4000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6040	76W / 52W	105 / 117	100° / 28°
2992584 Ennio S240/4000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7010	76W / 58W	105 / 121	100° / 28°
2992585 Ennio S240/4000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3680	100W / 32W	97 / 115	100° / 28°
2992586 Ennio S240/4000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4570	100W / 38W	97 / 121	100° / 28°
2992587 Ennio S240/4000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5310	100W / 44W	97 / 121	100° / 28°
2992588 Ennio S240/4000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6040	100W / 52W	97 / 117	100° / 28°
2992589 Ennio S240/4000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7010	100W / 58W	97 / 121	100° / 28°
2992590 Ennio S240/3000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3760	64W / 32W	100 / 118	100° / 46°
2992591 Ennio S240/3000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4660	64W / 38W	100 / 123	100° / 46°
2992592 Ennio S240/3000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5410	64W / 44W	100 / 123	100° / 46°
2992593 Ennio S240/3000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6160	64W / 52W	100 / 119	100° / 46°
2992594 Ennio S240/3000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7150	64W / 58W	100 / 124	100° / 46°
2992595 Ennio S240/3000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3760	76W / 32W	101 / 118	100° / 46°
2992596 Ennio S240/3000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4660	76W / 38W	101 / 123	100° / 46°
2992597 Ennio S240/3000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5410	76W / 44W	101 / 123	100° / 46°
2992598 Ennio S240/3000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6160	76W / 52W	101 / 119	100° / 46°
2992599 Ennio S240/3000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7150	76W / 58W	101 / 124	100° / 46°
2992600 Ennio S240/3000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3760	100W / 32W	93 / 118	100° / 46°
2992601 Ennio S240/3000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4660	100W / 38W	93 / 123	100° / 46°
2992602 Ennio S240/3000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5410	100W / 44W	93 / 123	100° / 46°
2992603 Ennio S240/3000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6160	100W / 52W	93 / 119	100° / 46°
2992604 Ennio S240/3000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7150	100W / 58W	93 / 124	100° / 46°
2992605 Ennio S240/4000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 32W	104 / 118	100° / 46°
2992606 Ennio S240/4000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4660	64W / 38W	104 / 123	100° / 46°
2992607 Ennio S240/4000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5410	64W / 44W	104 / 123	100° / 46°
2992608 Ennio S240/4000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6160	64W / 52W	104 / 119	100° / 46°
2992609 Ennio S240/4000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7150	64W / 58W	104 / 124	100° / 46°
2992610 Ennio S240/4000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 32W	105 / 118	100° / 46°
2992611 Ennio S240/4000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4660	76W / 38W	105 / 123	100° / 46°
2992612 Ennio S240/4000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5410	76W / 44W	105 / 123	100° / 46°
2992613 Ennio S240/4000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6160	76W / 52W	105 / 119	100° / 46°
2992614 Ennio S240/4000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7150	76W / 58W	105 / 124	100° / 46°
2992615 Ennio S240/4000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 32W	97 / 118	100° / 46°
2992616 Ennio S240/4000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4660	100W / 38W	97 / 123	100° / 46°
2992617 Ennio S240/4000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5410	100W / 44W	97 / 123	100° / 46°
2992618 Ennio S240/4000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6160	100W / 52W	97 / 119	100° / 46°
2992619 Ennio S240/4000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7150	100W / 58W	97 / 124	100° / 46°
2992620 Ennio S240/3000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3610	64W / 32W	100 / 113	100° / 57°
2992621 Ennio S240/3000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4470	64W / 38W	100 / 118	100° / 57°
2992622 Ennio S240/3000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5200	64W / 44W	100 / 119	100° / 57°
2992623 Ennio S240/3000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5910	64W / 52W	100 / 114	100° / 57°
2992624 Ennio S240/3000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6860	64W / 58W	100 / 119	100° / 57°
2992625 Ennio S240/3000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3610	76W / 32W	101 / 113	100° / 57°
2992626 Ennio S240/3000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4470	76W / 38W	101 / 118	100° / 57°
2992627 Ennio S240/3000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5200	76W / 44W	101 / 119	100° / 57°
2992628 Ennio S240/3000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5910	76W / 52W	101 / 114	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992629 Ennio S240/3000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6860	76W / 58W	101 / 119	100° / 57°
2992630 Ennio S240/3000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3610	100W / 32W	93 / 113	100° / 57°
2992631 Ennio S240/3000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4470	100W / 38W	93 / 118	100° / 57°
2992632 Ennio S240/3000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5200	100W / 44W	93 / 119	100° / 57°
2992633 Ennio S240/3000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5910	100W / 52W	93 / 114	100° / 57°
2992634 Ennio S240/3000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6860	100W / 58W	93 / 119	100° / 57°
2992635 Ennio S240/4000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3610	64W / 32W	104 / 113	100° / 57°
2992636 Ennio S240/4000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4470	64W / 38W	104 / 118	100° / 57°
2992637 Ennio S240/4000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5200	64W / 44W	104 / 119	100° / 57°
2992638 Ennio S240/4000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 52W	104 / 114	100° / 57°
2992639 Ennio S240/4000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6860	64W / 58W	104 / 119	100° / 57°
2992640 Ennio S240/4000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3610	76W / 32W	105 / 113	100° / 57°
2992641 Ennio S240/4000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4470	76W / 38W	105 / 118	100° / 57°
2992642 Ennio S240/4000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5200	76W / 44W	105 / 119	100° / 57°
2992643 Ennio S240/4000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 52W	105 / 114	100° / 57°
2992644 Ennio S240/4000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6860	76W / 58W	105 / 119	100° / 57°
2992645 Ennio S240/4000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3610	100W / 32W	97 / 113	100° / 57°
2992646 Ennio S240/4000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4470	100W / 38W	97 / 118	100° / 57°
2992647 Ennio S240/4000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5200	100W / 44W	97 / 119	100° / 57°
2992648 Ennio S240/4000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 52W	97 / 114	100° / 57°
2992649 Ennio S240/4000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6860	100W / 58W	97 / 119	100° / 57°
2992650 Ennio S300/3000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4720	74W / 38W	103 / 125	100° / 15°
2992651 Ennio S300/3000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5870	74W / 46W	103 / 128	100° / 15°
2992652 Ennio S300/3000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6820	74W / 56W	103 / 122	100° / 15°
2992653 Ennio S300/3000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7770	74W / 64W	103 / 122	100° / 15°
2992654 Ennio S300/3000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8960	74W / 72W	103 / 125	100° / 15°
2992655 Ennio S300/3000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4720	100W / 38W	100 / 125	100° / 15°
2992656 Ennio S300/3000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5870	100W / 46W	100 / 128	100° / 15°
2992657 Ennio S300/3000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6820	100W / 56W	100 / 122	100° / 15°
2992658 Ennio S300/3000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7770	100W / 64W	100 / 122	100° / 15°
2992659 Ennio S300/3000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8960	100W / 72W	100 / 125	100° / 15°
2992660 Ennio S300/3000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4720	120W / 38W	96 / 125	100° / 15°
2992661 Ennio S300/3000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5870	120W / 46W	96 / 128	100° / 15°
2992662 Ennio S300/3000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6820	120W / 56W	96 / 122	100° / 15°
2992663 Ennio S300/3000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7770	120W / 64W	96 / 122	100° / 15°
2992664 Ennio S300/3000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8960	120W / 72W	96 / 125	100° / 15°
2992665 Ennio S300/4000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4720	74W / 38W	108 / 125	100° / 15°
2992666 Ennio S300/4000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5870	74W / 46W	108 / 128	100° / 15°
2992667 Ennio S300/4000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6820	74W / 56W	108 / 122	100° / 15°
2992668 Ennio S300/4000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7770	74W / 64W	108 / 122	100° / 15°
2992669 Ennio S300/4000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8960	74W / 72W	108 / 125	100° / 15°
2992670 Ennio S300/4000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4720	100W / 38W	105 / 125	100° / 15°
2992671 Ennio S300/4000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5870	100W / 46W	105 / 128	100° / 15°
2992672 Ennio S300/4000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6820	100W / 56W	105 / 122	100° / 15°
2992673 Ennio S300/4000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7770	100W / 64W	105 / 122	100° / 15°
2992674 Ennio S300/4000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8960	100W / 72W	105 / 125	100° / 15°
2992675 Ennio S300/4000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4720	120W / 38W	100 / 125	100° / 15°
2992676 Ennio S300/4000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5870	120W / 46W	100 / 128	100° / 15°
2992677 Ennio S300/4000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6820	120W / 56W	100 / 122	100° / 15°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992678 Ennio S300/4000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7770	120W / 64W	100 / 122	100° / 15°
2992679 Ennio S300/4000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8960	120W / 72W	100 / 125	100° / 15°
2992680 Ennio S300/3000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4770	74W / 38W	103 / 126	100° / 21°
2992681 Ennio S300/3000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 46W	103 / 129	100° / 21°
2992682 Ennio S300/3000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6890	74W / 56W	103 / 124	100° / 21°
2992683 Ennio S300/3000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7850	74W / 64W	103 / 123	100° / 21°
2992684 Ennio S300/3000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 9050	74W / 72W	103 / 126	100° / 21°
2992685 Ennio S300/3000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4770	100W / 38W	100 / 126	100° / 21°
2992686 Ennio S300/3000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 46W	100 / 129	100° / 21°
2992687 Ennio S300/3000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6890	100W / 56W	100 / 124	100° / 21°
2992688 Ennio S300/3000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7850	100W / 64W	100 / 123	100° / 21°
2992689 Ennio S300/3000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 9050	100W / 72W	100 / 126	100° / 21°
2992690 Ennio S300/3000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4770	120W / 38W	96 / 126	100° / 21°
2992691 Ennio S300/3000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 46W	96 / 129	100° / 21°
2992692 Ennio S300/3000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6890	120W / 56W	96 / 124	100° / 21°
2992693 Ennio S300/3000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7850	120W / 64W	96 / 123	100° / 21°
2992694 Ennio S300/3000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 9050	120W / 72W	96 / 126	100° / 21°
2992695 Ennio S300/4000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4770	74W / 38W	108 / 126	100° / 21°
2992696 Ennio S300/4000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5930	74W / 46W	108 / 129	100° / 21°
2992697 Ennio S300/4000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6890	74W / 56W	108 / 124	100° / 21°
2992698 Ennio S300/4000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7850	74W / 64W	108 / 123	100° / 21°
2992699 Ennio S300/4000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 9050	74W / 72W	108 / 126	100° / 21°
2992700 Ennio S300/4000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4770	100W / 38W	105 / 126	100° / 21°
2992701 Ennio S300/4000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5930	100W / 46W	105 / 129	100° / 21°
2992702 Ennio S300/4000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6890	100W / 56W	105 / 124	100° / 21°
2992703 Ennio S300/4000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7850	100W / 64W	105 / 123	100° / 21°
2992704 Ennio S300/4000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 9050	100W / 72W	105 / 126	100° / 21°
2992705 Ennio S300/4000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4770	120W / 38W	100 / 126	100° / 21°
2992706 Ennio S300/4000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5930	120W / 46W	100 / 129	100° / 21°
2992707 Ennio S300/4000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6890	120W / 56W	100 / 124	100° / 21°
2992708 Ennio S300/4000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7850	120W / 64W	100 / 123	100° / 21°
2992709 Ennio S300/4000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 9050	120W / 72W	100 / 126	100° / 21°
2992710 Ennio S300/3000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4580	74W / 38W	103 / 121	100° / 28°
2992711 Ennio S300/3000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5700	74W / 46W	103 / 124	100° / 28°
2992712 Ennio S300/3000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6620	74W / 56W	103 / 119	100° / 28°
2992713 Ennio S300/3000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7540	74W / 64W	103 / 118	100° / 28°
2992714 Ennio S300/3000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8700	74W / 72W	103 / 121	100° / 28°
2992715 Ennio S300/3000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4580	100W / 38W	100 / 121	100° / 28°
2992716 Ennio S300/3000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5700	100W / 46W	100 / 124	100° / 28°
2992717 Ennio S300/3000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6620	100W / 56W	100 / 119	100° / 28°
2992718 Ennio S300/3000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7540	100W / 64W	100 / 118	100° / 28°
2992719 Ennio S300/3000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8700	100W / 72W	100 / 121	100° / 28°
2992720 Ennio S300/3000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4580	120W / 38W	96 / 121	100° / 28°
2992721 Ennio S300/3000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5700	120W / 46W	96 / 124	100° / 28°
2992722 Ennio S300/3000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6620	120W / 56W	96 / 119	100° / 28°
2992723 Ennio S300/3000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7540	120W / 64W	96 / 118	100° / 28°
2992724 Ennio S300/3000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8700	120W / 72W	96 / 121	100° / 28°
2992725 Ennio S300/4000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4580	74W / 38W	108 / 121	100° / 28°
2992726 Ennio S300/4000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5700	74W / 46W	108 / 124	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992727 Ennio S300/4000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6620	74W / 56W	108 / 119	100° / 28°
2992728 Ennio S300/4000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7540	74W / 64W	108 / 118	100° / 28°
2992729 Ennio S300/4000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8700	74W / 72W	108 / 121	100° / 28°
2992730 Ennio S300/4000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4580	100W / 38W	105 / 121	100° / 28°
2992731 Ennio S300/4000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5700	100W / 46W	105 / 124	100° / 28°
2992732 Ennio S300/4000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6620	100W / 56W	105 / 119	100° / 28°
2992733 Ennio S300/4000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7540	100W / 64W	105 / 118	100° / 28°
2992734 Ennio S300/4000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8700	100W / 72W	105 / 121	100° / 28°
2992735 Ennio S300/4000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4580	120W / 38W	100 / 121	100° / 28°
2992736 Ennio S300/4000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5700	120W / 46W	100 / 124	100° / 28°
2992737 Ennio S300/4000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6620	120W / 56W	100 / 119	100° / 28°
2992738 Ennio S300/4000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7540	120W / 64W	100 / 118	100° / 28°
2992739 Ennio S300/4000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8700	120W / 72W	100 / 121	100° / 28°
2992740 Ennio S300/3000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4680	74W / 38W	103 / 124	100° / 46°
2992741 Ennio S300/3000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5810	74W / 46W	103 / 127	100° / 46°
2992742 Ennio S300/3000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6760	74W / 56W	103 / 121	100° / 46°
2992743 Ennio S300/3000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7700	74W / 64W	103 / 121	100° / 46°
2992744 Ennio S300/3000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8870	74W / 72W	103 / 124	100° / 46°
2992745 Ennio S300/3000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4680	100W / 38W	100 / 124	100° / 46°
2992746 Ennio S300/3000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5810	100W / 46W	100 / 127	100° / 46°
2992747 Ennio S300/3000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6760	100W / 56W	100 / 121	100° / 46°
2992748 Ennio S300/3000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7700	100W / 64W	100 / 121	100° / 46°
2992749 Ennio S300/3000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8870	100W / 72W	100 / 124	100° / 46°
2992750 Ennio S300/3000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4680	120W / 38W	96 / 124	100° / 46°
2992751 Ennio S300/3000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5810	120W / 46W	96 / 127	100° / 46°
2992752 Ennio S300/3000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6760	120W / 56W	96 / 121	100° / 46°
2992753 Ennio S300/3000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7700	120W / 64W	96 / 121	100° / 46°
2992754 Ennio S300/3000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8870	120W / 72W	96 / 124	100° / 46°
2992755 Ennio S300/4000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4680	74W / 38W	108 / 124	100° / 46°
2992756 Ennio S300/4000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5810	74W / 46W	108 / 127	100° / 46°
2992757 Ennio S300/4000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6760	74W / 56W	108 / 121	100° / 46°
2992758 Ennio S300/4000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7700	74W / 64W	108 / 121	100° / 46°
2992759 Ennio S300/4000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8870	74W / 72W	108 / 124	100° / 46°
2992760 Ennio S300/4000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4680	100W / 38W	105 / 124	100° / 46°
2992761 Ennio S300/4000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5810	100W / 46W	105 / 127	100° / 46°
2992762 Ennio S300/4000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6760	100W / 56W	105 / 121	100° / 46°
2992763 Ennio S300/4000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7700	100W / 64W	105 / 121	100° / 46°
2992764 Ennio S300/4000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8870	100W / 72W	105 / 124	100° / 46°
2992765 Ennio S300/4000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4680	120W / 38W	100 / 124	100° / 46°
2992766 Ennio S300/4000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5810	120W / 46W	100 / 127	100° / 46°
2992767 Ennio S300/4000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6760	120W / 56W	100 / 121	100° / 46°
2992768 Ennio S300/4000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7700	120W / 64W	100 / 121	100° / 46°
2992769 Ennio S300/4000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8870	120W / 72W	100 / 124	100° / 46°
2992770 Ennio S300/3000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4490	74W / 38W	103 / 119	100° / 57°
2992771 Ennio S300/3000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5580	74W / 46W	103 / 122	100° / 57°
2992772 Ennio S300/3000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6490	74W / 56W	103 / 116	100° / 57°
2992773 Ennio S300/3000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7390	74W / 64W	103 / 116	100° / 57°
2992774 Ennio S300/3000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8520	74W / 72W	103 / 119	100° / 57°
2992775 Ennio S300/3000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4490	100W / 38W	100 / 119	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
2992776 Ennio S300/3000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5580	100W / 46W	100 / 122	100° / 57°
2992777 Ennio S300/3000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6490	100W / 56W	100 / 116	100° / 57°
2992778 Ennio S300/3000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7390	100W / 64W	100 / 116	100° / 57°
2992779 Ennio S300/3000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8520	100W / 72W	100 / 119	100° / 57°
2992780 Ennio S300/3000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4490	120W / 38W	96 / 119	100° / 57°
2992781 Ennio S300/3000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5580	120W / 46W	96 / 122	100° / 57°
2992782 Ennio S300/3000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6490	120W / 56W	96 / 116	100° / 57°
2992783 Ennio S300/3000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7390	120W / 64W	96 / 116	100° / 57°
2992784 Ennio S300/3000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8520	120W / 72W	96 / 119	100° / 57°
2992785 Ennio S300/4000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4490	74W / 38W	108 / 119	100° / 57°
2992786 Ennio S300/4000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5580	74W / 46W	108 / 122	100° / 57°
2992787 Ennio S300/4000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6490	74W / 56W	108 / 116	100° / 57°
2992788 Ennio S300/4000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7390	74W / 64W	108 / 116	100° / 57°
2992789 Ennio S300/4000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8520	74W / 72W	108 / 119	100° / 57°
2992790 Ennio S300/4000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4490	100W / 38W	105 / 119	100° / 57°
2992791 Ennio S300/4000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5580	100W / 46W	105 / 122	100° / 57°
2992792 Ennio S300/4000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6490	100W / 56W	105 / 116	100° / 57°
2992793 Ennio S300/4000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7390	100W / 64W	105 / 116	100° / 57°
2992794 Ennio S300/4000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8520	100W / 72W	105 / 119	100° / 57°
2992795 Ennio S300/4000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4490	120W / 38W	100 / 119	100° / 57°
2992796 Ennio S300/4000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5580	120W / 46W	100 / 122	100° / 57°
2992797 Ennio S300/4000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6490	120W / 56W	100 / 116	100° / 57°
2992798 Ennio S300/4000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7390	120W / 64W	100 / 116	100° / 57°
2992799 Ennio S300/4000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8520	120W / 72W	100 / 119	100° / 57°

PRODUCT CUSTOMIZATION

This product has a great customization capability for combining CRI and CCT.

Below we presented possible CRI / CCT options:

UP	DOWN
2700 CRI80	2400K CRI80
3000 CRI80	2700K CRI80
4000 CRI80	3000K CRI80
5000 CRI80	4000K CRI80
6500 CRI80	2700K CRI90
TW	2700K CRI90
PI	3000K CRI90
	4000K CRI90
	2700K CRI95
	3000K CRI95
	3500K CRI95
	4000K CRI95

For more information please send us a message using the [contact form](#) on our website.