



## Ennio UP&DOWN Individual Lens

### SUSPENDED | NON-DALI SERIES

Ennio UP&DOWN Individual Lens is a versatile suspended luminaire that emits light both upwards and downwards. Providing indirect light on its superior side, Ennio creates a mellow ambient in the working space with reduced glare due to indirect lighting by projecting the light beam towards the ceiling.

Tunable white - Light color temperature can be adjusted to reflect the need or mood of the user. The light provided by the luminaires can be changed from warm to cold, in a range between 2700K - 6500K.

PI-LED - Combines variable white light and light of the RGB color system in one single light source. It can vary the color temperature between 2700K - 6500K along Planckian curve in the course of a day.

Ennio UP&DOWN Individual Lens has several series, determined by various add-on and controls:



- **Ennio UP&DOWN Individual Lens Non-DALI: the standard version**
- Ennio UP&DOWN Individual Lens Non-DALI EM: the standard version with emergency option (UP)
- Ennio UP&DOWN Individual Lens DALI: with DALI controls for illumination adjustments
- Ennio UP&DOWN Individual Lens DALI EM: with DALI controls for illumination adjustments and emergency options (UP)
- Ennio UP&DOWN Individual Lens TW: the tunable white system with adjustable colour temperature
- Ennio UP&DOWN Individual Lens PI-LED - simulates the spectral quality of natural daylight over the entire day.

### FEATURES & BENEFITS

- CRI 80 as standard
- Color temperatures: 3000K and 4000K
- Long rated life: L90/B10@50.000h
- Luminaire efficiency (UP/DOWN): 108/129 lm/w @4000K

### APPLICATION

Office | Healthcare | Hospitality | DIY



**SPECIFICATIONS**


|                                |                                 |                         |                         |                         |
|--------------------------------|---------------------------------|-------------------------|-------------------------|-------------------------|
| Power consumption (UP)         | 32W, 38W, 50W                   | 37W, 50W, 60W           | 64W, 76W, 100W          | 74W, 100W, 120W         |
| Power consumption (DOWN)       | 16W, 19W, 22W, 26W, 29W         | 19W, 23W, 28W, 32W, 36W | 32W, 38W, 44W, 52W, 58W | 38W, 46W, 56W, 64W, 72W |
| Dimensions                     | 1214 x 57 x 81 ± 1mm            | 1501 x 57 x 81 ± 1mm    | 2362 x 57 x 81 ± 1mm    | 2936 x 57 x 81 ± 1mm    |
| Weight                         | 3.6 kg                          | 4.3 kg                  | 6.8 kg                  | 8.2 kg                  |
| Housing materials              | Aluminum & Polycarbonate        |                         |                         |                         |
| IK code                        | IK02                            |                         |                         |                         |
| THD (at 230V, 50Hz, Full load) | <8%                             |                         |                         |                         |
| Protection class               | Safety class 1                  |                         |                         |                         |
| Operating temperature [°C]     | -20°C ... +45°C / -4F ... +113F |                         |                         |                         |
| Operating humidity [%]         | 10 ÷ 85                         |                         |                         |                         |
| Power factor                   | ≥0.95                           |                         |                         |                         |
| AC Input [Vac]                 | 220 - 240 VAC                   |                         |                         |                         |
| Lens angle [°] (UP)            | 100°                            |                         |                         |                         |
| Lens angle [°] (DOWN)          | 15°, 21°, 28°, 46°, 57°         |                         |                         |                         |
| Lifespan [h]                   | 50,000                          |                         |                         |                         |
| Housing color                  | ● Anodised black                |                         |                         |                         |
| Lumen maintenance              | L90/B10@50.000h at 25°C         |                         |                         |                         |
| IP factor                      | IP20                            |                         |                         |                         |
| Control optional               | -                               |                         |                         |                         |
| Warranty [years]               | 5                               |                         |                         |                         |
| Storage temperature range [°C] | -20°C ... +55°C / -4F ... +131F |                         |                         |                         |
| Emergency option               | -                               |                         |                         |                         |
| Efficiency@4000K (UP)          | 108 lm/W                        |                         |                         |                         |
| Efficiency@4000K (DOWN)        | 129 lm/W                        |                         |                         |                         |

|                   |              |
|-------------------|--------------|
| Light application | Standard     |
| CRI               | CRI 80       |
| CCT [K]           | 3000K, 4000K |
| MacAdam           | 4            |

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

**LIGHT DISTRIBUTION**



**TOLERANCES****Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 1214 X 57 X 81 ± 1MM AND 1501 X 57 X 81 ± 1MM**

| Luminaire Power(W) | Control type | Circuit Breaker Type |    |    |    |    |    |
|--------------------|--------------|----------------------|----|----|----|----|----|
|                    |              | B                    |    |    | C  |    |    |
|                    |              | 20                   | 16 | 10 | 20 | 16 | 10 |
| < 100W             | Non-DALI     | 19                   | 15 | 9  | 31 | 26 | 16 |
| ≥ 100W             | Non-DALI     | 19                   | 15 | 9  | 31 | 26 | 16 |
| < 160W             | DALI         | 13                   | 10 | 6  | 22 | 17 | 10 |

**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 2362 X 57 X 81 ± 1MM AND 2936 X 57 X 81 ± 1MM**

| Luminaire Power(W) | Control type | Circuit Breaker Type |    |    |    |    |    |
|--------------------|--------------|----------------------|----|----|----|----|----|
|                    |              | B                    |    |    | C  |    |    |
|                    |              | 20                   | 16 | 10 | 20 | 16 | 10 |
| < 50W              | Non-DALI     | 9                    | 7  | 4  | 15 | 12 | 7  |
| ≥ 50W              | Non-DALI     | 9                    | 7  | 4  | 15 | 12 | 7  |
| < 80W              | DALI         | 6                    | 5  | 3  | 11 | 8  | 5  |

**RISK GROUP**

|                                |     |
|--------------------------------|-----|
| <b>Standard (CRI80)</b>        | RG1 |
| <b>FOOD (BVF, FBS, FSM)</b>    | RG1 |
| <b>FOOD ≤35W (FZM, FSH)</b>    | RG1 |
| <b>FOOD &gt;35W (FZM, FSH)</b> | RG2 |
| <b>FAS</b>                     | RG1 |
| <b>AMB2200</b>                 | RG1 |
| <b>ART</b>                     | RG1 |
| <b>AGI</b>                     | RG1 |
| <b>CRI90</b>                   | RG1 |
| <b>CRI95</b>                   | RG1 |
| <b>ENT</b>                     | RG1 |

**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

**RG2**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991000 Ennio S120/3000/32W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 1895           | 32W / 16W           | 100 / 119                | 100° / 15°               |
| 1991001 Ennio S120/3000/32W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2355           | 32W / 19W           | 100 / 124                | 100° / 15°               |
| 1991002 Ennio S120/3000/32W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2735           | 32W / 22W           | 100 / 125                | 100° / 15°               |
| 1991003 Ennio S120/3000/32W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3110           | 32W / 26W           | 100 / 120                | 100° / 15°               |
| 1991004 Ennio S120/3000/32W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3610           | 32W / 29W           | 100 / 125                | 100° / 15°               |
| 1991005 Ennio S120/3000/38W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 1895           | 38W / 16W           | 101 / 119                | 100° / 15°               |
| 1991006 Ennio S120/3000/38W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2355           | 38W / 19W           | 101 / 124                | 100° / 15°               |
| 1991007 Ennio S120/3000/38W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2735           | 38W / 22W           | 101 / 125                | 100° / 15°               |
| 1991008 Ennio S120/3000/38W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3110           | 38W / 26W           | 101 / 120                | 100° / 15°               |
| 1991009 Ennio S120/3000/38W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3610           | 38W / 29W           | 101 / 125                | 100° / 15°               |
| 1991010 Ennio S120/3000/50W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 1895           | 50W / 16W           | 93 / 119                 | 100° / 15°               |
| 1991011 Ennio S120/3000/50W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2355           | 50W / 19W           | 93 / 124                 | 100° / 15°               |
| 1991012 Ennio S120/3000/50W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2735           | 50W / 22W           | 93 / 125                 | 100° / 15°               |
| 1991013 Ennio S120/3000/50W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3110           | 50W / 26W           | 93 / 120                 | 100° / 15°               |
| 1991014 Ennio S120/3000/50W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3610           | 50W / 29W           | 93 / 125                 | 100° / 15°               |
| 1991015 Ennio S120/4000/32W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 1895           | 32W / 16W           | 104 / 119                | 100° / 15°               |
| 1991016 Ennio S120/4000/32W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2355           | 32W / 19W           | 104 / 124                | 100° / 15°               |
| 1991017 Ennio S120/4000/32W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2735           | 32W / 22W           | 104 / 125                | 100° / 15°               |
| 1991018 Ennio S120/4000/32W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3110           | 32W / 26W           | 104 / 120                | 100° / 15°               |
| 1991019 Ennio S120/4000/32W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3610           | 32W / 29W           | 104 / 125                | 100° / 15°               |
| 1991020 Ennio S120/4000/38W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 1895           | 38W / 16W           | 105 / 119                | 100° / 15°               |
| 1991021 Ennio S120/4000/38W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2355           | 38W / 19W           | 105 / 124                | 100° / 15°               |
| 1991022 Ennio S120/4000/38W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2735           | 38W / 22W           | 105 / 125                | 100° / 15°               |
| 1991023 Ennio S120/4000/38W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3110           | 38W / 26W           | 105 / 120                | 100° / 15°               |
| 1991024 Ennio S120/4000/38W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3610           | 38W / 29W           | 105 / 125                | 100° / 15°               |
| 1991025 Ennio S120/4000/50W/16W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 1895           | 50W / 16W           | 97 / 119                 | 100° / 15°               |
| 1991026 Ennio S120/4000/50W/19W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2355           | 50W / 19W           | 97 / 124                 | 100° / 15°               |
| 1991027 Ennio S120/4000/50W/22W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2735           | 50W / 22W           | 97 / 125                 | 100° / 15°               |
| 1991028 Ennio S120/4000/50W/26W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3110           | 50W / 26W           | 97 / 120                 | 100° / 15°               |
| 1991029 Ennio S120/4000/50W/29W/80/A100/A15 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3610           | 50W / 29W           | 97 / 125                 | 100° / 15°               |
| 1991030 Ennio S120/3000/32W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 1915           | 32W / 16W           | 100 / 120                | 100° / 21°               |
| 1991031 Ennio S120/3000/32W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2375           | 32W / 19W           | 100 / 125                | 100° / 21°               |
| 1991032 Ennio S120/3000/32W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2760           | 32W / 22W           | 100 / 126                | 100° / 21°               |
| 1991033 Ennio S120/3000/32W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3140           | 32W / 26W           | 100 / 121                | 100° / 21°               |
| 1991034 Ennio S120/3000/32W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3645           | 32W / 29W           | 100 / 126                | 100° / 21°               |
| 1991035 Ennio S120/3000/38W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 1915           | 38W / 16W           | 101 / 120                | 100° / 21°               |
| 1991036 Ennio S120/3000/38W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2375           | 38W / 19W           | 101 / 125                | 100° / 21°               |
| 1991037 Ennio S120/3000/38W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2760           | 38W / 22W           | 101 / 126                | 100° / 21°               |
| 1991038 Ennio S120/3000/38W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3140           | 38W / 26W           | 101 / 121                | 100° / 21°               |
| 1991039 Ennio S120/3000/38W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3645           | 38W / 29W           | 101 / 126                | 100° / 21°               |
| 1991040 Ennio S120/3000/50W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 1915           | 50W / 16W           | 93 / 120                 | 100° / 21°               |
| 1991041 Ennio S120/3000/50W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2375           | 50W / 19W           | 93 / 125                 | 100° / 21°               |
| 1991042 Ennio S120/3000/50W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2760           | 50W / 22W           | 93 / 126                 | 100° / 21°               |
| 1991043 Ennio S120/3000/50W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3140           | 50W / 26W           | 93 / 121                 | 100° / 21°               |
| 1991044 Ennio S120/3000/50W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3645           | 50W / 29W           | 93 / 126                 | 100° / 21°               |
| 1991045 Ennio S120/4000/32W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 1915           | 32W / 16W           | 104 / 120                | 100° / 21°               |
| 1991046 Ennio S120/4000/32W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2375           | 32W / 19W           | 104 / 125                | 100° / 21°               |
| 1991047 Ennio S120/4000/32W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2760           | 32W / 22W           | 104 / 126                | 100° / 21°               |
| 1991048 Ennio S120/4000/32W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3140           | 32W / 26W           | 104 / 121                | 100° / 21°               |

## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991049 Ennio S120/4000/32W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3645           | 32W / 29W           | 104 / 126                | 100° / 21°               |
| 1991050 Ennio S120/4000/38W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 1915           | 38W / 16W           | 105 / 120                | 100° / 21°               |
| 1991051 Ennio S120/4000/38W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2375           | 38W / 19W           | 105 / 125                | 100° / 21°               |
| 1991052 Ennio S120/4000/38W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2760           | 38W / 22W           | 105 / 126                | 100° / 21°               |
| 1991053 Ennio S120/4000/38W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3140           | 38W / 26W           | 105 / 121                | 100° / 21°               |
| 1991054 Ennio S120/4000/38W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3645           | 38W / 29W           | 105 / 126                | 100° / 21°               |
| 1991055 Ennio S120/4000/50W/16W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 1915           | 50W / 16W           | 97 / 120                 | 100° / 21°               |
| 1991056 Ennio S120/4000/50W/19W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2375           | 50W / 19W           | 97 / 125                 | 100° / 21°               |
| 1991057 Ennio S120/4000/50W/22W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2760           | 50W / 22W           | 97 / 126                 | 100° / 21°               |
| 1991058 Ennio S120/4000/50W/26W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3140           | 50W / 26W           | 97 / 121                 | 100° / 21°               |
| 1991059 Ennio S120/4000/50W/29W/80/A100/A21 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3645           | 50W / 29W           | 97 / 126                 | 100° / 21°               |
| 1991060 Ennio S120/3000/32W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 1840           | 32W / 16W           | 100 / 115                | 100° / 28°               |
| 1991061 Ennio S120/3000/32W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2285           | 32W / 19W           | 100 / 121                | 100° / 28°               |
| 1991062 Ennio S120/3000/32W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2655           | 32W / 22W           | 100 / 121                | 100° / 28°               |
| 1991063 Ennio S120/3000/32W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3020           | 32W / 26W           | 100 / 117                | 100° / 28°               |
| 1991064 Ennio S120/3000/32W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3505           | 32W / 29W           | 100 / 121                | 100° / 28°               |
| 1991065 Ennio S120/3000/38W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 1840           | 38W / 16W           | 101 / 115                | 100° / 28°               |
| 1991066 Ennio S120/3000/38W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2285           | 38W / 19W           | 101 / 121                | 100° / 28°               |
| 1991067 Ennio S120/3000/38W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2655           | 38W / 22W           | 101 / 121                | 100° / 28°               |
| 1991068 Ennio S120/3000/38W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3020           | 38W / 26W           | 101 / 117                | 100° / 28°               |
| 1991069 Ennio S120/3000/38W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3505           | 38W / 29W           | 101 / 121                | 100° / 28°               |
| 1991070 Ennio S120/3000/50W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 1840           | 50W / 16W           | 93 / 115                 | 100° / 28°               |
| 1991071 Ennio S120/3000/50W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2285           | 50W / 19W           | 93 / 121                 | 100° / 28°               |
| 1991072 Ennio S120/3000/50W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2655           | 50W / 22W           | 93 / 121                 | 100° / 28°               |
| 1991073 Ennio S120/3000/50W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3020           | 50W / 26W           | 93 / 117                 | 100° / 28°               |
| 1991074 Ennio S120/3000/50W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3505           | 50W / 29W           | 93 / 121                 | 100° / 28°               |
| 1991075 Ennio S120/4000/32W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 1840           | 32W / 16W           | 104 / 115                | 100° / 28°               |
| 1991076 Ennio S120/4000/32W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2285           | 32W / 19W           | 104 / 121                | 100° / 28°               |
| 1991077 Ennio S120/4000/32W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2655           | 32W / 22W           | 104 / 121                | 100° / 28°               |
| 1991078 Ennio S120/4000/32W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3020           | 32W / 26W           | 104 / 117                | 100° / 28°               |
| 1991079 Ennio S120/4000/32W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3505           | 32W / 29W           | 104 / 121                | 100° / 28°               |
| 1991080 Ennio S120/4000/38W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 1840           | 38W / 16W           | 105 / 115                | 100° / 28°               |
| 1991081 Ennio S120/4000/38W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2285           | 38W / 19W           | 105 / 121                | 100° / 28°               |
| 1991082 Ennio S120/4000/38W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2655           | 38W / 22W           | 105 / 121                | 100° / 28°               |
| 1991083 Ennio S120/4000/38W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3020           | 38W / 26W           | 105 / 117                | 100° / 28°               |
| 1991084 Ennio S120/4000/38W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3505           | 38W / 29W           | 105 / 121                | 100° / 28°               |
| 1991085 Ennio S120/4000/50W/16W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 1840           | 50W / 16W           | 97 / 115                 | 100° / 28°               |
| 1991086 Ennio S120/4000/50W/19W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2285           | 50W / 19W           | 97 / 121                 | 100° / 28°               |
| 1991087 Ennio S120/4000/50W/22W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2655           | 50W / 22W           | 97 / 121                 | 100° / 28°               |
| 1991088 Ennio S120/4000/50W/26W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3020           | 50W / 26W           | 97 / 117                 | 100° / 28°               |
| 1991089 Ennio S120/4000/50W/29W/80/A100/A28 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3505           | 50W / 29W           | 97 / 121                 | 100° / 28°               |
| 1991090 Ennio S120/3000/32W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 1880           | 32W / 16W           | 100 / 118                | 100° / 46°               |
| 1991091 Ennio S120/3000/32W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2330           | 32W / 19W           | 100 / 123                | 100° / 46°               |
| 1991092 Ennio S120/3000/32W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2705           | 32W / 22W           | 100 / 123                | 100° / 46°               |
| 1991093 Ennio S120/3000/32W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3080           | 32W / 26W           | 100 / 119                | 100° / 46°               |
| 1991094 Ennio S120/3000/32W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3575           | 32W / 29W           | 100 / 124                | 100° / 46°               |
| 1991095 Ennio S120/3000/38W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 1880           | 38W / 16W           | 101 / 118                | 100° / 46°               |
| 1991096 Ennio S120/3000/38W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2330           | 38W / 19W           | 101 / 123                | 100° / 46°               |
| 1991097 Ennio S120/3000/38W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2705           | 38W / 22W           | 101 / 123                | 100° / 46°               |

## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991098 Ennio S120/3000/38W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3080           | 38W / 26W           | 101 / 119                | 100° / 46°               |
| 1991099 Ennio S120/3000/38W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3575           | 38W / 29W           | 101 / 124                | 100° / 46°               |
| 1991100 Ennio S120/3000/50W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 1880           | 50W / 16W           | 93 / 118                 | 100° / 46°               |
| 1991101 Ennio S120/3000/50W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2330           | 50W / 19W           | 93 / 123                 | 100° / 46°               |
| 1991102 Ennio S120/3000/50W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2705           | 50W / 22W           | 93 / 123                 | 100° / 46°               |
| 1991103 Ennio S120/3000/50W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3080           | 50W / 26W           | 93 / 119                 | 100° / 46°               |
| 1991104 Ennio S120/3000/50W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3575           | 50W / 29W           | 93 / 124                 | 100° / 46°               |
| 1991105 Ennio S120/4000/32W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 1880           | 32W / 16W           | 104 / 118                | 100° / 46°               |
| 1991106 Ennio S120/4000/32W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2330           | 32W / 19W           | 104 / 123                | 100° / 46°               |
| 1991107 Ennio S120/4000/32W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2705           | 32W / 22W           | 104 / 123                | 100° / 46°               |
| 1991108 Ennio S120/4000/32W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3080           | 32W / 26W           | 104 / 119                | 100° / 46°               |
| 1991109 Ennio S120/4000/32W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3575           | 32W / 29W           | 104 / 124                | 100° / 46°               |
| 1991110 Ennio S120/4000/38W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 1880           | 38W / 16W           | 105 / 118                | 100° / 46°               |
| 1991111 Ennio S120/4000/38W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2330           | 38W / 19W           | 105 / 123                | 100° / 46°               |
| 1991112 Ennio S120/4000/38W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2705           | 38W / 22W           | 105 / 123                | 100° / 46°               |
| 1991113 Ennio S120/4000/38W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3080           | 38W / 26W           | 105 / 119                | 100° / 46°               |
| 1991114 Ennio S120/4000/38W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3575           | 38W / 29W           | 105 / 124                | 100° / 46°               |
| 1991115 Ennio S120/4000/50W/16W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 1880           | 50W / 16W           | 97 / 118                 | 100° / 46°               |
| 1991116 Ennio S120/4000/50W/19W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2330           | 50W / 19W           | 97 / 123                 | 100° / 46°               |
| 1991117 Ennio S120/4000/50W/22W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2705           | 50W / 22W           | 97 / 123                 | 100° / 46°               |
| 1991118 Ennio S120/4000/50W/26W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3080           | 50W / 26W           | 97 / 119                 | 100° / 46°               |
| 1991119 Ennio S120/4000/50W/29W/80/A100/A46 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3575           | 50W / 29W           | 97 / 124                 | 100° / 46°               |
| 1991120 Ennio S120/3000/32W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 1805           | 32W / 16W           | 100 / 113                | 100° / 57°               |
| 1991121 Ennio S120/3000/32W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2235           | 32W / 19W           | 100 / 118                | 100° / 57°               |
| 1991122 Ennio S120/3000/32W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2600           | 32W / 22W           | 100 / 119                | 100° / 57°               |
| 1991123 Ennio S120/3000/32W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 2955           | 32W / 26W           | 100 / 114                | 100° / 57°               |
| 1991124 Ennio S120/3000/32W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3190 / 3430           | 32W / 29W           | 100 / 119                | 100° / 57°               |
| 1991125 Ennio S120/3000/38W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 1805           | 38W / 16W           | 101 / 113                | 100° / 57°               |
| 1991126 Ennio S120/3000/38W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2235           | 38W / 19W           | 101 / 118                | 100° / 57°               |
| 1991127 Ennio S120/3000/38W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2600           | 38W / 22W           | 101 / 119                | 100° / 57°               |
| 1991128 Ennio S120/3000/38W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 2955           | 38W / 26W           | 101 / 114                | 100° / 57°               |
| 1991129 Ennio S120/3000/38W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 3810 / 3430           | 38W / 29W           | 101 / 119                | 100° / 57°               |
| 1991130 Ennio S120/3000/50W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 1805           | 50W / 16W           | 93 / 113                 | 100° / 57°               |
| 1991131 Ennio S120/3000/50W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2235           | 50W / 19W           | 93 / 118                 | 100° / 57°               |
| 1991132 Ennio S120/3000/50W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2600           | 50W / 22W           | 93 / 119                 | 100° / 57°               |
| 1991133 Ennio S120/3000/50W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 2955           | 50W / 26W           | 93 / 114                 | 100° / 57°               |
| 1991134 Ennio S120/3000/50W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 3000    | 4620 / 3430           | 50W / 29W           | 93 / 119                 | 100° / 57°               |
| 1991135 Ennio S120/4000/32W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 1805           | 32W / 16W           | 104 / 113                | 100° / 57°               |
| 1991136 Ennio S120/4000/32W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2235           | 32W / 19W           | 104 / 118                | 100° / 57°               |
| 1991137 Ennio S120/4000/32W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2600           | 32W / 22W           | 104 / 119                | 100° / 57°               |
| 1991138 Ennio S120/4000/32W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 2955           | 32W / 26W           | 104 / 114                | 100° / 57°               |
| 1991139 Ennio S120/4000/32W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3325 / 3430           | 32W / 29W           | 104 / 119                | 100° / 57°               |
| 1991140 Ennio S120/4000/38W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 1805           | 38W / 16W           | 105 / 113                | 100° / 57°               |
| 1991141 Ennio S120/4000/38W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2235           | 38W / 19W           | 105 / 118                | 100° / 57°               |
| 1991142 Ennio S120/4000/38W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2600           | 38W / 22W           | 105 / 119                | 100° / 57°               |
| 1991143 Ennio S120/4000/38W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 2955           | 38W / 26W           | 105 / 114                | 100° / 57°               |
| 1991144 Ennio S120/4000/38W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 3970 / 3430           | 38W / 29W           | 105 / 119                | 100° / 57°               |
| 1991145 Ennio S120/4000/50W/16W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 1805           | 50W / 16W           | 97 / 113                 | 100° / 57°               |
| 1991146 Ennio S120/4000/50W/19W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2235           | 50W / 19W           | 97 / 118                 | 100° / 57°               |

## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991147 Ennio S120/4000/50W/22W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2600           | 50W / 22W           | 97 / 119                 | 100° / 57°               |
| 1991148 Ennio S120/4000/50W/26W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 2955           | 50W / 26W           | 97 / 114                 | 100° / 57°               |
| 1991149 Ennio S120/4000/50W/29W/80/A100/A57 | 1214 x 57 x 81 ± 1mm | 4000    | 4815 / 3430           | 50W / 29W           | 97 / 119                 | 100° / 57°               |
| 1991150 Ennio S150/3000/37W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2360           | 37W / 19W           | 103 / 125                | 100° / 15°               |
| 1991151 Ennio S150/3000/37W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2935           | 37W / 23W           | 103 / 128                | 100° / 15°               |
| 1991152 Ennio S150/3000/37W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3410           | 37W / 28W           | 103 / 122                | 100° / 15°               |
| 1991153 Ennio S150/3000/37W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3885           | 37W / 32W           | 103 / 122                | 100° / 15°               |
| 1991154 Ennio S150/3000/37W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 4480           | 37W / 36W           | 103 / 125                | 100° / 15°               |
| 1991155 Ennio S150/3000/50W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2360           | 50W / 19W           | 100 / 125                | 100° / 15°               |
| 1991156 Ennio S150/3000/50W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2935           | 50W / 23W           | 100 / 128                | 100° / 15°               |
| 1991157 Ennio S150/3000/50W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3410           | 50W / 28W           | 100 / 122                | 100° / 15°               |
| 1991158 Ennio S150/3000/50W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3885           | 50W / 32W           | 100 / 122                | 100° / 15°               |
| 1991159 Ennio S150/3000/50W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 4480           | 50W / 36W           | 100 / 125                | 100° / 15°               |
| 1991160 Ennio S150/3000/60W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2360           | 60W / 19W           | 96 / 125                 | 100° / 15°               |
| 1991161 Ennio S150/3000/60W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2935           | 60W / 23W           | 96 / 128                 | 100° / 15°               |
| 1991162 Ennio S150/3000/60W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3410           | 60W / 28W           | 96 / 122                 | 100° / 15°               |
| 1991163 Ennio S150/3000/60W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3885           | 60W / 32W           | 96 / 122                 | 100° / 15°               |
| 1991164 Ennio S150/3000/60W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 4480           | 60W / 36W           | 96 / 125                 | 100° / 15°               |
| 1991165 Ennio S150/4000/37W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2360           | 37W / 19W           | 108 / 125                | 100° / 15°               |
| 1991166 Ennio S150/4000/37W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2935           | 37W / 23W           | 108 / 128                | 100° / 15°               |
| 1991167 Ennio S150/4000/37W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3410           | 37W / 28W           | 108 / 122                | 100° / 15°               |
| 1991168 Ennio S150/4000/37W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3885           | 37W / 32W           | 108 / 122                | 100° / 15°               |
| 1991169 Ennio S150/4000/37W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 4480           | 37W / 36W           | 108 / 125                | 100° / 15°               |
| 1991170 Ennio S150/4000/50W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2360           | 50W / 19W           | 105 / 125                | 100° / 15°               |
| 1991171 Ennio S150/4000/50W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2935           | 50W / 23W           | 105 / 128                | 100° / 15°               |
| 1991172 Ennio S150/4000/50W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3410           | 50W / 28W           | 105 / 122                | 100° / 15°               |
| 1991173 Ennio S150/4000/50W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3885           | 50W / 32W           | 105 / 122                | 100° / 15°               |
| 1991174 Ennio S150/4000/50W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 4480           | 50W / 36W           | 105 / 125                | 100° / 15°               |
| 1991175 Ennio S150/4000/60W/19W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2360           | 60W / 19W           | 100 / 125                | 100° / 15°               |
| 1991176 Ennio S150/4000/60W/23W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2935           | 60W / 23W           | 100 / 128                | 100° / 15°               |
| 1991177 Ennio S150/4000/60W/28W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3410           | 60W / 28W           | 100 / 122                | 100° / 15°               |
| 1991178 Ennio S150/4000/60W/32W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3885           | 60W / 32W           | 100 / 122                | 100° / 15°               |
| 1991179 Ennio S150/4000/60W/36W/80/A100/A15 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 4480           | 60W / 36W           | 100 / 125                | 100° / 15°               |
| 1991180 Ennio S150/3000/37W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2385           | 37W / 19W           | 103 / 126                | 100° / 21°               |
| 1991181 Ennio S150/3000/37W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2965           | 37W / 23W           | 103 / 129                | 100° / 21°               |
| 1991182 Ennio S150/3000/37W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3445           | 37W / 28W           | 103 / 124                | 100° / 21°               |
| 1991183 Ennio S150/3000/37W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3925           | 37W / 32W           | 103 / 123                | 100° / 21°               |
| 1991184 Ennio S150/3000/37W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 4525           | 37W / 36W           | 103 / 126                | 100° / 21°               |
| 1991185 Ennio S150/3000/50W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2385           | 50W / 19W           | 100 / 126                | 100° / 21°               |
| 1991186 Ennio S150/3000/50W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2965           | 50W / 23W           | 100 / 129                | 100° / 21°               |
| 1991187 Ennio S150/3000/50W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3445           | 50W / 28W           | 100 / 124                | 100° / 21°               |
| 1991188 Ennio S150/3000/50W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3925           | 50W / 32W           | 100 / 123                | 100° / 21°               |
| 1991189 Ennio S150/3000/50W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 4525           | 50W / 36W           | 100 / 126                | 100° / 21°               |
| 1991190 Ennio S150/3000/60W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2385           | 60W / 19W           | 96 / 126                 | 100° / 21°               |
| 1991191 Ennio S150/3000/60W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2965           | 60W / 23W           | 96 / 129                 | 100° / 21°               |
| 1991192 Ennio S150/3000/60W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3445           | 60W / 28W           | 96 / 124                 | 100° / 21°               |
| 1991193 Ennio S150/3000/60W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3925           | 60W / 32W           | 96 / 123                 | 100° / 21°               |
| 1991194 Ennio S150/3000/60W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 4525           | 60W / 36W           | 96 / 126                 | 100° / 21°               |
| 1991195 Ennio S150/4000/37W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2385           | 37W / 19W           | 108 / 126                | 100° / 21°               |

## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991196 Ennio S150/4000/37W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2965           | 37W / 23W           | 108 / 129                | 100° / 21°               |
| 1991197 Ennio S150/4000/37W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3445           | 37W / 28W           | 108 / 124                | 100° / 21°               |
| 1991198 Ennio S150/4000/37W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3925           | 37W / 32W           | 108 / 123                | 100° / 21°               |
| 1991199 Ennio S150/4000/37W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 4525           | 37W / 36W           | 108 / 126                | 100° / 21°               |
| 1991200 Ennio S150/4000/50W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2385           | 50W / 19W           | 105 / 126                | 100° / 21°               |
| 1991201 Ennio S150/4000/50W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2965           | 50W / 23W           | 105 / 129                | 100° / 21°               |
| 1991202 Ennio S150/4000/50W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3445           | 50W / 28W           | 105 / 124                | 100° / 21°               |
| 1991203 Ennio S150/4000/50W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3925           | 50W / 32W           | 105 / 123                | 100° / 21°               |
| 1991204 Ennio S150/4000/50W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 4525           | 50W / 36W           | 105 / 126                | 100° / 21°               |
| 1991205 Ennio S150/4000/60W/19W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2385           | 60W / 19W           | 100 / 126                | 100° / 21°               |
| 1991206 Ennio S150/4000/60W/23W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2965           | 60W / 23W           | 100 / 129                | 100° / 21°               |
| 1991207 Ennio S150/4000/60W/28W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3445           | 60W / 28W           | 100 / 124                | 100° / 21°               |
| 1991208 Ennio S150/4000/60W/32W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3925           | 60W / 32W           | 100 / 123                | 100° / 21°               |
| 1991209 Ennio S150/4000/60W/36W/80/A100/A21 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 4525           | 60W / 36W           | 100 / 126                | 100° / 21°               |
| 1991210 Ennio S150/3000/37W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2290           | 37W / 19W           | 103 / 121                | 100° / 28°               |
| 1991211 Ennio S150/3000/37W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2850           | 37W / 23W           | 103 / 124                | 100° / 28°               |
| 1991212 Ennio S150/3000/37W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3310           | 37W / 28W           | 103 / 119                | 100° / 28°               |
| 1991213 Ennio S150/3000/37W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3770           | 37W / 32W           | 103 / 118                | 100° / 28°               |
| 1991214 Ennio S150/3000/37W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 4350           | 37W / 36W           | 103 / 121                | 100° / 28°               |
| 1991215 Ennio S150/3000/50W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2290           | 50W / 19W           | 100 / 121                | 100° / 28°               |
| 1991216 Ennio S150/3000/50W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2850           | 50W / 23W           | 100 / 124                | 100° / 28°               |
| 1991217 Ennio S150/3000/50W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3310           | 50W / 28W           | 100 / 119                | 100° / 28°               |
| 1991218 Ennio S150/3000/50W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3770           | 50W / 32W           | 100 / 118                | 100° / 28°               |
| 1991219 Ennio S150/3000/50W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 4350           | 50W / 36W           | 100 / 121                | 100° / 28°               |
| 1991220 Ennio S150/3000/60W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2290           | 60W / 19W           | 96 / 121                 | 100° / 28°               |
| 1991221 Ennio S150/3000/60W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2850           | 60W / 23W           | 96 / 124                 | 100° / 28°               |
| 1991222 Ennio S150/3000/60W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3310           | 60W / 28W           | 96 / 119                 | 100° / 28°               |
| 1991223 Ennio S150/3000/60W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3770           | 60W / 32W           | 96 / 118                 | 100° / 28°               |
| 1991224 Ennio S150/3000/60W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 4350           | 60W / 36W           | 96 / 121                 | 100° / 28°               |
| 1991225 Ennio S150/4000/37W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2290           | 37W / 19W           | 108 / 121                | 100° / 28°               |
| 1991226 Ennio S150/4000/37W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2850           | 37W / 23W           | 108 / 124                | 100° / 28°               |
| 1991227 Ennio S150/4000/37W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3310           | 37W / 28W           | 108 / 119                | 100° / 28°               |
| 1991228 Ennio S150/4000/37W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3770           | 37W / 32W           | 108 / 118                | 100° / 28°               |
| 1991229 Ennio S150/4000/37W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 4350           | 37W / 36W           | 108 / 121                | 100° / 28°               |
| 1991230 Ennio S150/4000/50W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2290           | 50W / 19W           | 105 / 121                | 100° / 28°               |
| 1991231 Ennio S150/4000/50W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2850           | 50W / 23W           | 105 / 124                | 100° / 28°               |
| 1991232 Ennio S150/4000/50W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3310           | 50W / 28W           | 105 / 119                | 100° / 28°               |
| 1991233 Ennio S150/4000/50W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3770           | 50W / 32W           | 105 / 118                | 100° / 28°               |
| 1991234 Ennio S150/4000/50W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 4350           | 50W / 36W           | 105 / 121                | 100° / 28°               |
| 1991235 Ennio S150/4000/60W/19W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2290           | 60W / 19W           | 100 / 121                | 100° / 28°               |
| 1991236 Ennio S150/4000/60W/23W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2850           | 60W / 23W           | 100 / 124                | 100° / 28°               |
| 1991237 Ennio S150/4000/60W/28W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3310           | 60W / 28W           | 100 / 119                | 100° / 28°               |
| 1991238 Ennio S150/4000/60W/32W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3770           | 60W / 32W           | 100 / 118                | 100° / 28°               |
| 1991239 Ennio S150/4000/60W/36W/80/A100/A28 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 4350           | 60W / 36W           | 100 / 121                | 100° / 28°               |
| 1991240 Ennio S150/3000/37W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2340           | 37W / 19W           | 103 / 124                | 100° / 46°               |
| 1991241 Ennio S150/3000/37W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2905           | 37W / 23W           | 103 / 127                | 100° / 46°               |
| 1991242 Ennio S150/3000/37W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3380           | 37W / 28W           | 103 / 121                | 100° / 46°               |
| 1991243 Ennio S150/3000/37W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3850           | 37W / 32W           | 103 / 121                | 100° / 46°               |
| 1991244 Ennio S150/3000/37W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 4435           | 37W / 36W           | 103 / 124                | 100° / 46°               |



## SKU SPECIFICATIONS

| Product Code                                | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|---|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                               |                      |         |                       |                     |                          |                          |
| 1991245 Ennio S150/3000/50W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2340           | 50W / 19W           | 100 / 124                | 100° / 46°               |
| 1991246 Ennio S150/3000/50W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2905           | 50W / 23W           | 100 / 127                | 100° / 46°               |
| 1991247 Ennio S150/3000/50W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3380           | 50W / 28W           | 100 / 121                | 100° / 46°               |
| 1991248 Ennio S150/3000/50W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3850           | 50W / 32W           | 100 / 121                | 100° / 46°               |
| 1991249 Ennio S150/3000/50W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 4435           | 50W / 36W           | 100 / 124                | 100° / 46°               |
| 1991250 Ennio S150/3000/60W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2340           | 60W / 19W           | 96 / 124                 | 100° / 46°               |
| 1991251 Ennio S150/3000/60W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2905           | 60W / 23W           | 96 / 127                 | 100° / 46°               |
| 1991252 Ennio S150/3000/60W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3380           | 60W / 28W           | 96 / 121                 | 100° / 46°               |
| 1991253 Ennio S150/3000/60W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3850           | 60W / 32W           | 96 / 121                 | 100° / 46°               |
| 1991254 Ennio S150/3000/60W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 4435           | 60W / 36W           | 96 / 124                 | 100° / 46°               |
| 1991255 Ennio S150/4000/37W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2340           | 37W / 19W           | 108 / 124                | 100° / 46°               |
| 1991256 Ennio S150/4000/37W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2905           | 37W / 23W           | 108 / 127                | 100° / 46°               |
| 1991257 Ennio S150/4000/37W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3380           | 37W / 28W           | 108 / 121                | 100° / 46°               |
| 1991258 Ennio S150/4000/37W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3850           | 37W / 32W           | 108 / 121                | 100° / 46°               |
| 1991259 Ennio S150/4000/37W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 4435           | 37W / 36W           | 108 / 124                | 100° / 46°               |
| 1991260 Ennio S150/4000/50W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2340           | 50W / 19W           | 105 / 124                | 100° / 46°               |
| 1991261 Ennio S150/4000/50W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2905           | 50W / 23W           | 105 / 127                | 100° / 46°               |
| 1991262 Ennio S150/4000/50W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3380           | 50W / 28W           | 105 / 121                | 100° / 46°               |
| 1991263 Ennio S150/4000/50W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3850           | 50W / 32W           | 105 / 121                | 100° / 46°               |
| 1991264 Ennio S150/4000/50W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 4435           | 50W / 36W           | 105 / 124                | 100° / 46°               |
| 1991265 Ennio S150/4000/60W/19W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2340           | 60W / 19W           | 100 / 124                | 100° / 46°               |
| 1991266 Ennio S150/4000/60W/23W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2905           | 60W / 23W           | 100 / 127                | 100° / 46°               |
| 1991267 Ennio S150/4000/60W/28W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3380           | 60W / 28W           | 100 / 121                | 100° / 46°               |
| 1991268 Ennio S150/4000/60W/32W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3850           | 60W / 32W           | 100 / 121                | 100° / 46°               |
| 1991269 Ennio S150/4000/60W/36W/80/A100/A46 | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 4435           | 60W / 36W           | 100 / 124                | 100° / 46°               |
| 1991270 Ennio S150/3000/37W/19W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2245           | 37W / 19W           | 103 / 119                | 100° / 57°               |
| 1991271 Ennio S150/3000/37W/23W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 2790           | 37W / 23W           | 103 / 122                | 100° / 57°               |
| 1991272 Ennio S150/3000/37W/28W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3245           | 37W / 28W           | 103 / 116                | 100° / 57°               |
| 1991273 Ennio S150/3000/37W/32W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 3695           | 37W / 32W           | 103 / 116                | 100° / 57°               |
| 1991274 Ennio S150/3000/37W/36W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 3810 / 4260           | 37W / 36W           | 103 / 119                | 100° / 57°               |
| 1991275 Ennio S150/3000/50W/19W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2245           | 50W / 19W           | 100 / 119                | 100° / 57°               |
| 1991276 Ennio S150/3000/50W/23W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 2790           | 50W / 23W           | 100 / 122                | 100° / 57°               |
| 1991277 Ennio S150/3000/50W/28W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3245           | 50W / 28W           | 100 / 116                | 100° / 57°               |
| 1991278 Ennio S150/3000/50W/32W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 3695           | 50W / 32W           | 100 / 116                | 100° / 57°               |
| 1991279 Ennio S150/3000/50W/36W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5000 / 4260           | 50W / 36W           | 100 / 119                | 100° / 57°               |
| 1991280 Ennio S150/3000/60W/19W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2245           | 60W / 19W           | 96 / 119                 | 100° / 57°               |
| 1991281 Ennio S150/3000/60W/23W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 2790           | 60W / 23W           | 96 / 122                 | 100° / 57°               |
| 1991282 Ennio S150/3000/60W/28W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3245           | 60W / 28W           | 96 / 116                 | 100° / 57°               |
| 1991283 Ennio S150/3000/60W/32W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 3695           | 60W / 32W           | 96 / 116                 | 100° / 57°               |
| 1991284 Ennio S150/3000/60W/36W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 3000    | 5750 / 4260           | 60W / 36W           | 96 / 119                 | 100° / 57°               |
| 1991285 Ennio S150/4000/37W/19W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2245           | 37W / 19W           | 108 / 119                | 100° / 57°               |
| 1991286 Ennio S150/4000/37W/23W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 2790           | 37W / 23W           | 108 / 122                | 100° / 57°               |
| 1991287 Ennio S150/4000/37W/28W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3245           | 37W / 28W           | 108 / 116                | 100° / 57°               |
| 1991288 Ennio S150/4000/37W/32W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 3695           | 37W / 32W           | 108 / 116                | 100° / 57°               |
| 1991289 Ennio S150/4000/37W/36W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 3970 / 4260           | 37W / 36W           | 108 / 119                | 100° / 57°               |
| 1991290 Ennio S150/4000/50W/19W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2245           | 50W / 19W           | 105 / 119                | 100° / 57°               |
| 1991291 Ennio S150/4000/50W/23W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 2790           | 50W / 23W           | 105 / 122                | 100° / 57°               |
| 1991292 Ennio S150/4000/50W/28W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3245           | 50W / 28W           | 105 / 116                | 100° / 57°               |
| 1991293 Ennio S150/4000/50W/32W/80/A100/A57 | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 3695           | 50W / 32W           | 105 / 116                | 100° / 57°               |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|--|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                                |                      |         |                       |                     |                          |                          |
| 1991294 Ennio S150/4000/50W/36W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5210 / 4260           | 50W / 36W           | 105 / 119                | 100° / 57°               |
| 1991295 Ennio S150/4000/60W/19W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2245           | 60W / 19W           | 100 / 119                | 100° / 57°               |
| 1991296 Ennio S150/4000/60W/23W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 2790           | 60W / 23W           | 100 / 122                | 100° / 57°               |
| 1991297 Ennio S150/4000/60W/28W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3245           | 60W / 28W           | 100 / 116                | 100° / 57°               |
| 1991298 Ennio S150/4000/60W/32W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 3695           | 60W / 32W           | 100 / 116                | 100° / 57°               |
| 1991299 Ennio S150/4000/60W/36W/80/A100/A57  | 1501 x 57 x 81 ± 1mm | 4000    | 5995 / 4260           | 60W / 36W           | 100 / 119                | 100° / 57°               |
| 1991300 Ennio S240/3000/64W/32W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 3790           | 64W / 32W           | 100 / 119                | 100° / 15°               |
| 1991301 Ennio S240/3000/64W/38W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 4710           | 64W / 38W           | 100 / 124                | 100° / 15°               |
| 1991302 Ennio S240/3000/64W/44W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5470           | 64W / 44W           | 100 / 125                | 100° / 15°               |
| 1991303 Ennio S240/3000/64W/52W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 6220           | 64W / 52W           | 100 / 120                | 100° / 15°               |
| 1991304 Ennio S240/3000/64W/58W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 7220           | 64W / 58W           | 100 / 125                | 100° / 15°               |
| 1991305 Ennio S240/3000/76W/32W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 3790           | 76W / 32W           | 101 / 119                | 100° / 15°               |
| 1991306 Ennio S240/3000/76W/38W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 4710           | 76W / 38W           | 101 / 124                | 100° / 15°               |
| 1991307 Ennio S240/3000/76W/44W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5470           | 76W / 44W           | 101 / 125                | 100° / 15°               |
| 1991308 Ennio S240/3000/76W/52W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 6220           | 76W / 52W           | 101 / 120                | 100° / 15°               |
| 1991309 Ennio S240/3000/76W/58W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 7220           | 76W / 58W           | 101 / 125                | 100° / 15°               |
| 1991310 Ennio S240/3000/100W/32W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 3790           | 100W / 32W          | 93 / 119                 | 100° / 15°               |
| 1991311 Ennio S240/3000/100W/38W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 4710           | 100W / 38W          | 93 / 124                 | 100° / 15°               |
| 1991312 Ennio S240/3000/100W/44W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5470           | 100W / 44W          | 93 / 125                 | 100° / 15°               |
| 1991313 Ennio S240/3000/100W/52W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 6220           | 100W / 52W          | 93 / 120                 | 100° / 15°               |
| 1991314 Ennio S240/3000/100W/58W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 7220           | 100W / 58W          | 93 / 125                 | 100° / 15°               |
| 1991315 Ennio S240/4000/64W/32W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 3790           | 64W / 32W           | 104 / 119                | 100° / 15°               |
| 1991316 Ennio S240/4000/64W/38W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 4710           | 64W / 38W           | 104 / 124                | 100° / 15°               |
| 1991317 Ennio S240/4000/64W/44W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5470           | 64W / 44W           | 104 / 125                | 100° / 15°               |
| 1991318 Ennio S240/4000/64W/52W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 6220           | 64W / 52W           | 104 / 120                | 100° / 15°               |
| 1991319 Ennio S240/4000/64W/58W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 7220           | 64W / 58W           | 104 / 125                | 100° / 15°               |
| 1991320 Ennio S240/4000/76W/32W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 3790           | 76W / 32W           | 105 / 119                | 100° / 15°               |
| 1991321 Ennio S240/4000/76W/38W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 4710           | 76W / 38W           | 105 / 124                | 100° / 15°               |
| 1991322 Ennio S240/4000/76W/44W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5470           | 76W / 44W           | 105 / 125                | 100° / 15°               |
| 1991323 Ennio S240/4000/76W/52W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 6220           | 76W / 52W           | 105 / 120                | 100° / 15°               |
| 1991324 Ennio S240/4000/76W/58W/80/A100/A15  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 7220           | 76W / 58W           | 105 / 125                | 100° / 15°               |
| 1991325 Ennio S240/4000/100W/32W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 3790           | 100W / 32W          | 97 / 119                 | 100° / 15°               |
| 1991326 Ennio S240/4000/100W/38W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 4710           | 100W / 38W          | 97 / 124                 | 100° / 15°               |
| 1991327 Ennio S240/4000/100W/44W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5470           | 100W / 44W          | 97 / 125                 | 100° / 15°               |
| 1991328 Ennio S240/4000/100W/52W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 6220           | 100W / 52W          | 97 / 120                 | 100° / 15°               |
| 1991329 Ennio S240/4000/100W/58W/80/A100/A15 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 7220           | 100W / 58W          | 97 / 125                 | 100° / 15°               |
| 1991330 Ennio S240/3000/64W/32W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 3830           | 64W / 32W           | 100 / 120                | 100° / 21°               |
| 1991331 Ennio S240/3000/64W/38W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 4750           | 64W / 38W           | 100 / 125                | 100° / 21°               |
| 1991332 Ennio S240/3000/64W/44W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5520           | 64W / 44W           | 100 / 126                | 100° / 21°               |
| 1991333 Ennio S240/3000/64W/52W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 6280           | 64W / 52W           | 100 / 121                | 100° / 21°               |
| 1991334 Ennio S240/3000/64W/58W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 7290           | 64W / 58W           | 100 / 126                | 100° / 21°               |
| 1991335 Ennio S240/3000/76W/32W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 3830           | 76W / 32W           | 101 / 120                | 100° / 21°               |
| 1991336 Ennio S240/3000/76W/38W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 4750           | 76W / 38W           | 101 / 125                | 100° / 21°               |
| 1991337 Ennio S240/3000/76W/44W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5520           | 76W / 44W           | 101 / 126                | 100° / 21°               |
| 1991338 Ennio S240/3000/76W/52W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 6280           | 76W / 52W           | 101 / 121                | 100° / 21°               |
| 1991339 Ennio S240/3000/76W/58W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 7290           | 76W / 58W           | 101 / 126                | 100° / 21°               |
| 1991340 Ennio S240/3000/100W/32W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 3830           | 100W / 32W          | 93 / 120                 | 100° / 21°               |
| 1991341 Ennio S240/3000/100W/38W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 4750           | 100W / 38W          | 93 / 125                 | 100° / 21°               |
| 1991342 Ennio S240/3000/100W/44W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5520           | 100W / 44W          | 93 / 126                 | 100° / 21°               |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|--|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                                |                      |         |                       |                     |                          |                          |
| 1991343 Ennio S240/3000/100W/52W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 6280           | 100W / 52W          | 93 / 121                 | 100° / 21°               |
| 1991344 Ennio S240/3000/100W/58W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 7290           | 100W / 58W          | 93 / 126                 | 100° / 21°               |
| 1991345 Ennio S240/4000/64W/32W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 3830           | 64W / 32W           | 104 / 120                | 100° / 21°               |
| 1991346 Ennio S240/4000/64W/38W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 4750           | 64W / 38W           | 104 / 125                | 100° / 21°               |
| 1991347 Ennio S240/4000/64W/44W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5520           | 64W / 44W           | 104 / 126                | 100° / 21°               |
| 1991348 Ennio S240/4000/64W/52W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 6280           | 64W / 52W           | 104 / 121                | 100° / 21°               |
| 1991349 Ennio S240/4000/64W/58W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 7290           | 64W / 58W           | 104 / 126                | 100° / 21°               |
| 1991350 Ennio S240/4000/76W/32W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 3830           | 76W / 32W           | 105 / 120                | 100° / 21°               |
| 1991351 Ennio S240/4000/76W/38W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 4750           | 76W / 38W           | 105 / 125                | 100° / 21°               |
| 1991352 Ennio S240/4000/76W/44W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5520           | 76W / 44W           | 105 / 126                | 100° / 21°               |
| 1991353 Ennio S240/4000/76W/52W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 6280           | 76W / 52W           | 105 / 121                | 100° / 21°               |
| 1991354 Ennio S240/4000/76W/58W/80/A100/A21  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 7290           | 76W / 58W           | 105 / 126                | 100° / 21°               |
| 1991355 Ennio S240/4000/100W/32W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 3830           | 100W / 32W          | 97 / 120                 | 100° / 21°               |
| 1991356 Ennio S240/4000/100W/38W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 4750           | 100W / 38W          | 97 / 125                 | 100° / 21°               |
| 1991357 Ennio S240/4000/100W/44W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5520           | 100W / 44W          | 97 / 126                 | 100° / 21°               |
| 1991358 Ennio S240/4000/100W/52W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 6280           | 100W / 52W          | 97 / 121                 | 100° / 21°               |
| 1991359 Ennio S240/4000/100W/58W/80/A100/A21 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 7290           | 100W / 58W          | 97 / 126                 | 100° / 21°               |
| 1991360 Ennio S240/3000/64W/32W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 3680           | 64W / 32W           | 100 / 115                | 100° / 28°               |
| 1991361 Ennio S240/3000/64W/38W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 4570           | 64W / 38W           | 100 / 121                | 100° / 28°               |
| 1991362 Ennio S240/3000/64W/44W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5310           | 64W / 44W           | 100 / 121                | 100° / 28°               |
| 1991363 Ennio S240/3000/64W/52W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 6040           | 64W / 52W           | 100 / 117                | 100° / 28°               |
| 1991364 Ennio S240/3000/64W/58W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 7010           | 64W / 58W           | 100 / 121                | 100° / 28°               |
| 1991365 Ennio S240/3000/76W/32W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 3680           | 76W / 32W           | 101 / 115                | 100° / 28°               |
| 1991366 Ennio S240/3000/76W/38W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 4570           | 76W / 38W           | 101 / 121                | 100° / 28°               |
| 1991367 Ennio S240/3000/76W/44W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5310           | 76W / 44W           | 101 / 121                | 100° / 28°               |
| 1991368 Ennio S240/3000/76W/52W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 6040           | 76W / 52W           | 101 / 117                | 100° / 28°               |
| 1991369 Ennio S240/3000/76W/58W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 7010           | 76W / 58W           | 101 / 121                | 100° / 28°               |
| 1991370 Ennio S240/3000/100W/32W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 3680           | 100W / 32W          | 93 / 115                 | 100° / 28°               |
| 1991371 Ennio S240/3000/100W/38W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 4570           | 100W / 38W          | 93 / 121                 | 100° / 28°               |
| 1991372 Ennio S240/3000/100W/44W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5310           | 100W / 44W          | 93 / 121                 | 100° / 28°               |
| 1991373 Ennio S240/3000/100W/52W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 6040           | 100W / 52W          | 93 / 117                 | 100° / 28°               |
| 1991374 Ennio S240/3000/100W/58W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 7010           | 100W / 58W          | 93 / 121                 | 100° / 28°               |
| 1991375 Ennio S240/4000/64W/32W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 3680           | 64W / 32W           | 104 / 115                | 100° / 28°               |
| 1991376 Ennio S240/4000/64W/38W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 4570           | 64W / 38W           | 104 / 121                | 100° / 28°               |
| 1991377 Ennio S240/4000/64W/44W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5310           | 64W / 44W           | 104 / 121                | 100° / 28°               |
| 1991378 Ennio S240/4000/64W/52W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 6040           | 64W / 52W           | 104 / 117                | 100° / 28°               |
| 1991379 Ennio S240/4000/64W/58W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 7010           | 64W / 58W           | 104 / 121                | 100° / 28°               |
| 1991380 Ennio S240/4000/76W/32W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 3680           | 76W / 32W           | 105 / 115                | 100° / 28°               |
| 1991381 Ennio S240/4000/76W/38W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 4570           | 76W / 38W           | 105 / 121                | 100° / 28°               |
| 1991382 Ennio S240/4000/76W/44W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5310           | 76W / 44W           | 105 / 121                | 100° / 28°               |
| 1991383 Ennio S240/4000/76W/52W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 6040           | 76W / 52W           | 105 / 117                | 100° / 28°               |
| 1991384 Ennio S240/4000/76W/58W/80/A100/A28  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 7010           | 76W / 58W           | 105 / 121                | 100° / 28°               |
| 1991385 Ennio S240/4000/100W/32W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 3680           | 100W / 32W          | 97 / 115                 | 100° / 28°               |
| 1991386 Ennio S240/4000/100W/38W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 4570           | 100W / 38W          | 97 / 121                 | 100° / 28°               |
| 1991387 Ennio S240/4000/100W/44W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5310           | 100W / 44W          | 97 / 121                 | 100° / 28°               |
| 1991388 Ennio S240/4000/100W/52W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 6040           | 100W / 52W          | 97 / 117                 | 100° / 28°               |
| 1991389 Ennio S240/4000/100W/58W/80/A100/A28 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 7010           | 100W / 58W          | 97 / 121                 | 100° / 28°               |
| 1991390 Ennio S240/3000/64W/32W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 3760           | 64W / 32W           | 100 / 118                | 100° / 46°               |
| 1991391 Ennio S240/3000/64W/38W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 4660           | 64W / 38W           | 100 / 123                | 100° / 46°               |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm)<br>(UP/DOWN) | Power (W)<br>(UP/DOWN) | Eff. (lm/watt)<br>(UP/DOWN) | Lens Angle (°)<br>(UP/DOWN) |
|--|----------------------|---------|--------------------------|------------------------|-----------------------------|-----------------------------|
| <b>CRI 80</b>                                |                      |         |                          |                        |                             |                             |
| 1991392 Ennio S240/3000/64W/44W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5410              | 64W / 44W              | 100 / 123                   | 100° / 46°                  |
| 1991393 Ennio S240/3000/64W/52W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 6160              | 64W / 52W              | 100 / 119                   | 100° / 46°                  |
| 1991394 Ennio S240/3000/64W/58W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 7150              | 64W / 58W              | 100 / 124                   | 100° / 46°                  |
| 1991395 Ennio S240/3000/76W/32W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 3760              | 76W / 32W              | 101 / 118                   | 100° / 46°                  |
| 1991396 Ennio S240/3000/76W/38W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 4660              | 76W / 38W              | 101 / 123                   | 100° / 46°                  |
| 1991397 Ennio S240/3000/76W/44W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5410              | 76W / 44W              | 101 / 123                   | 100° / 46°                  |
| 1991398 Ennio S240/3000/76W/52W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 6160              | 76W / 52W              | 101 / 119                   | 100° / 46°                  |
| 1991399 Ennio S240/3000/76W/58W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 7150              | 76W / 58W              | 101 / 124                   | 100° / 46°                  |
| 1991400 Ennio S240/3000/100W/32W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 3760              | 100W / 32W             | 93 / 118                    | 100° / 46°                  |
| 1991401 Ennio S240/3000/100W/38W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 4660              | 100W / 38W             | 93 / 123                    | 100° / 46°                  |
| 1991402 Ennio S240/3000/100W/44W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5410              | 100W / 44W             | 93 / 123                    | 100° / 46°                  |
| 1991403 Ennio S240/3000/100W/52W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 6160              | 100W / 52W             | 93 / 119                    | 100° / 46°                  |
| 1991404 Ennio S240/3000/100W/58W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 7150              | 100W / 58W             | 93 / 124                    | 100° / 46°                  |
| 1991405 Ennio S240/4000/64W/32W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 3760              | 64W / 32W              | 104 / 118                   | 100° / 46°                  |
| 1991406 Ennio S240/4000/64W/38W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 4660              | 64W / 38W              | 104 / 123                   | 100° / 46°                  |
| 1991407 Ennio S240/4000/64W/44W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5410              | 64W / 44W              | 104 / 123                   | 100° / 46°                  |
| 1991408 Ennio S240/4000/64W/52W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 6160              | 64W / 52W              | 104 / 119                   | 100° / 46°                  |
| 1991409 Ennio S240/4000/64W/58W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 7150              | 64W / 58W              | 104 / 124                   | 100° / 46°                  |
| 1991410 Ennio S240/4000/76W/32W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 3760              | 76W / 32W              | 105 / 118                   | 100° / 46°                  |
| 1991411 Ennio S240/4000/76W/38W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 4660              | 76W / 38W              | 105 / 123                   | 100° / 46°                  |
| 1991412 Ennio S240/4000/76W/44W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5410              | 76W / 44W              | 105 / 123                   | 100° / 46°                  |
| 1991413 Ennio S240/4000/76W/52W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 6160              | 76W / 52W              | 105 / 119                   | 100° / 46°                  |
| 1991414 Ennio S240/4000/76W/58W/80/A100/A46  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 7150              | 76W / 58W              | 105 / 124                   | 100° / 46°                  |
| 1991415 Ennio S240/4000/100W/32W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 3760              | 100W / 32W             | 97 / 118                    | 100° / 46°                  |
| 1991416 Ennio S240/4000/100W/38W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 4660              | 100W / 38W             | 97 / 123                    | 100° / 46°                  |
| 1991417 Ennio S240/4000/100W/44W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5410              | 100W / 44W             | 97 / 123                    | 100° / 46°                  |
| 1991418 Ennio S240/4000/100W/52W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 6160              | 100W / 52W             | 97 / 119                    | 100° / 46°                  |
| 1991419 Ennio S240/4000/100W/58W/80/A100/A46 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 7150              | 100W / 58W             | 97 / 124                    | 100° / 46°                  |
| 1991420 Ennio S240/3000/64W/32W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 3610              | 64W / 32W              | 100 / 113                   | 100° / 57°                  |
| 1991421 Ennio S240/3000/64W/38W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 4470              | 64W / 38W              | 100 / 118                   | 100° / 57°                  |
| 1991422 Ennio S240/3000/64W/44W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5200              | 64W / 44W              | 100 / 119                   | 100° / 57°                  |
| 1991423 Ennio S240/3000/64W/52W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 5910              | 64W / 52W              | 100 / 114                   | 100° / 57°                  |
| 1991424 Ennio S240/3000/64W/58W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 6380 / 6860              | 64W / 58W              | 100 / 119                   | 100° / 57°                  |
| 1991425 Ennio S240/3000/76W/32W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 3610              | 76W / 32W              | 101 / 113                   | 100° / 57°                  |
| 1991426 Ennio S240/3000/76W/38W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 4470              | 76W / 38W              | 101 / 118                   | 100° / 57°                  |
| 1991427 Ennio S240/3000/76W/44W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5200              | 76W / 44W              | 101 / 119                   | 100° / 57°                  |
| 1991428 Ennio S240/3000/76W/52W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 5910              | 76W / 52W              | 101 / 114                   | 100° / 57°                  |
| 1991429 Ennio S240/3000/76W/58W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 3000    | 7620 / 6860              | 76W / 58W              | 101 / 119                   | 100° / 57°                  |
| 1991430 Ennio S240/3000/100W/32W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 3610              | 100W / 32W             | 93 / 113                    | 100° / 57°                  |
| 1991431 Ennio S240/3000/100W/38W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 4470              | 100W / 38W             | 93 / 118                    | 100° / 57°                  |
| 1991432 Ennio S240/3000/100W/44W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5200              | 100W / 44W             | 93 / 119                    | 100° / 57°                  |
| 1991433 Ennio S240/3000/100W/52W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 5910              | 100W / 52W             | 93 / 114                    | 100° / 57°                  |
| 1991434 Ennio S240/3000/100W/58W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 3000    | 9240 / 6860              | 100W / 58W             | 93 / 119                    | 100° / 57°                  |
| 1991435 Ennio S240/4000/64W/32W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 3610              | 64W / 32W              | 104 / 113                   | 100° / 57°                  |
| 1991436 Ennio S240/4000/64W/38W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 4470              | 64W / 38W              | 104 / 118                   | 100° / 57°                  |
| 1991437 Ennio S240/4000/64W/44W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5200              | 64W / 44W              | 104 / 119                   | 100° / 57°                  |
| 1991438 Ennio S240/4000/64W/52W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 5910              | 64W / 52W              | 104 / 114                   | 100° / 57°                  |
| 1991439 Ennio S240/4000/64W/58W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 6650 / 6860              | 64W / 58W              | 104 / 119                   | 100° / 57°                  |
| 1991440 Ennio S240/4000/76W/32W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 3610              | 76W / 32W              | 105 / 113                   | 100° / 57°                  |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|--|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                                |                      |         |                       |                     |                          |                          |
| 1991441 Ennio S240/4000/76W/38W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 4470           | 76W / 38W           | 105 / 118                | 100° / 57°               |
| 1991442 Ennio S240/4000/76W/44W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5200           | 76W / 44W           | 105 / 119                | 100° / 57°               |
| 1991443 Ennio S240/4000/76W/52W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 5910           | 76W / 52W           | 105 / 114                | 100° / 57°               |
| 1991444 Ennio S240/4000/76W/58W/80/A100/A57  | 2362 x 57 x 81 ± 1mm | 4000    | 7940 / 6860           | 76W / 58W           | 105 / 119                | 100° / 57°               |
| 1991445 Ennio S240/4000/100W/32W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 3610           | 100W / 32W          | 97 / 113                 | 100° / 57°               |
| 1991446 Ennio S240/4000/100W/38W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 4470           | 100W / 38W          | 97 / 118                 | 100° / 57°               |
| 1991447 Ennio S240/4000/100W/44W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5200           | 100W / 44W          | 97 / 119                 | 100° / 57°               |
| 1991448 Ennio S240/4000/100W/52W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 5910           | 100W / 52W          | 97 / 114                 | 100° / 57°               |
| 1991449 Ennio S240/4000/100W/58W/80/A100/A57 | 2362 x 57 x 81 ± 1mm | 4000    | 9630 / 6860           | 100W / 58W          | 97 / 119                 | 100° / 57°               |
| 1991450 Ennio S300/3000/74W/38W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 4720           | 74W / 38W           | 103 / 125                | 100° / 15°               |
| 1991451 Ennio S300/3000/74W/46W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 5870           | 74W / 46W           | 103 / 128                | 100° / 15°               |
| 1991452 Ennio S300/3000/74W/56W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 6820           | 74W / 56W           | 103 / 122                | 100° / 15°               |
| 1991453 Ennio S300/3000/74W/64W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 7770           | 74W / 64W           | 103 / 122                | 100° / 15°               |
| 1991454 Ennio S300/3000/74W/72W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 8960           | 74W / 72W           | 103 / 125                | 100° / 15°               |
| 1991455 Ennio S300/3000/100W/38W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 4720          | 100W / 38W          | 100 / 125                | 100° / 15°               |
| 1991456 Ennio S300/3000/100W/46W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 5870          | 100W / 46W          | 100 / 128                | 100° / 15°               |
| 1991457 Ennio S300/3000/100W/56W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 6820          | 100W / 56W          | 100 / 122                | 100° / 15°               |
| 1991458 Ennio S300/3000/100W/64W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 7770          | 100W / 64W          | 100 / 122                | 100° / 15°               |
| 1991459 Ennio S300/3000/100W/72W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 8960          | 100W / 72W          | 100 / 125                | 100° / 15°               |
| 1991460 Ennio S300/3000/120W/38W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 4720          | 120W / 38W          | 96 / 125                 | 100° / 15°               |
| 1991461 Ennio S300/3000/120W/46W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 5870          | 120W / 46W          | 96 / 128                 | 100° / 15°               |
| 1991462 Ennio S300/3000/120W/56W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 6820          | 120W / 56W          | 96 / 122                 | 100° / 15°               |
| 1991463 Ennio S300/3000/120W/64W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 7770          | 120W / 64W          | 96 / 122                 | 100° / 15°               |
| 1991464 Ennio S300/3000/120W/72W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 8960          | 120W / 72W          | 96 / 125                 | 100° / 15°               |
| 1991465 Ennio S300/4000/74W/38W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 4720           | 74W / 38W           | 108 / 125                | 100° / 15°               |
| 1991466 Ennio S300/4000/74W/46W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 5870           | 74W / 46W           | 108 / 128                | 100° / 15°               |
| 1991467 Ennio S300/4000/74W/56W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 6820           | 74W / 56W           | 108 / 122                | 100° / 15°               |
| 1991468 Ennio S300/4000/74W/64W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 7770           | 74W / 64W           | 108 / 122                | 100° / 15°               |
| 1991469 Ennio S300/4000/74W/72W/80/A100/A15  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 8960           | 74W / 72W           | 108 / 125                | 100° / 15°               |
| 1991470 Ennio S300/4000/100W/38W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 4720          | 100W / 38W          | 105 / 125                | 100° / 15°               |
| 1991471 Ennio S300/4000/100W/46W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 5870          | 100W / 46W          | 105 / 128                | 100° / 15°               |
| 1991472 Ennio S300/4000/100W/56W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 6820          | 100W / 56W          | 105 / 122                | 100° / 15°               |
| 1991473 Ennio S300/4000/100W/64W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 7770          | 100W / 64W          | 105 / 122                | 100° / 15°               |
| 1991474 Ennio S300/4000/100W/72W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 8960          | 100W / 72W          | 105 / 125                | 100° / 15°               |
| 1991475 Ennio S300/4000/120W/38W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 4720          | 120W / 38W          | 100 / 125                | 100° / 15°               |
| 1991476 Ennio S300/4000/120W/46W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 5870          | 120W / 46W          | 100 / 128                | 100° / 15°               |
| 1991477 Ennio S300/4000/120W/56W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 6820          | 120W / 56W          | 100 / 122                | 100° / 15°               |
| 1991478 Ennio S300/4000/120W/64W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 7770          | 120W / 64W          | 100 / 122                | 100° / 15°               |
| 1991479 Ennio S300/4000/120W/72W/80/A100/A15 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 8960          | 120W / 72W          | 100 / 125                | 100° / 15°               |
| 1991480 Ennio S300/3000/74W/38W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 4770           | 74W / 38W           | 103 / 126                | 100° / 21°               |
| 1991481 Ennio S300/3000/74W/46W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 5930           | 74W / 46W           | 103 / 129                | 100° / 21°               |
| 1991482 Ennio S300/3000/74W/56W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 6890           | 74W / 56W           | 103 / 124                | 100° / 21°               |
| 1991483 Ennio S300/3000/74W/64W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 7850           | 74W / 64W           | 103 / 123                | 100° / 21°               |
| 1991484 Ennio S300/3000/74W/72W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 9050           | 74W / 72W           | 103 / 126                | 100° / 21°               |
| 1991485 Ennio S300/3000/100W/38W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 4770          | 100W / 38W          | 100 / 126                | 100° / 21°               |
| 1991486 Ennio S300/3000/100W/46W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 5930          | 100W / 46W          | 100 / 129                | 100° / 21°               |
| 1991487 Ennio S300/3000/100W/56W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 6890          | 100W / 56W          | 100 / 124                | 100° / 21°               |
| 1991488 Ennio S300/3000/100W/64W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 7850          | 100W / 64W          | 100 / 123                | 100° / 21°               |
| 1991489 Ennio S300/3000/100W/72W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 9050          | 100W / 72W          | 100 / 126                | 100° / 21°               |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm)<br>(UP/DOWN) | Power (W)<br>(UP/DOWN) | Eff. (lm/watt)<br>(UP/DOWN) | Lens Angle (°)<br>(UP/DOWN) |
|--|----------------------|---------|--------------------------|------------------------|-----------------------------|-----------------------------|
| <b>CRI 80</b>                                |                      |         |                          |                        |                             |                             |
| 1991490 Ennio S300/3000/120W/38W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 4770             | 120W / 38W             | 96 / 126                    | 100° / 21°                  |
| 1991491 Ennio S300/3000/120W/46W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 5930             | 120W / 46W             | 96 / 129                    | 100° / 21°                  |
| 1991492 Ennio S300/3000/120W/56W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 6890             | 120W / 56W             | 96 / 124                    | 100° / 21°                  |
| 1991493 Ennio S300/3000/120W/64W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 7850             | 120W / 64W             | 96 / 123                    | 100° / 21°                  |
| 1991494 Ennio S300/3000/120W/72W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 9050             | 120W / 72W             | 96 / 126                    | 100° / 21°                  |
| 1991495 Ennio S300/4000/74W/38W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 4770              | 74W / 38W              | 108 / 126                   | 100° / 21°                  |
| 1991496 Ennio S300/4000/74W/46W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 5930              | 74W / 46W              | 108 / 129                   | 100° / 21°                  |
| 1991497 Ennio S300/4000/74W/56W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 6890              | 74W / 56W              | 108 / 124                   | 100° / 21°                  |
| 1991498 Ennio S300/4000/74W/64W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 7850              | 74W / 64W              | 108 / 123                   | 100° / 21°                  |
| 1991499 Ennio S300/4000/74W/72W/80/A100/A21  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 9050              | 74W / 72W              | 108 / 126                   | 100° / 21°                  |
| 1991500 Ennio S300/4000/100W/38W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 4770             | 100W / 38W             | 105 / 126                   | 100° / 21°                  |
| 1991501 Ennio S300/4000/100W/46W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 5930             | 100W / 46W             | 105 / 129                   | 100° / 21°                  |
| 1991502 Ennio S300/4000/100W/56W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 6890             | 100W / 56W             | 105 / 124                   | 100° / 21°                  |
| 1991503 Ennio S300/4000/100W/64W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 7850             | 100W / 64W             | 105 / 123                   | 100° / 21°                  |
| 1991504 Ennio S300/4000/100W/72W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 9050             | 100W / 72W             | 105 / 126                   | 100° / 21°                  |
| 1991505 Ennio S300/4000/120W/38W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 4770             | 120W / 38W             | 100 / 126                   | 100° / 21°                  |
| 1991506 Ennio S300/4000/120W/46W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 5930             | 120W / 46W             | 100 / 129                   | 100° / 21°                  |
| 1991507 Ennio S300/4000/120W/56W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 6890             | 120W / 56W             | 100 / 124                   | 100° / 21°                  |
| 1991508 Ennio S300/4000/120W/64W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 7850             | 120W / 64W             | 100 / 123                   | 100° / 21°                  |
| 1991509 Ennio S300/4000/120W/72W/80/A100/A21 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 9050             | 120W / 72W             | 100 / 126                   | 100° / 21°                  |
| 1991510 Ennio S300/3000/74W/38W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 4580              | 74W / 38W              | 103 / 121                   | 100° / 28°                  |
| 1991511 Ennio S300/3000/74W/46W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 5700              | 74W / 46W              | 103 / 124                   | 100° / 28°                  |
| 1991512 Ennio S300/3000/74W/56W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 6620              | 74W / 56W              | 103 / 119                   | 100° / 28°                  |
| 1991513 Ennio S300/3000/74W/64W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 7540              | 74W / 64W              | 103 / 118                   | 100° / 28°                  |
| 1991514 Ennio S300/3000/74W/72W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 8700              | 74W / 72W              | 103 / 121                   | 100° / 28°                  |
| 1991515 Ennio S300/3000/100W/38W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 4580             | 100W / 38W             | 100 / 121                   | 100° / 28°                  |
| 1991516 Ennio S300/3000/100W/46W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 5700             | 100W / 46W             | 100 / 124                   | 100° / 28°                  |
| 1991517 Ennio S300/3000/100W/56W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 6620             | 100W / 56W             | 100 / 119                   | 100° / 28°                  |
| 1991518 Ennio S300/3000/100W/64W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 7540             | 100W / 64W             | 100 / 118                   | 100° / 28°                  |
| 1991519 Ennio S300/3000/100W/72W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 8700             | 100W / 72W             | 100 / 121                   | 100° / 28°                  |
| 1991520 Ennio S300/3000/120W/38W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 4580             | 120W / 38W             | 96 / 121                    | 100° / 28°                  |
| 1991521 Ennio S300/3000/120W/46W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 5700             | 120W / 46W             | 96 / 124                    | 100° / 28°                  |
| 1991522 Ennio S300/3000/120W/56W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 6620             | 120W / 56W             | 96 / 119                    | 100° / 28°                  |
| 1991523 Ennio S300/3000/120W/64W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 7540             | 120W / 64W             | 96 / 118                    | 100° / 28°                  |
| 1991524 Ennio S300/3000/120W/72W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 8700             | 120W / 72W             | 96 / 121                    | 100° / 28°                  |
| 1991525 Ennio S300/4000/74W/38W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 4580              | 74W / 38W              | 108 / 121                   | 100° / 28°                  |
| 1991526 Ennio S300/4000/74W/46W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 5700              | 74W / 46W              | 108 / 124                   | 100° / 28°                  |
| 1991527 Ennio S300/4000/74W/56W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 6620              | 74W / 56W              | 108 / 119                   | 100° / 28°                  |
| 1991528 Ennio S300/4000/74W/64W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 7540              | 74W / 64W              | 108 / 118                   | 100° / 28°                  |
| 1991529 Ennio S300/4000/74W/72W/80/A100/A28  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 8700              | 74W / 72W              | 108 / 121                   | 100° / 28°                  |
| 1991530 Ennio S300/4000/100W/38W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 4580             | 100W / 38W             | 105 / 121                   | 100° / 28°                  |
| 1991531 Ennio S300/4000/100W/46W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 5700             | 100W / 46W             | 105 / 124                   | 100° / 28°                  |
| 1991532 Ennio S300/4000/100W/56W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 6620             | 100W / 56W             | 105 / 119                   | 100° / 28°                  |
| 1991533 Ennio S300/4000/100W/64W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 7540             | 100W / 64W             | 105 / 118                   | 100° / 28°                  |
| 1991534 Ennio S300/4000/100W/72W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 8700             | 100W / 72W             | 105 / 121                   | 100° / 28°                  |
| 1991535 Ennio S300/4000/120W/38W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 4580             | 120W / 38W             | 100 / 121                   | 100° / 28°                  |
| 1991536 Ennio S300/4000/120W/46W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 5700             | 120W / 46W             | 100 / 124                   | 100° / 28°                  |
| 1991537 Ennio S300/4000/120W/56W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 6620             | 120W / 56W             | 100 / 119                   | 100° / 28°                  |
| 1991538 Ennio S300/4000/120W/64W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 7540             | 120W / 64W             | 100 / 118                   | 100° / 28°                  |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|--|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                                |                      |         |                       |                     |                          |                          |
| 1991539 Ennio S300/4000/120W/72W/80/A100/A28 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 8700          | 120W / 72W          | 100 / 121                | 100° / 28°               |
| 1991540 Ennio S300/3000/74W/38W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 4680           | 74W / 38W           | 103 / 124                | 100° / 46°               |
| 1991541 Ennio S300/3000/74W/46W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 5810           | 74W / 46W           | 103 / 127                | 100° / 46°               |
| 1991542 Ennio S300/3000/74W/56W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 6760           | 74W / 56W           | 103 / 121                | 100° / 46°               |
| 1991543 Ennio S300/3000/74W/64W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 7700           | 74W / 64W           | 103 / 121                | 100° / 46°               |
| 1991544 Ennio S300/3000/74W/72W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 8870           | 74W / 72W           | 103 / 124                | 100° / 46°               |
| 1991545 Ennio S300/3000/100W/38W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 4680          | 100W / 38W          | 100 / 124                | 100° / 46°               |
| 1991546 Ennio S300/3000/100W/46W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 5810          | 100W / 46W          | 100 / 127                | 100° / 46°               |
| 1991547 Ennio S300/3000/100W/56W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 6760          | 100W / 56W          | 100 / 121                | 100° / 46°               |
| 1991548 Ennio S300/3000/100W/64W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 7700          | 100W / 64W          | 100 / 121                | 100° / 46°               |
| 1991549 Ennio S300/3000/100W/72W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 8870          | 100W / 72W          | 100 / 124                | 100° / 46°               |
| 1991550 Ennio S300/3000/120W/38W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 4680          | 120W / 38W          | 96 / 124                 | 100° / 46°               |
| 1991551 Ennio S300/3000/120W/46W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 5810          | 120W / 46W          | 96 / 127                 | 100° / 46°               |
| 1991552 Ennio S300/3000/120W/56W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 6760          | 120W / 56W          | 96 / 121                 | 100° / 46°               |
| 1991553 Ennio S300/3000/120W/64W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 7700          | 120W / 64W          | 96 / 121                 | 100° / 46°               |
| 1991554 Ennio S300/3000/120W/72W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 8870          | 120W / 72W          | 96 / 124                 | 100° / 46°               |
| 1991555 Ennio S300/4000/74W/38W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 4680           | 74W / 38W           | 108 / 124                | 100° / 46°               |
| 1991556 Ennio S300/4000/74W/46W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 5810           | 74W / 46W           | 108 / 127                | 100° / 46°               |
| 1991557 Ennio S300/4000/74W/56W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 6760           | 74W / 56W           | 108 / 121                | 100° / 46°               |
| 1991558 Ennio S300/4000/74W/64W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 7700           | 74W / 64W           | 108 / 121                | 100° / 46°               |
| 1991559 Ennio S300/4000/74W/72W/80/A100/A46  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 8870           | 74W / 72W           | 108 / 124                | 100° / 46°               |
| 1991560 Ennio S300/4000/100W/38W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 4680          | 100W / 38W          | 105 / 124                | 100° / 46°               |
| 1991561 Ennio S300/4000/100W/46W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 5810          | 100W / 46W          | 105 / 127                | 100° / 46°               |
| 1991562 Ennio S300/4000/100W/56W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 6760          | 100W / 56W          | 105 / 121                | 100° / 46°               |
| 1991563 Ennio S300/4000/100W/64W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 7700          | 100W / 64W          | 105 / 121                | 100° / 46°               |
| 1991564 Ennio S300/4000/100W/72W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 8870          | 100W / 72W          | 105 / 124                | 100° / 46°               |
| 1991565 Ennio S300/4000/120W/38W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 4680          | 120W / 38W          | 100 / 124                | 100° / 46°               |
| 1991566 Ennio S300/4000/120W/46W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 5810          | 120W / 46W          | 100 / 127                | 100° / 46°               |
| 1991567 Ennio S300/4000/120W/56W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 6760          | 120W / 56W          | 100 / 121                | 100° / 46°               |
| 1991568 Ennio S300/4000/120W/64W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 7700          | 120W / 64W          | 100 / 121                | 100° / 46°               |
| 1991569 Ennio S300/4000/120W/72W/80/A100/A46 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 8870          | 120W / 72W          | 100 / 124                | 100° / 46°               |
| 1991570 Ennio S300/3000/74W/38W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 4490           | 74W / 38W           | 103 / 119                | 100° / 57°               |
| 1991571 Ennio S300/3000/74W/46W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 5580           | 74W / 46W           | 103 / 122                | 100° / 57°               |
| 1991572 Ennio S300/3000/74W/56W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 6490           | 74W / 56W           | 103 / 116                | 100° / 57°               |
| 1991573 Ennio S300/3000/74W/64W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 7390           | 74W / 64W           | 103 / 116                | 100° / 57°               |
| 1991574 Ennio S300/3000/74W/72W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 3000    | 7620 / 8520           | 74W / 72W           | 103 / 119                | 100° / 57°               |
| 1991575 Ennio S300/3000/100W/38W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 4490          | 100W / 38W          | 100 / 119                | 100° / 57°               |
| 1991576 Ennio S300/3000/100W/46W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 5580          | 100W / 46W          | 100 / 122                | 100° / 57°               |
| 1991577 Ennio S300/3000/100W/56W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 6490          | 100W / 56W          | 100 / 116                | 100° / 57°               |
| 1991578 Ennio S300/3000/100W/64W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 7390          | 100W / 64W          | 100 / 116                | 100° / 57°               |
| 1991579 Ennio S300/3000/100W/72W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 10000 / 8520          | 100W / 72W          | 100 / 119                | 100° / 57°               |
| 1991580 Ennio S300/3000/120W/38W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 4490          | 120W / 38W          | 96 / 119                 | 100° / 57°               |
| 1991581 Ennio S300/3000/120W/46W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 5580          | 120W / 46W          | 96 / 122                 | 100° / 57°               |
| 1991582 Ennio S300/3000/120W/56W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 6490          | 120W / 56W          | 96 / 116                 | 100° / 57°               |
| 1991583 Ennio S300/3000/120W/64W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 7390          | 120W / 64W          | 96 / 116                 | 100° / 57°               |
| 1991584 Ennio S300/3000/120W/72W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 3000    | 11500 / 8520          | 120W / 72W          | 96 / 119                 | 100° / 57°               |
| 1991585 Ennio S300/4000/74W/38W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 4490           | 74W / 38W           | 108 / 119                | 100° / 57°               |
| 1991586 Ennio S300/4000/74W/46W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 5580           | 74W / 46W           | 108 / 122                | 100° / 57°               |
| 1991587 Ennio S300/4000/74W/56W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 6490           | 74W / 56W           | 108 / 116                | 100° / 57°               |

## SKU SPECIFICATIONS

| Product Code                                 | Dimensions (mm)      | CCT (K) | Lumens (lm) (UP/DOWN) | Power (W) (UP/DOWN) | Eff. (lm/watt) (UP/DOWN) | Lens Angle (°) (UP/DOWN) |
|--|----------------------|---------|-----------------------|---------------------|--------------------------|--------------------------|
| <b>CRI 80</b>                                |                      |         |                       |                     |                          |                          |
| 1991588 Ennio S300/4000/74W/64W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 7390           | 74W / 64W           | 108 / 116                | 100° / 57°               |
| 1991589 Ennio S300/4000/74W/72W/80/A100/A57  | 2936 x 57 x 81 ± 1mm | 4000    | 7940 / 8520           | 74W / 72W           | 108 / 119                | 100° / 57°               |
| 1991590 Ennio S300/4000/100W/38W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 4490          | 100W / 38W          | 105 / 119                | 100° / 57°               |
| 1991591 Ennio S300/4000/100W/46W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 5580          | 100W / 46W          | 105 / 122                | 100° / 57°               |
| 1991592 Ennio S300/4000/100W/56W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 6490          | 100W / 56W          | 105 / 116                | 100° / 57°               |
| 1991593 Ennio S300/4000/100W/64W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 7390          | 100W / 64W          | 105 / 116                | 100° / 57°               |
| 1991594 Ennio S300/4000/100W/72W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 10420 / 8520          | 100W / 72W          | 105 / 119                | 100° / 57°               |
| 1991595 Ennio S300/4000/120W/38W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 4490          | 120W / 38W          | 100 / 119                | 100° / 57°               |
| 1991596 Ennio S300/4000/120W/46W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 5580          | 120W / 46W          | 100 / 122                | 100° / 57°               |
| 1991597 Ennio S300/4000/120W/56W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 6490          | 120W / 56W          | 100 / 116                | 100° / 57°               |
| 1991598 Ennio S300/4000/120W/64W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 7390          | 120W / 64W          | 100 / 116                | 100° / 57°               |
| 1991599 Ennio S300/4000/120W/72W/80/A100/A57 | 2936 x 57 x 81 ± 1mm | 4000    | 11990 / 8520          | 120W / 72W          | 100 / 119                | 100° / 57°               |

## PRODUCT CUSTOMIZATION

This product has a great customization capability for combining CRI and CCT.

Below we presented possible CRI / CCT options:

| UP         | DOWN        |
|------------|-------------|
| 2700 CRI80 | 2400K CRI80 |
| 3000 CRI80 | 2700K CRI80 |
| 4000 CRI80 | 3000K CRI80 |
| 5000 CRI80 | 4000K CRI80 |
| 6500 CRI80 | 2700K CRI90 |
| TW         | 2700K CRI90 |
| PI         | 3000K CRI90 |
|            | 4000K CRI90 |
|            | 2700K CRI95 |
|            | 3000K CRI95 |
|            | 3500K CRI95 |
|            | 4000K CRI95 |

For more information please send us a message using the [contact form](#) on our website.