



Zett

RECESSED SPOTLIGHTS | DALI EM SERIES

Recessed downlight with the option of up to 2 bodies to independently move. Highly adjustable with a minimalist design that adds an unobtrusive yet elegant accent to the spaces where it's mounted. Its patented flexible mechanism enables the downlight to be rotated by 350° and tilted by 25°. Its lenses with different angle beams precisely direct the light towards the desired objects.

Zett's aluminium housing is available in several colors - Signal White, Jet Black and White Aluminium, for a perfect blend with various environments.

Zett recessed downlight comes in several series, with various add-on and controls:




- Zett Non-DALI – the standard for any project in the retail and healthcare sectors
- Zett Non-DALI EM – with emergency lighting kit
- Zett DALI – with DALI controls for illumination adjustments
- Zett DALI EM – with DALI controls and emergency lighting kit

APPLICATION

Supermarket | Fashion | Retail | Hospitality | Exhibition | Architectural

FEATURES & BENEFITS

- CRI > 80 as standard, up to 93 for special color temperatures
- Rotates through 350°, tilts through 25°
- 8 color temperatures, including specialized options for hospitality and AGI light
- Wide variety of angle beams: 20°, 30°, 45°, 55° (for a precise angle beam)
- Luminaire efficiency: 109lm/W @4000K
- Dimmable
- Equipped with emergency kit (1h / 3h)




SPECIFICATIONS

Power consumption	14W, 17W, 20W, 23W, 27W, 29W	28W, 34W, 40W, 46W, 54W, 58W
Dimensions	D150x150xH133±1mm	D290x150xH133±1mm
Weight	1.5 - 1.8 Kg	2.4 - 2.7 Kg
Housing materials	Aluminium, glass	
IK code	IK02	
THD (at 230V, 50Hz, Full load)	<10%	
Protection class	Safety class 1	
Operating temperature [°C]	+5°C ... +40°C / +41F ... +104F	
Operating humidity [%]	10 ÷ 85	
Power factor	≥0.95	
AC Input [Vac]	220 - 240 VAC	
Lens angle [°]	20°, 30°, 45°, 55°	
Lifespan [h]	50,000	
Housing color	○ RAL 9003 - Signal White, ● RAL 9005 - Jet Black, ● RAL 9006 - White Aluminium	
Lumen maintenance	L90/B10@50,000h at 25°C	
IP factor (general)	IP20	
Control option	DALI	
Warranty [years]	5	
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F	
Emergency option	EM1H, EM3H	


#	Standard	AGI	AMB
CRI	CRI80	CRI93	CRI80
CCT [K]	2700 / 3000 / 3500 / 4000	AGI 3000 / 3500 / 4000	2200
MacAdam	3	3	3

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency


LIGHT DISTRIBUTION




20°



30°



45°



55°

TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM

BATTERY WARRANTY

Non-DALI EM & DALI EM: 12 months warranty

Non-DALI & DALI: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
8-20W	Non-DALI	62	50	31	104	85	52
23-35W	Non-DALI	24	20	10	47	40	20
42W	Non-DALI	20	16	8	38	32	16
8-20W	DALI	62	50	31	104	85	52
23-27W	DALI	25	21	13	50	42	26
34-42W	DALI	17	14	9	34	28	18

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD >35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250240 Zett1 D35003/2700/14W/80/A20/EM1H	D150x150xH133±1mm	2700	1440	14W	103	20°
250241 Zett1 D35003/3000/14W/80/A20/EM1H	D150x150xH133±1mm	3000	1455	14W	104	20°
250242 Zett1 D35003/3500/14W/80/A20/EM1H	D150x150xH133±1mm	3500	1495	14W	107	20°
250243 Zett1 D35003/4000/14W/80/A20/EM1H	D150x150xH133±1mm	4000	1525	14W	109	20°
250245 Zett1 D35003/2700/14W/80/A30/EM1H	D150x150xH133±1mm	2700	1440	14W	103	30°
250246 Zett1 D35003/3000/14W/80/A30/EM1H	D150x150xH133±1mm	3000	1455	14W	104	30°
250247 Zett1 D35003/3500/14W/80/A30/EM1H	D150x150xH133±1mm	3500	1495	14W	107	30°
250248 Zett1 D35003/4000/14W/80/A30/EM1H	D150x150xH133±1mm	4000	1525	14W	109	30°
250250 Zett1 D35003/2700/14W/80/A45/EM1H	D150x150xH133±1mm	2700	1440	14W	103	45°
250251 Zett1 D35003/3000/14W/80/A45/EM1H	D150x150xH133±1mm	3000	1455	14W	104	45°
250252 Zett1 D35003/3500/14W/80/A45/EM1H	D150x150xH133±1mm	3500	1495	14W	107	45°
250253 Zett1 D35003/4000/14W/80/A45/EM1H	D150x150xH133±1mm	4000	1525	14W	109	45°
250255 Zett1 D35003/2700/14W/80/A55/EM1H	D150x150xH133±1mm	2700	1440	14W	103	55°
250256 Zett1 D35003/3000/14W/80/A55/EM1H	D150x150xH133±1mm	3000	1455	14W	104	55°
250257 Zett1 D35003/3500/14W/80/A55/EM1H	D150x150xH133±1mm	3500	1495	14W	107	55°
250258 Zett1 D35003/4000/14W/80/A55/EM1H	D150x150xH133±1mm	4000	1525	14W	109	55°
250260 Zett1 D35003/2700/20W/80/A20/EM1H	D150x150xH133±1mm	2700	2010	20W	101	20°
250261 Zett1 D35003/3000/20W/80/A20/EM1H	D150x150xH133±1mm	3000	2025	20W	102	20°
250262 Zett1 D35003/3500/20W/80/A20/EM1H	D150x150xH133±1mm	3500	2080	20W	104	20°
250263 Zett1 D35003/4000/20W/80/A20/EM1H	D150x150xH133±1mm	4000	2120	20W	106	20°
250265 Zett1 D35003/2700/20W/80/A30/EM1H	D150x150xH133±1mm	2700	2010	20W	101	30°
250266 Zett1 D35003/3000/20W/80/A30/EM1H	D150x150xH133±1mm	3000	2025	20W	102	30°
250267 Zett1 D35003/3500/20W/80/A30/EM1H	D150x150xH133±1mm	3500	2080	20W	104	30°
250268 Zett1 D35003/4000/20W/80/A30/EM1H	D150x150xH133±1mm	4000	2120	20W	106	30°
250270 Zett1 D35003/2700/20W/80/A45/EM1H	D150x150xH133±1mm	2700	2010	20W	101	45°
250271 Zett1 D35003/3000/20W/80/A45/EM1H	D150x150xH133±1mm	3000	2025	20W	102	45°
250272 Zett1 D35003/3500/20W/80/A45/EM1H	D150x150xH133±1mm	3500	2080	20W	104	45°
250273 Zett1 D35003/4000/20W/80/A45/EM1H	D150x150xH133±1mm	4000	2120	20W	106	45°
250275 Zett1 D35003/2700/20W/80/A55/EM1H	D150x150xH133±1mm	2700	2010	20W	101	55°
250276 Zett1 D35003/3000/20W/80/A55/EM1H	D150x150xH133±1mm	3000	2025	20W	102	55°
250277 Zett1 D35003/3500/20W/80/A55/EM1H	D150x150xH133±1mm	3500	2080	20W	104	55°
250278 Zett1 D35003/4000/20W/80/A55/EM1H	D150x150xH133±1mm	4000	2120	20W	106	55°
250280 Zett1 D35003/2700/27W/80/A20/EM1H	D150x150xH133±1mm	2700	2605	27W	97	20°
250281 Zett1 D35003/3000/27W/80/A20/EM1H	D150x150xH133±1mm	3000	2630	27W	98	20°
250282 Zett1 D35003/3500/27W/80/A20/EM1H	D150x150xH133±1mm	3500	2700	27W	100	20°
250283 Zett1 D35003/4000/27W/80/A20/EM1H	D150x150xH133±1mm	4000	2755	27W	103	20°
250285 Zett1 D35003/2700/27W/80/A30/EM1H	D150x150xH133±1mm	2700	2605	27W	97	30°
250286 Zett1 D35003/3000/27W/80/A30/EM1H	D150x150xH133±1mm	3000	2630	27W	98	30°
250287 Zett1 D35003/3500/27W/80/A30/EM1H	D150x150xH133±1mm	3500	2700	27W	100	30°
250288 Zett1 D35003/4000/27W/80/A30/EM1H	D150x150xH133±1mm	4000	2755	27W	103	30°
250290 Zett1 D35003/2700/27W/80/A45/EM1H	D150x150xH133±1mm	2700	2605	27W	97	45°
250291 Zett1 D35003/3000/27W/80/A45/EM1H	D150x150xH133±1mm	3000	2630	27W	98	45°
250292 Zett1 D35003/3500/27W/80/A45/EM1H	D150x150xH133±1mm	3500	2700	27W	100	45°
250293 Zett1 D35003/4000/27W/80/A45/EM1H	D150x150xH133±1mm	4000	2755	27W	103	45°
250295 Zett1 D35003/2700/27W/80/A55/EM1H	D150x150xH133±1mm	2700	2605	27W	97	55°
250296 Zett1 D35003/3000/27W/80/A55/EM1H	D150x150xH133±1mm	3000	2630	27W	98	55°
250297 Zett1 D35003/3500/27W/80/A55/EM1H	D150x150xH133±1mm	3500	2700	27W	100	55°
250298 Zett1 D35003/4000/27W/80/A55/EM1H	D150x150xH133±1mm	4000	2755	27W	103	55°
250740 Zett2 D35004/2700/28W/80/A20/EM1H	D290x150xH133±1mm	2700	2880	28W	103	20°
250741 Zett2 D35004/3000/28W/80/A20/EM1H	D290x150xH133±1mm	3000	2910	28W	104	20°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250742 Zett2 D35004/3500/28W/80/A20/EM1H	D290x150xH133±1mm	3500	2990	28W	107	20°
250743 Zett2 D35004/4000/28W/80/A20/EM1H	D290x150xH133±1mm	4000	3050	28W	109	20°
250745 Zett2 D35004/2700/28W/80/A30/EM1H	D290x150xH133±1mm	2700	2880	28W	103	30°
250746 Zett2 D35004/3000/28W/80/A30/EM1H	D290x150xH133±1mm	3000	2910	28W	104	30°
250747 Zett2 D35004/3500/28W/80/A30/EM1H	D290x150xH133±1mm	3500	2990	28W	107	30°
250748 Zett2 D35004/4000/28W/80/A30/EM1H	D290x150xH133±1mm	4000	3050	28W	109	30°
250750 Zett2 D35004/2700/28W/80/A45/EM1H	D290x150xH133±1mm	2700	2880	28W	103	45°
250751 Zett2 D35004/3000/28W/80/A45/EM1H	D290x150xH133±1mm	3000	2910	28W	104	45°
250752 Zett2 D35004/3500/28W/80/A45/EM1H	D290x150xH133±1mm	3500	2990	28W	107	45°
250753 Zett2 D35004/4000/28W/80/A45/EM1H	D290x150xH133±1mm	4000	3050	28W	109	45°
250755 Zett2 D35004/2700/28W/80/A55/EM1H	D290x150xH133±1mm	2700	2880	28W	103	55°
250756 Zett2 D35004/3000/28W/80/A55/EM1H	D290x150xH133±1mm	3000	2910	28W	104	55°
250757 Zett2 D35004/3500/28W/80/A55/EM1H	D290x150xH133±1mm	3500	2990	28W	107	55°
250758 Zett2 D35004/4000/28W/80/A55/EM1H	D290x150xH133±1mm	4000	3050	28W	109	55°
250760 Zett2 D35004/2700/40W/80/A20/EM1H	D290x150xH133±1mm	2700	4020	40W	101	20°
250761 Zett2 D35004/3000/40W/80/A20/EM1H	D290x150xH133±1mm	3000	4050	40W	102	20°
250762 Zett2 D35004/3500/40W/80/A20/EM1H	D290x150xH133±1mm	3500	4160	40W	104	20°
250763 Zett2 D35004/4000/40W/80/A20/EM1H	D290x150xH133±1mm	4000	4240	40W	106	20°
250765 Zett2 D35004/2700/40W/80/A30/EM1H	D290x150xH133±1mm	2700	4020	40W	101	30°
250766 Zett2 D35004/3000/40W/80/A30/EM1H	D290x150xH133±1mm	3000	4050	40W	102	30°
250767 Zett2 D35004/3500/40W/80/A30/EM1H	D290x150xH133±1mm	3500	4160	40W	104	30°
250768 Zett2 D35004/4000/40W/80/A30/EM1H	D290x150xH133±1mm	4000	4240	40W	106	30°
250770 Zett2 D35004/2700/40W/80/A45/EM1H	D290x150xH133±1mm	2700	4020	40W	101	45°
250771 Zett2 D35004/3000/40W/80/A45/EM1H	D290x150xH133±1mm	3000	4050	40W	102	45°
250772 Zett2 D35004/3500/40W/80/A45/EM1H	D290x150xH133±1mm	3500	4160	40W	104	45°
250773 Zett2 D35004/4000/40W/80/A45/EM1H	D290x150xH133±1mm	4000	4240	40W	106	45°
250775 Zett2 D35004/2700/40W/80/A55/EM1H	D290x150xH133±1mm	2700	4020	40W	101	55°
250776 Zett2 D35004/3000/40W/80/A55/EM1H	D290x150xH133±1mm	3000	4050	40W	102	55°
250777 Zett2 D35004/3500/40W/80/A55/EM1H	D290x150xH133±1mm	3500	4160	40W	104	55°
250778 Zett2 D35004/4000/40W/80/A55/EM1H	D290x150xH133±1mm	4000	4240	40W	106	55°
250780 Zett2 D35004/2700/54W/80/A20/EM1H	D290x150xH133±1mm	2700	5210	54W	97	20°
250781 Zett2 D35004/3000/54W/80/A20/EM1H	D290x150xH133±1mm	3000	5260	54W	98	20°
250782 Zett2 D35004/3500/54W/80/A20/EM1H	D290x150xH133±1mm	3500	5400	54W	100	20°
250783 Zett2 D35004/4000/54W/80/A20/EM1H	D290x150xH133±1mm	4000	5510	54W	103	20°
250785 Zett2 D35004/2700/54W/80/A30/EM1H	D290x150xH133±1mm	2700	5210	54W	97	30°
250786 Zett2 D35004/3000/54W/80/A30/EM1H	D290x150xH133±1mm	3000	5260	54W	98	30°
250787 Zett2 D35004/3500/54W/80/A30/EM1H	D290x150xH133±1mm	3500	5400	54W	100	30°
250788 Zett2 D35004/4000/54W/80/A30/EM1H	D290x150xH133±1mm	4000	5510	54W	103	30°
250790 Zett2 D35004/2700/54W/80/A45/EM1H	D290x150xH133±1mm	2700	5210	54W	97	45°
250791 Zett2 D35004/3000/54W/80/A45/EM1H	D290x150xH133±1mm	3000	5260	54W	98	45°
250792 Zett2 D35004/3500/54W/80/A45/EM1H	D290x150xH133±1mm	3500	5400	54W	100	45°
250793 Zett2 D35004/4000/54W/80/A45/EM1H	D290x150xH133±1mm	4000	5510	54W	103	45°
250795 Zett2 D35004/2700/54W/80/A55/EM1H	D290x150xH133±1mm	2700	5210	54W	97	55°
250796 Zett2 D35004/3000/54W/80/A55/EM1H	D290x150xH133±1mm	3000	5260	54W	98	55°
250797 Zett2 D35004/3500/54W/80/A55/EM1H	D290x150xH133±1mm	3500	5400	54W	100	55°
250798 Zett2 D35004/4000/54W/80/A55/EM1H	D290x150xH133±1mm	4000	5510	54W	103	55°
250300 Zett1 D35003/AMB2200/14W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	20°
250301 Zett1 D35003/AMB2200/14W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	30°
250302 Zett1 D35003/AMB2200/14W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	45°
250303 Zett1 D35003/AMB2200/14W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250304 Zett1 D35003/AMB2200/20W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	20°
250305 Zett1 D35003/AMB2200/20W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	30°
250306 Zett1 D35003/AMB2200/20W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	45°
250307 Zett1 D35003/AMB2200/20W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	55°
250308 Zett1 D35003/AMB2200/27W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	20°
250309 Zett1 D35003/AMB2200/27W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	30°
250310 Zett1 D35003/AMB2200/27W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	45°
250311 Zett1 D35003/AMB2200/27W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	55°
250800 Zett2 D35004/AMB2200/28W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	20°
250801 Zett2 D35004/AMB2200/28W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	30°
250802 Zett2 D35004/AMB2200/28W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	45°
250803 Zett2 D35004/AMB2200/28W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	55°
250804 Zett2 D35004/AMB2200/40W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	20°
250805 Zett2 D35004/AMB2200/40W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	30°
250806 Zett2 D35004/AMB2200/40W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	45°
250807 Zett2 D35004/AMB2200/40W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	55°
250808 Zett2 D35004/AMB2200/54W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	20°
250809 Zett2 D35004/AMB2200/54W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	30°
250810 Zett2 D35004/AMB2200/54W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	45°
250811 Zett2 D35004/AMB2200/54W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	55°
250312 Zett1 D35003/2700/14W/80/A20/EM3H	D150x150xH133±1mm	2700	1440	14W	103	20°
250313 Zett1 D35003/3000/14W/80/A20/EM3H	D150x150xH133±1mm	3000	1455	14W	104	20°
250314 Zett1 D35003/3500/14W/80/A20/EM3H	D150x150xH133±1mm	3500	1495	14W	107	20°
250315 Zett1 D35003/4000/14W/80/A20/EM3H	D150x150xH133±1mm	4000	1525	14W	109	20°
250317 Zett1 D35003/2700/14W/80/A30/EM3H	D150x150xH133±1mm	2700	1440	14W	103	30°
250318 Zett1 D35003/3000/14W/80/A30/EM3H	D150x150xH133±1mm	3000	1455	14W	104	30°
250319 Zett1 D35003/3500/14W/80/A30/EM3H	D150x150xH133±1mm	3500	1495	14W	107	30°
250320 Zett1 D35003/4000/14W/80/A30/EM3H	D150x150xH133±1mm	4000	1525	14W	109	30°
250322 Zett1 D35003/2700/14W/80/A45/EM3H	D150x150xH133±1mm	2700	1440	14W	103	45°
250323 Zett1 D35003/3000/14W/80/A45/EM3H	D150x150xH133±1mm	3000	1455	14W	104	45°
250324 Zett1 D35003/3500/14W/80/A45/EM3H	D150x150xH133±1mm	3500	1495	14W	107	45°
250325 Zett1 D35003/4000/14W/80/A45/EM3H	D150x150xH133±1mm	4000	1525	14W	109	45°
250327 Zett1 D35003/2700/14W/80/A55/EM3H	D150x150xH133±1mm	2700	1440	14W	103	55°
250328 Zett1 D35003/3000/14W/80/A55/EM3H	D150x150xH133±1mm	3000	1455	14W	104	55°
250329 Zett1 D35003/3500/14W/80/A55/EM3H	D150x150xH133±1mm	3500	1495	14W	107	55°
250330 Zett1 D35003/4000/14W/80/A55/EM3H	D150x150xH133±1mm	4000	1525	14W	109	55°
250332 Zett1 D35003/2700/20W/80/A20/EM3H	D150x150xH133±1mm	2700	2010	20W	101	20°
250333 Zett1 D35003/3000/20W/80/A20/EM3H	D150x150xH133±1mm	3000	2025	20W	102	20°
250334 Zett1 D35003/3500/20W/80/A20/EM3H	D150x150xH133±1mm	3500	2080	20W	104	20°
250335 Zett1 D35003/4000/20W/80/A20/EM3H	D150x150xH133±1mm	4000	2120	20W	106	20°
250337 Zett1 D35003/2700/20W/80/A30/EM3H	D150x150xH133±1mm	2700	2010	20W	101	30°
250338 Zett1 D35003/3000/20W/80/A30/EM3H	D150x150xH133±1mm	3000	2025	20W	102	30°
250339 Zett1 D35003/3500/20W/80/A30/EM3H	D150x150xH133±1mm	3500	2080	20W	104	30°
250340 Zett1 D35003/4000/20W/80/A30/EM3H	D150x150xH133±1mm	4000	2120	20W	106	30°
250342 Zett1 D35003/2700/20W/80/A45/EM3H	D150x150xH133±1mm	2700	2010	20W	101	45°
250343 Zett1 D35003/3000/20W/80/A45/EM3H	D150x150xH133±1mm	3000	2025	20W	102	45°
250344 Zett1 D35003/3500/20W/80/A45/EM3H	D150x150xH133±1mm	3500	2080	20W	104	45°
250345 Zett1 D35003/4000/20W/80/A45/EM3H	D150x150xH133±1mm	4000	2120	20W	106	45°
250347 Zett1 D35003/2700/20W/80/A55/EM3H	D150x150xH133±1mm	2700	2010	20W	101	55°
250348 Zett1 D35003/3000/20W/80/A55/EM3H	D150x150xH133±1mm	3000	2025	20W	102	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250349 Zett1 D35003/3500/20W/80/A55/EM3H	D150x150xH133±1mm	3500	2080	20W	104	55°
250350 Zett1 D35003/4000/20W/80/A55/EM3H	D150x150xH133±1mm	4000	2120	20W	106	55°
250352 Zett1 D35003/2700/27W/80/A20/EM3H	D150x150xH133±1mm	2700	2605	27W	97	20°
250353 Zett1 D35003/3000/27W/80/A20/EM3H	D150x150xH133±1mm	3000	2630	27W	98	20°
250354 Zett1 D35003/3500/27W/80/A20/EM3H	D150x150xH133±1mm	3500	2700	27W	100	20°
250355 Zett1 D35003/4000/27W/80/A20/EM3H	D150x150xH133±1mm	4000	2755	27W	103	20°
250357 Zett1 D35003/2700/27W/80/A30/EM3H	D150x150xH133±1mm	2700	2605	27W	97	30°
250358 Zett1 D35003/3000/27W/80/A30/EM3H	D150x150xH133±1mm	3000	2630	27W	98	30°
250359 Zett1 D35003/3500/27W/80/A30/EM3H	D150x150xH133±1mm	3500	2700	27W	100	30°
250360 Zett1 D35003/4000/27W/80/A30/EM3H	D150x150xH133±1mm	4000	2755	27W	103	30°
250362 Zett1 D35003/2700/27W/80/A45/EM3H	D150x150xH133±1mm	2700	2605	27W	97	45°
250363 Zett1 D35003/3000/27W/80/A45/EM3H	D150x150xH133±1mm	3000	2630	27W	98	45°
250364 Zett1 D35003/3500/27W/80/A45/EM3H	D150x150xH133±1mm	3500	2700	27W	100	45°
250365 Zett1 D35003/4000/27W/80/A45/EM3H	D150x150xH133±1mm	4000	2755	27W	103	45°
250367 Zett1 D35003/2700/27W/80/A55/EM3H	D150x150xH133±1mm	2700	2605	27W	97	55°
250368 Zett1 D35003/3000/27W/80/A55/EM3H	D150x150xH133±1mm	3000	2630	27W	98	55°
250369 Zett1 D35003/3500/27W/80/A55/EM3H	D150x150xH133±1mm	3500	2700	27W	100	55°
250370 Zett1 D35003/4000/27W/80/A55/EM3H	D150x150xH133±1mm	4000	2755	27W	103	55°
250812 Zett2 D35004/2700/28W/80/A20/EM3H	D290x150xH133±1mm	2700	2880	28W	103	20°
250813 Zett2 D35004/3000/28W/80/A20/EM3H	D290x150xH133±1mm	3000	2910	28W	104	20°
250814 Zett2 D35004/3500/28W/80/A20/EM3H	D290x150xH133±1mm	3500	2990	28W	107	20°
250815 Zett2 D35004/4000/28W/80/A20/EM3H	D290x150xH133±1mm	4000	3050	28W	109	20°
250817 Zett2 D35004/2700/28W/80/A30/EM3H	D290x150xH133±1mm	2700	2880	28W	103	30°
250818 Zett2 D35004/3000/28W/80/A30/EM3H	D290x150xH133±1mm	3000	2910	28W	104	30°
250819 Zett2 D35004/3500/28W/80/A30/EM3H	D290x150xH133±1mm	3500	2990	28W	107	30°
250820 Zett2 D35004/4000/28W/80/A30/EM3H	D290x150xH133±1mm	4000	3050	28W	109	30°
250822 Zett2 D35004/2700/28W/80/A45/EM3H	D290x150xH133±1mm	2700	2880	28W	103	45°
250823 Zett2 D35004/3000/28W/80/A45/EM3H	D290x150xH133±1mm	3000	2910	28W	104	45°
250824 Zett2 D35004/3500/28W/80/A45/EM3H	D290x150xH133±1mm	3500	2990	28W	107	45°
250825 Zett2 D35004/4000/28W/80/A45/EM3H	D290x150xH133±1mm	4000	3050	28W	109	45°
250827 Zett2 D35004/2700/28W/80/A55/EM3H	D290x150xH133±1mm	2700	2880	28W	103	55°
250828 Zett2 D35004/3000/28W/80/A55/EM3H	D290x150xH133±1mm	3000	2910	28W	104	55°
250829 Zett2 D35004/3500/28W/80/A55/EM3H	D290x150xH133±1mm	3500	2990	28W	107	55°
250830 Zett2 D35004/4000/28W/80/A55/EM3H	D290x150xH133±1mm	4000	3050	28W	109	55°
250832 Zett2 D35004/2700/40W/80/A20/EM3H	D290x150xH133±1mm	2700	4020	40W	101	20°
250833 Zett2 D35004/3000/40W/80/A20/EM3H	D290x150xH133±1mm	3000	4050	40W	102	20°
250834 Zett2 D35004/3500/40W/80/A20/EM3H	D290x150xH133±1mm	3500	4160	40W	104	20°
250835 Zett2 D35004/4000/40W/80/A20/EM3H	D290x150xH133±1mm	4000	4240	40W	106	20°
250837 Zett2 D35004/2700/40W/80/A30/EM3H	D290x150xH133±1mm	2700	4020	40W	101	30°
250838 Zett2 D35004/3000/40W/80/A30/EM3H	D290x150xH133±1mm	3000	4050	40W	102	30°
250839 Zett2 D35004/3500/40W/80/A30/EM3H	D290x150xH133±1mm	3500	4160	40W	104	30°
250840 Zett2 D35004/4000/40W/80/A30/EM3H	D290x150xH133±1mm	4000	4240	40W	106	30°
250842 Zett2 D35004/2700/40W/80/A45/EM3H	D290x150xH133±1mm	2700	4020	40W	101	45°
250843 Zett2 D35004/3000/40W/80/A45/EM3H	D290x150xH133±1mm	3000	4050	40W	102	45°
250844 Zett2 D35004/3500/40W/80/A45/EM3H	D290x150xH133±1mm	3500	4160	40W	104	45°
250845 Zett2 D35004/4000/40W/80/A45/EM3H	D290x150xH133±1mm	4000	4240	40W	106	45°
250847 Zett2 D35004/2700/40W/80/A55/EM3H	D290x150xH133±1mm	2700	4020	40W	101	55°
250848 Zett2 D35004/3000/40W/80/A55/EM3H	D290x150xH133±1mm	3000	4050	40W	102	55°
250849 Zett2 D35004/3500/40W/80/A55/EM3H	D290x150xH133±1mm	3500	4160	40W	104	55°
250850 Zett2 D35004/4000/40W/80/A55/EM3H	D290x150xH133±1mm	4000	4240	40W	106	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250852 Zett2 D35004/2700/54W/80/A20/EM3H	D290x150xH133±1mm	2700	5210	54W	97	20°
250853 Zett2 D35004/3000/54W/80/A20/EM3H	D290x150xH133±1mm	3000	5260	54W	98	20°
250854 Zett2 D35004/3500/54W/80/A20/EM3H	D290x150xH133±1mm	3500	5400	54W	100	20°
250855 Zett2 D35004/4000/54W/80/A20/EM3H	D290x150xH133±1mm	4000	5510	54W	103	20°
250857 Zett2 D35004/2700/54W/80/A30/EM3H	D290x150xH133±1mm	2700	5210	54W	97	30°
250858 Zett2 D35004/3000/54W/80/A30/EM3H	D290x150xH133±1mm	3000	5260	54W	98	30°
250859 Zett2 D35004/3500/54W/80/A30/EM3H	D290x150xH133±1mm	3500	5400	54W	100	30°
250860 Zett2 D35004/4000/54W/80/A30/EM3H	D290x150xH133±1mm	4000	5510	54W	103	30°
250862 Zett2 D35004/2700/54W/80/A45/EM3H	D290x150xH133±1mm	2700	5210	54W	97	45°
250863 Zett2 D35004/3000/54W/80/A45/EM3H	D290x150xH133±1mm	3000	5260	54W	98	45°
250864 Zett2 D35004/3500/54W/80/A45/EM3H	D290x150xH133±1mm	3500	5400	54W	100	45°
250865 Zett2 D35004/4000/54W/80/A45/EM3H	D290x150xH133±1mm	4000	5510	54W	103	45°
250867 Zett2 D35004/2700/54W/80/A55/EM3H	D290x150xH133±1mm	2700	5210	54W	97	55°
250868 Zett2 D35004/3000/54W/80/A55/EM3H	D290x150xH133±1mm	3000	5260	54W	98	55°
250869 Zett2 D35004/3500/54W/80/A55/EM3H	D290x150xH133±1mm	3500	5400	54W	100	55°
250870 Zett2 D35004/4000/54W/80/A55/EM3H	D290x150xH133±1mm	4000	5510	54W	103	55°
250408 Zett1 D35003/AMB2200/14W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	20°
250409 Zett1 D35003/AMB2200/14W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	30°
250410 Zett1 D35003/AMB2200/14W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	45°
250411 Zett1 D35003/AMB2200/14W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	55°
250412 Zett1 D35003/AMB2200/20W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	20°
250413 Zett1 D35003/AMB2200/20W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	30°
250414 Zett1 D35003/AMB2200/20W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	45°
250415 Zett1 D35003/AMB2200/20W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	55°
250416 Zett1 D35003/AMB2200/27W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	20°
250417 Zett1 D35003/AMB2200/27W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	30°
250418 Zett1 D35003/AMB2200/27W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	45°
250419 Zett1 D35003/AMB2200/27W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	55°
250908 Zett2 D35004/AMB2200/28W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	20°
250909 Zett2 D35004/AMB2200/28W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	30°
250910 Zett2 D35004/AMB2200/28W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	45°
250911 Zett2 D35004/AMB2200/28W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	55°
250912 Zett2 D35004/AMB2200/40W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	20°
250913 Zett2 D35004/AMB2200/40W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	30°
250914 Zett2 D35004/AMB2200/40W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	45°
250915 Zett2 D35004/AMB2200/40W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	55°
250916 Zett2 D35004/AMB2200/54W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	20°
250917 Zett2 D35004/AMB2200/54W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	30°
250918 Zett2 D35004/AMB2200/54W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	45°
250919 Zett2 D35004/AMB2200/54W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	55°
CRI 93						
250128 Zett1 D35003/AGI3000/17W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	20°
250129 Zett1 D35003/AGI3500/17W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	20°
250130 Zett1 D35003/AGI4000/17W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	20°
250131 Zett1 D35003/AGI3000/17W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	30°
250132 Zett1 D35003/AGI3500/17W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	30°
250133 Zett1 D35003/AGI4000/17W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	30°
250134 Zett1 D35003/AGI3000/17W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	45°
250135 Zett1 D35003/AGI3500/17W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	45°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
250136 Zett1 D35003/AGI4000/17W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	45°
250137 Zett1 D35003/AGI3000/17W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	55°
250138 Zett1 D35003/AGI3500/17W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	55°
250139 Zett1 D35003/AGI4000/17W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	55°
250140 Zett1 D35003/AGI3000/23W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	20°
250141 Zett1 D35003/AGI3500/23W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	20°
250142 Zett1 D35003/AGI4000/23W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	20°
250143 Zett1 D35003/AGI3000/23W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	30°
250144 Zett1 D35003/AGI3500/23W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	30°
250145 Zett1 D35003/AGI4000/23W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	30°
250146 Zett1 D35003/AGI3000/23W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	45°
250147 Zett1 D35003/AGI3500/23W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	45°
250148 Zett1 D35003/AGI4000/23W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	45°
250149 Zett1 D35003/AGI3000/23W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	55°
250150 Zett1 D35003/AGI3500/23W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	55°
250151 Zett1 D35003/AGI4000/23W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	55°
250152 Zett1 D35003/AGI3000/29W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	20°
250153 Zett1 D35003/AGI3500/29W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	20°
250154 Zett1 D35003/AGI4000/29W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	20°
250155 Zett1 D35003/AGI3000/29W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	30°
250156 Zett1 D35003/AGI3500/29W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	30°
250157 Zett1 D35003/AGI4000/29W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	30°
250158 Zett1 D35003/AGI3000/29W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	45°
250159 Zett1 D35003/AGI3500/29W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	45°
250160 Zett1 D35003/AGI4000/29W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	45°
250161 Zett1 D35003/AGI3000/29W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	55°
250162 Zett1 D35003/AGI3500/29W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	55°
250163 Zett1 D35003/AGI4000/29W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	55°
250628 Zett2 D35004/AGI3000/34W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	20°
250629 Zett2 D35004/AGI3500/34W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	20°
250630 Zett2 D35004/AGI4000/34W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	20°
250631 Zett2 D35004/AGI3000/34W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	30°
250632 Zett2 D35004/AGI3500/34W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	30°
250633 Zett2 D35004/AGI4000/34W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	30°
250634 Zett2 D35004/AGI3000/34W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	45°
250635 Zett2 D35004/AGI3500/34W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	45°
250636 Zett2 D35004/AGI4000/34W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	45°
250637 Zett2 D35004/AGI3000/34W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	55°
250638 Zett2 D35004/AGI3500/34W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	55°
250639 Zett2 D35004/AGI4000/34W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	55°
250640 Zett2 D35004/AGI3000/46W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	20°
250641 Zett2 D35004/AGI3500/46W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	20°
250642 Zett2 D35004/AGI4000/46W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	20°
250643 Zett2 D35004/AGI3000/46W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	30°
250644 Zett2 D35004/AGI3500/46W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	30°
250645 Zett2 D35004/AGI4000/46W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	30°
250646 Zett2 D35004/AGI3000/46W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	45°
250647 Zett2 D35004/AGI3500/46W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	45°
250648 Zett2 D35004/AGI4000/46W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	45°
250649 Zett2 D35004/AGI3000/46W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
250650 Zett2 D35004/AGI3500/46W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	55°
250651 Zett2 D35004/AGI4000/46W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	55°
250652 Zett2 D35004/AGI3000/58W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	20°
250653 Zett2 D35004/AGI3500/58W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	20°
250654 Zett2 D35004/AGI4000/58W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	20°
250655 Zett2 D35004/AGI3000/58W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	30°
250656 Zett2 D35004/AGI3500/58W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	30°
250657 Zett2 D35004/AGI4000/58W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	30°
250658 Zett2 D35004/AGI3000/58W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	45°
250659 Zett2 D35004/AGI3500/58W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	45°
250660 Zett2 D35004/AGI4000/58W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	45°
250661 Zett2 D35004/AGI3000/58W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	55°
250662 Zett2 D35004/AGI3500/58W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	55°
250663 Zett2 D35004/AGI4000/58W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	55°
250372 Zett1 D35003/AGI3000/17W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	20°
250373 Zett1 D35003/AGI3500/17W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	20°
250374 Zett1 D35003/AGI4000/17W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	20°
250375 Zett1 D35003/AGI3000/17W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	30°
250376 Zett1 D35003/AGI3500/17W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	30°
250377 Zett1 D35003/AGI4000/17W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	30°
250378 Zett1 D35003/AGI3000/17W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	45°
250379 Zett1 D35003/AGI3500/17W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	45°
250380 Zett1 D35003/AGI4000/17W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	45°
250381 Zett1 D35003/AGI3000/17W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	55°
250382 Zett1 D35003/AGI3500/17W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	55°
250383 Zett1 D35003/AGI4000/17W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	55°
250384 Zett1 D35003/AGI3000/23W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	20°
250385 Zett1 D35003/AGI3500/23W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	20°
250386 Zett1 D35003/AGI4000/23W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	20°
250387 Zett1 D35003/AGI3000/23W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	30°
250388 Zett1 D35003/AGI3500/23W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	30°
250389 Zett1 D35003/AGI4000/23W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	30°
250390 Zett1 D35003/AGI3000/23W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	45°
250391 Zett1 D35003/AGI3500/23W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	45°
250392 Zett1 D35003/AGI4000/23W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	45°
250393 Zett1 D35003/AGI3000/23W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	55°
250394 Zett1 D35003/AGI3500/23W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	55°
250395 Zett1 D35003/AGI4000/23W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	55°
250396 Zett1 D35003/AGI3000/29W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	20°
250397 Zett1 D35003/AGI3500/29W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	20°
250398 Zett1 D35003/AGI4000/29W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	20°
250399 Zett1 D35003/AGI3000/29W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	30°
250400 Zett1 D35003/AGI3500/29W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	30°
250401 Zett1 D35003/AGI4000/29W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	30°
250402 Zett1 D35003/AGI3000/29W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	45°
250403 Zett1 D35003/AGI3500/29W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	45°
250404 Zett1 D35003/AGI4000/29W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	45°
250405 Zett1 D35003/AGI3000/29W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	55°
250406 Zett1 D35003/AGI3500/29W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	55°
250407 Zett1 D35003/AGI4000/29W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
250872 Zett2 D35004/AGI3000/34W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	20°
250873 Zett2 D35004/AGI3500/34W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	20°
250874 Zett2 D35004/AGI4000/34W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	20°
250875 Zett2 D35004/AGI3000/34W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	30°
250876 Zett2 D35004/AGI3500/34W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	30°
250877 Zett2 D35004/AGI4000/34W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	30°
250878 Zett2 D35004/AGI3000/34W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	45°
250879 Zett2 D35004/AGI3500/34W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	45°
250880 Zett2 D35004/AGI4000/34W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	45°
250881 Zett2 D35004/AGI3000/34W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	55°
250882 Zett2 D35004/AGI3500/34W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	55°
250883 Zett2 D35004/AGI4000/34W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	55°
250884 Zett2 D35004/AGI3000/46W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	20°
250885 Zett2 D35004/AGI3500/46W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	20°
250886 Zett2 D35004/AGI4000/46W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	20°
250887 Zett2 D35004/AGI3000/46W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	30°
250888 Zett2 D35004/AGI3500/46W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	30°
250889 Zett2 D35004/AGI4000/46W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	30°
250890 Zett2 D35004/AGI3000/46W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	45°
250891 Zett2 D35004/AGI3500/46W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	45°
250892 Zett2 D35004/AGI4000/46W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	45°
250893 Zett2 D35004/AGI3000/46W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	55°
250894 Zett2 D35004/AGI3500/46W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	55°
250895 Zett2 D35004/AGI4000/46W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	55°
250896 Zett2 D35004/AGI3000/58W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	20°
250897 Zett2 D35004/AGI3500/58W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	20°
250898 Zett2 D35004/AGI4000/58W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	20°
250899 Zett2 D35004/AGI3000/58W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	30°
250900 Zett2 D35004/AGI3500/58W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	30°
250901 Zett2 D35004/AGI4000/58W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	30°
250902 Zett2 D35004/AGI3000/58W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	45°
250903 Zett2 D35004/AGI3500/58W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	45°
250904 Zett2 D35004/AGI4000/58W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	45°
250905 Zett2 D35004/AGI3000/58W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	55°
250906 Zett2 D35004/AGI3500/58W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	55°
250907 Zett2 D35004/AGI4000/58W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	55°

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.
 The presentation picture is for information purposes only. Latest document update: November 18, 2019 11:10 AM. www.greentek.eu