



Zett

RECESSED SPOTLIGHTS | DALI SERIES

Recessed downlight with the option of up to 2 bodies to independently move. Highly adjustable with a minimalist design that adds an unobtrusive yet elegant accent to the spaces where it's mounted. Its patented flexible mechanism enables the downlight to be rotated by 350° and tilted by 25°. Its lenses with different angle beams precisely direct the light towards the desired objects.

Zett's aluminium housing is available in several colors - Signal White, Jet Black and White Aluminium, for a perfect blend with various environments.

Zett recessed downlight comes in several series, with various add-on and controls:




- Zett Non-DALI – the standard for any project in the retail and healthcare sectors
- Zett Non-DALI EM – with emergency lighting kit
- Zett DALI – with DALI controls for illumination adjustments
- Zett DALI EM – with DALI controls and emergency lighting kit

APPLICATION

Supermarket | Fashion | Retail | Hospitality | Exhibition | Architectural

FEATURES & BENEFITS

- CRI > 80 as standard, up to 98 for special color temperatures
- Rotates through 350°, tilts through 25°
- 15 color temperatures, including specialized options for food, fashion, art, hospitality and AGI light
- Wide variety of angle beams: 20°, 30°, 45°, 55° (for a precise angle beam)
- Luminaire efficiency: 109lm/W @4000K
- Dimmable




SPECIFICATIONS

Power consumption	14W, 17W, 20W, 23W, 27W, 29W	28W, 34W, 40W, 46W, 54W, 58W
Dimensions	D150x150xH133±1mm	D290x150xH133±1mm
Weight	1.1 Kg	2 Kg
Housing materials	Aluminium, glass	
IK code	IK02	
THD (at 230V, 50Hz, Full load)	<10%	
Protection class	Safety class 1	
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F	
Operating humidity [%]	10 ÷ 85	
Power factor	≥0.95	
AC Input [Vac]	220 - 240 VAC	
Lens angle [°]	20°, 30°, 45°, 55°	
Lifespan [h]	50,000	
Housing color	○ RAL 9003 - Signal White, ● RAL 9005 - Jet Black, ● RAL 9006 - White Aluminium	
Lumen maintenance	L90/B10@50,000h at 25°C	
IP factor (general)	IP20	
Control option	DALI	
Warranty [years]	5	
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F	
Emergency option	-	

#	Standard	Food	Fashion	AGI	ART	AMB
CRI	CRI80	CRI80	CRI95	CRI93	CRI98	CRI80
CCT [K]	2700 / 3000 / 3500 / 4000	BVF / FBS / FZM / FSM / FSH	FAS	AGI 3000 / 3500 / 4000	3000	2200
MacAdam	3	3 / 4 / 4 / 3 / 3	3	3	2	3

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM

BATTERY WARRANTY

Non-DALI EM & DALI EM: 12 months warranty

Non-DALI & DALI: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
8-20W	Non-DALI	62	50	31	104	85	52
23-35W	Non-DALI	24	20	10	47	40	20
42W	Non-DALI	20	16	8	38	32	16
8-20W	DALI	62	50	31	104	85	52
23-27W	DALI	25	21	13	50	42	26
34-42W	DALI	17	14	9	34	28	18

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD >35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250000 Zett1 D35003/2700/14W/80/A20	D150x150xH133±1mm	2700	1440	14W	103	20°
250001 Zett1 D35003/3000/14W/80/A20	D150x150xH133±1mm	3000	1455	14W	104	20°
250002 Zett1 D35003/3500/14W/80/A20	D150x150xH133±1mm	3500	1495	14W	107	20°
250003 Zett1 D35003/4000/14W/80/A20	D150x150xH133±1mm	4000	1525	14W	109	20°
250005 Zett1 D35003/2700/14W/80/A30	D150x150xH133±1mm	2700	1440	14W	103	30°
250006 Zett1 D35003/3000/14W/80/A30	D150x150xH133±1mm	3000	1455	14W	104	30°
250007 Zett1 D35003/3500/14W/80/A30	D150x150xH133±1mm	3500	1495	14W	107	30°
250008 Zett1 D35003/4000/14W/80/A30	D150x150xH133±1mm	4000	1525	14W	109	30°
250010 Zett1 D35003/2700/14W/80/A45	D150x150xH133±1mm	2700	1440	14W	103	45°
250011 Zett1 D35003/3000/14W/80/A45	D150x150xH133±1mm	3000	1455	14W	104	45°
250012 Zett1 D35003/3500/14W/80/A45	D150x150xH133±1mm	3500	1495	14W	107	45°
250013 Zett1 D35003/4000/14W/80/A45	D150x150xH133±1mm	4000	1525	14W	109	45°
250015 Zett1 D35003/2700/14W/80/A55	D150x150xH133±1mm	2700	1440	14W	103	55°
250016 Zett1 D35003/3000/14W/80/A55	D150x150xH133±1mm	3000	1455	14W	104	55°
250017 Zett1 D35003/3500/14W/80/A55	D150x150xH133±1mm	3500	1495	14W	107	55°
250018 Zett1 D35003/4000/14W/80/A55	D150x150xH133±1mm	4000	1525	14W	109	55°
250020 Zett1 D35003/2700/20W/80/A20	D150x150xH133±1mm	2700	2010	20W	101	20°
250021 Zett1 D35003/3000/20W/80/A20	D150x150xH133±1mm	3000	2025	20W	102	20°
250022 Zett1 D35003/3500/20W/80/A20	D150x150xH133±1mm	3500	2080	20W	104	20°
250023 Zett1 D35003/4000/20W/80/A20	D150x150xH133±1mm	4000	2120	20W	106	20°
250025 Zett1 D35003/2700/20W/80/A30	D150x150xH133±1mm	2700	2010	20W	101	30°
250026 Zett1 D35003/3000/20W/80/A30	D150x150xH133±1mm	3000	2025	20W	102	30°
250027 Zett1 D35003/3500/20W/80/A30	D150x150xH133±1mm	3500	2080	20W	104	30°
250028 Zett1 D35003/4000/20W/80/A30	D150x150xH133±1mm	4000	2120	20W	106	30°
250030 Zett1 D35003/2700/20W/80/A45	D150x150xH133±1mm	2700	2010	20W	101	45°
250031 Zett1 D35003/3000/20W/80/A45	D150x150xH133±1mm	3000	2025	20W	102	45°
250032 Zett1 D35003/3500/20W/80/A45	D150x150xH133±1mm	3500	2080	20W	104	45°
250033 Zett1 D35003/4000/20W/80/A45	D150x150xH133±1mm	4000	2120	20W	106	45°
250035 Zett1 D35003/2700/20W/80/A55	D150x150xH133±1mm	2700	2010	20W	101	55°
250036 Zett1 D35003/3000/20W/80/A55	D150x150xH133±1mm	3000	2025	20W	102	55°
250037 Zett1 D35003/3500/20W/80/A55	D150x150xH133±1mm	3500	2080	20W	104	55°
250038 Zett1 D35003/4000/20W/80/A55	D150x150xH133±1mm	4000	2120	20W	106	55°
250040 Zett1 D35003/2700/27W/80/A20	D150x150xH133±1mm	2700	2605	27W	97	20°
250041 Zett1 D35003/3000/27W/80/A20	D150x150xH133±1mm	3000	2630	27W	98	20°
250042 Zett1 D35003/3500/27W/80/A20	D150x150xH133±1mm	3500	2700	27W	100	20°
250043 Zett1 D35003/4000/27W/80/A20	D150x150xH133±1mm	4000	2755	27W	103	20°
250045 Zett1 D35003/2700/27W/80/A30	D150x150xH133±1mm	2700	2605	27W	97	30°
250046 Zett1 D35003/3000/27W/80/A30	D150x150xH133±1mm	3000	2630	27W	98	30°
250047 Zett1 D35003/3500/27W/80/A30	D150x150xH133±1mm	3500	2700	27W	100	30°
250048 Zett1 D35003/4000/27W/80/A30	D150x150xH133±1mm	4000	2755	27W	103	30°
250050 Zett1 D35003/2700/27W/80/A45	D150x150xH133±1mm	2700	2605	27W	97	45°
250051 Zett1 D35003/3000/27W/80/A45	D150x150xH133±1mm	3000	2630	27W	98	45°
250052 Zett1 D35003/3500/27W/80/A45	D150x150xH133±1mm	3500	2700	27W	100	45°
250053 Zett1 D35003/4000/27W/80/A45	D150x150xH133±1mm	4000	2755	27W	103	45°
250055 Zett1 D35003/2700/27W/80/A55	D150x150xH133±1mm	2700	2605	27W	97	55°
250056 Zett1 D35003/3000/27W/80/A55	D150x150xH133±1mm	3000	2630	27W	98	55°
250057 Zett1 D35003/3500/27W/80/A55	D150x150xH133±1mm	3500	2700	27W	100	55°
250058 Zett1 D35003/4000/27W/80/A55	D150x150xH133±1mm	4000	2755	27W	103	55°
250500 Zett2 D35004/2700/28W/80/A20	D290x150xH133±1mm	2700	2880	28W	103	20°
250501 Zett2 D35004/3000/28W/80/A20	D290x150xH133±1mm	3000	2910	28W	104	20°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250502 Zett2 D35004/3500/28W/80/A20	D290x150xH133±1mm	3500	2990	28W	107	20°
250503 Zett2 D35004/4000/28W/80/A20	D290x150xH133±1mm	4000	3050	28W	109	20°
250505 Zett2 D35004/2700/28W/80/A30	D290x150xH133±1mm	2700	2880	28W	103	30°
250506 Zett2 D35004/3000/28W/80/A30	D290x150xH133±1mm	3000	2910	28W	104	30°
250507 Zett2 D35004/3500/28W/80/A30	D290x150xH133±1mm	3500	2990	28W	107	30°
250508 Zett2 D35004/4000/28W/80/A30	D290x150xH133±1mm	4000	3050	28W	109	30°
250510 Zett2 D35004/2700/28W/80/A45	D290x150xH133±1mm	2700	2880	28W	103	45°
250511 Zett2 D35004/3000/28W/80/A45	D290x150xH133±1mm	3000	2910	28W	104	45°
250512 Zett2 D35004/3500/28W/80/A45	D290x150xH133±1mm	3500	2990	28W	107	45°
250513 Zett2 D35004/4000/28W/80/A45	D290x150xH133±1mm	4000	3050	28W	109	45°
250515 Zett2 D35004/2700/28W/80/A55	D290x150xH133±1mm	2700	2880	28W	103	55°
250516 Zett2 D35004/3000/28W/80/A55	D290x150xH133±1mm	3000	2910	28W	104	55°
250517 Zett2 D35004/3500/28W/80/A55	D290x150xH133±1mm	3500	2990	28W	107	55°
250518 Zett2 D35004/4000/28W/80/A55	D290x150xH133±1mm	4000	3050	28W	109	55°
250520 Zett2 D35004/2700/40W/80/A20	D290x150xH133±1mm	2700	4020	40W	101	20°
250521 Zett2 D35004/3000/40W/80/A20	D290x150xH133±1mm	3000	4050	40W	102	20°
250522 Zett2 D35004/3500/40W/80/A20	D290x150xH133±1mm	3500	4160	40W	104	20°
250523 Zett2 D35004/4000/40W/80/A20	D290x150xH133±1mm	4000	4240	40W	106	20°
250525 Zett2 D35004/2700/40W/80/A30	D290x150xH133±1mm	2700	4020	40W	101	30°
250526 Zett2 D35004/3000/40W/80/A30	D290x150xH133±1mm	3000	4050	40W	102	30°
250527 Zett2 D35004/3500/40W/80/A30	D290x150xH133±1mm	3500	4160	40W	104	30°
250528 Zett2 D35004/4000/40W/80/A30	D290x150xH133±1mm	4000	4240	40W	106	30°
250530 Zett2 D35004/2700/40W/80/A45	D290x150xH133±1mm	2700	4020	40W	101	45°
250531 Zett2 D35004/3000/40W/80/A45	D290x150xH133±1mm	3000	4050	40W	102	45°
250532 Zett2 D35004/3500/40W/80/A45	D290x150xH133±1mm	3500	4160	40W	104	45°
250533 Zett2 D35004/4000/40W/80/A45	D290x150xH133±1mm	4000	4240	40W	106	45°
250535 Zett2 D35004/2700/40W/80/A55	D290x150xH133±1mm	2700	4020	40W	101	55°
250536 Zett2 D35004/3000/40W/80/A55	D290x150xH133±1mm	3000	4050	40W	102	55°
250537 Zett2 D35004/3500/40W/80/A55	D290x150xH133±1mm	3500	4160	40W	104	55°
250538 Zett2 D35004/4000/40W/80/A55	D290x150xH133±1mm	4000	4240	40W	106	55°
250540 Zett2 D35004/2700/54W/80/A20	D290x150xH133±1mm	2700	5210	54W	97	20°
250541 Zett2 D35004/3000/54W/80/A20	D290x150xH133±1mm	3000	5260	54W	98	20°
250542 Zett2 D35004/3500/54W/80/A20	D290x150xH133±1mm	3500	5400	54W	100	20°
250543 Zett2 D35004/4000/54W/80/A20	D290x150xH133±1mm	4000	5510	54W	103	20°
250545 Zett2 D35004/2700/54W/80/A30	D290x150xH133±1mm	2700	5210	54W	97	30°
250546 Zett2 D35004/3000/54W/80/A30	D290x150xH133±1mm	3000	5260	54W	98	30°
250547 Zett2 D35004/3500/54W/80/A30	D290x150xH133±1mm	3500	5400	54W	100	30°
250548 Zett2 D35004/4000/54W/80/A30	D290x150xH133±1mm	4000	5510	54W	103	30°
250550 Zett2 D35004/2700/54W/80/A45	D290x150xH133±1mm	2700	5210	54W	97	45°
250551 Zett2 D35004/3000/54W/80/A45	D290x150xH133±1mm	3000	5260	54W	98	45°
250552 Zett2 D35004/3500/54W/80/A45	D290x150xH133±1mm	3500	5400	54W	100	45°
250553 Zett2 D35004/4000/54W/80/A45	D290x150xH133±1mm	4000	5510	54W	103	45°
250555 Zett2 D35004/2700/54W/80/A55	D290x150xH133±1mm	2700	5210	54W	97	55°
250556 Zett2 D35004/3000/54W/80/A55	D290x150xH133±1mm	3000	5260	54W	98	55°
250557 Zett2 D35004/3500/54W/80/A55	D290x150xH133±1mm	3500	5400	54W	100	55°
250558 Zett2 D35004/4000/54W/80/A55	D290x150xH133±1mm	4000	5510	54W	103	55°
250164 Zett1 D35003/BVF/14W/80/A20	D150x150xH133±1mm	BVF	1225	14W	88	20°
250165 Zett1 D35003/FBS/14W/80/A20	D150x150xH133±1mm	FBS	830	14W	60	20°
250166 Zett1 D35003/FZM/14W/80/A20	D150x150xH133±1mm	FZM	800	14W	58	20°
250167 Zett1 D35003/FSM/14W/80/A20	D150x150xH133±1mm	FSM	830	14W	60	20°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250168 Zett1 D35003/FSH/14W/80/A20	D150x150xH133±1mm	FSH	1180	14W	85	20°
250169 Zett1 D35003/BVF/14W/80/A30	D150x150xH133±1mm	BVF	1225	14W	88	30°
250170 Zett1 D35003/FBS/14W/80/A30	D150x150xH133±1mm	FBS	830	14W	60	30°
250171 Zett1 D35003/FZM/14W/80/A30	D150x150xH133±1mm	FZM	800	14W	58	30°
250172 Zett1 D35003/FSM/14W/80/A30	D150x150xH133±1mm	FSM	830	14W	60	30°
250173 Zett1 D35003/FSH/14W/80/A30	D150x150xH133±1mm	FSH	1180	14W	85	30°
250174 Zett1 D35003/BVF/14W/80/A45	D150x150xH133±1mm	BVF	1225	14W	88	45°
250175 Zett1 D35003/FBS/14W/80/A45	D150x150xH133±1mm	FBS	830	14W	60	45°
250176 Zett1 D35003/FZM/14W/80/A45	D150x150xH133±1mm	FZM	800	14W	58	45°
250177 Zett1 D35003/FSM/14W/80/A45	D150x150xH133±1mm	FSM	830	14W	60	45°
250178 Zett1 D35003/FSH/14W/80/A45	D150x150xH133±1mm	FSH	1180	14W	85	45°
250179 Zett1 D35003/BVF/14W/80/A55	D150x150xH133±1mm	BVF	1225	14W	88	55°
250180 Zett1 D35003/FBS/14W/80/A55	D150x150xH133±1mm	FBS	830	14W	60	55°
250181 Zett1 D35003/FZM/14W/80/A55	D150x150xH133±1mm	FZM	800	14W	58	55°
250182 Zett1 D35003/FSM/14W/80/A55	D150x150xH133±1mm	FSM	830	14W	60	55°
250183 Zett1 D35003/FSH/14W/80/A55	D150x150xH133±1mm	FSH	1180	14W	85	55°
250184 Zett1 D35003/BVF/20W/80/A20	D150x150xH133±1mm	BVF	1675	20W	84	20°
250185 Zett1 D35003/FBS/20W/80/A20	D150x150xH133±1mm	FBS	1155	20W	58	20°
250186 Zett1 D35003/FZM/20W/80/A20	D150x150xH133±1mm	FZM	1105	20W	56	20°
250187 Zett1 D35003/FSM/20W/80/A20	D150x150xH133±1mm	FSM	1130	20W	57	20°
250188 Zett1 D35003/FSH/20W/80/A20	D150x150xH133±1mm	FSH	1640	20W	82	20°
250189 Zett1 D35003/BVF/20W/80/A30	D150x150xH133±1mm	BVF	1675	20W	84	30°
250190 Zett1 D35003/FBS/20W/80/A30	D150x150xH133±1mm	FBS	1155	20W	58	30°
250191 Zett1 D35003/FZM/20W/80/A30	D150x150xH133±1mm	FZM	1105	20W	56	30°
250192 Zett1 D35003/FSM/20W/80/A30	D150x150xH133±1mm	FSM	1130	20W	57	30°
250193 Zett1 D35003/FSH/20W/80/A30	D150x150xH133±1mm	FSH	1640	20W	82	30°
250194 Zett1 D35003/BVF/20W/80/A45	D150x150xH133±1mm	BVF	1675	20W	84	45°
250195 Zett1 D35003/FBS/20W/80/A45	D150x150xH133±1mm	FBS	1155	20W	58	45°
250196 Zett1 D35003/FZM/20W/80/A45	D150x150xH133±1mm	FZM	1105	20W	56	45°
250197 Zett1 D35003/FSM/20W/80/A45	D150x150xH133±1mm	FSM	1130	20W	57	45°
250198 Zett1 D35003/FSH/20W/80/A45	D150x150xH133±1mm	FSH	1640	20W	82	45°
250199 Zett1 D35003/BVF/20W/80/A55	D150x150xH133±1mm	BVF	1675	20W	84	55°
250200 Zett1 D35003/FBS/20W/80/A55	D150x150xH133±1mm	FBS	1155	20W	58	55°
250201 Zett1 D35003/FZM/20W/80/A55	D150x150xH133±1mm	FZM	1105	20W	56	55°
250202 Zett1 D35003/FSM/20W/80/A55	D150x150xH133±1mm	FSM	1130	20W	57	55°
250203 Zett1 D35003/FSH/20W/80/A55	D150x150xH133±1mm	FSH	1640	20W	82	55°
250060 Zett1 D35003/BVF/27W/80/A20	D150x150xH133±1mm	BVF	2220	27W	83	20°
250061 Zett1 D35003/FBS/27W/80/A20	D150x150xH133±1mm	FBS	1515	27W	57	20°
250062 Zett1 D35003/FZM/27W/80/A20	D150x150xH133±1mm	FZM	1455	27W	54	20°
250063 Zett1 D35003/FSM/27W/80/A20	D150x150xH133±1mm	FSM	1480	27W	55	20°
250064 Zett1 D35003/FSH/27W/80/A20	D150x150xH133±1mm	FSH	2170	27W	81	20°
250065 Zett1 D35003/BVF/27W/80/A30	D150x150xH133±1mm	BVF	2220	27W	83	30°
250066 Zett1 D35003/FBS/27W/80/A30	D150x150xH133±1mm	FBS	1515	27W	57	30°
250067 Zett1 D35003/FZM/27W/80/A30	D150x150xH133±1mm	FZM	1455	27W	54	30°
250068 Zett1 D35003/FSM/27W/80/A30	D150x150xH133±1mm	FSM	1480	27W	55	30°
250069 Zett1 D35003/FSH/27W/80/A30	D150x150xH133±1mm	FSH	2170	27W	81	30°
250070 Zett1 D35003/BVF/27W/80/A45	D150x150xH133±1mm	BVF	2220	27W	83	45°
250071 Zett1 D35003/FBS/27W/80/A45	D150x150xH133±1mm	FBS	1515	27W	57	45°
250072 Zett1 D35003/FZM/27W/80/A45	D150x150xH133±1mm	FZM	1455	27W	54	45°
250073 Zett1 D35003/FSM/27W/80/A45	D150x150xH133±1mm	FSM	1480	27W	55	45°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250074 Zett1 D35003/FSH/27W/80/A45	D150x150xH133±1mm	FSH	2170	27W	81	45°
250075 Zett1 D35003/BVF/27W/80/A55	D150x150xH133±1mm	BVF	2220	27W	83	55°
250076 Zett1 D35003/FBS/27W/80/A55	D150x150xH133±1mm	FBS	1515	27W	57	55°
250077 Zett1 D35003/FZM/27W/80/A55	D150x150xH133±1mm	FZM	1455	27W	54	55°
250078 Zett1 D35003/FSM/27W/80/A55	D150x150xH133±1mm	FSM	1480	27W	55	55°
250079 Zett1 D35003/FSH/27W/80/A55	D150x150xH133±1mm	FSH	2170	27W	81	55°
250664 Zett2 D35004/BVF/28W/80/A20	D290x150xH133±1mm	BVF	2450	28W	88	20°
250665 Zett2 D35004/FBS/28W/80/A20	D290x150xH133±1mm	FBS	1660	28W	60	20°
250666 Zett2 D35004/FZM/28W/80/A20	D290x150xH133±1mm	FZM	1600	28W	58	20°
250667 Zett2 D35004/FSM/28W/80/A20	D290x150xH133±1mm	FSM	1660	28W	60	20°
250668 Zett2 D35004/FSH/28W/80/A20	D290x150xH133±1mm	FSH	2360	28W	85	20°
250669 Zett2 D35004/BVF/28W/80/A30	D290x150xH133±1mm	BVF	2450	28W	88	30°
250670 Zett2 D35004/FBS/28W/80/A30	D290x150xH133±1mm	FBS	1660	28W	60	30°
250671 Zett2 D35004/FZM/28W/80/A30	D290x150xH133±1mm	FZM	1600	28W	58	30°
250672 Zett2 D35004/FSM/28W/80/A30	D290x150xH133±1mm	FSM	1660	28W	60	30°
250673 Zett2 D35004/FSH/28W/80/A30	D290x150xH133±1mm	FSH	2360	28W	85	30°
250674 Zett2 D35004/BVF/28W/80/A45	D290x150xH133±1mm	BVF	2450	28W	88	45°
250675 Zett2 D35004/FBS/28W/80/A45	D290x150xH133±1mm	FBS	1660	28W	60	45°
250676 Zett2 D35004/FZM/28W/80/A45	D290x150xH133±1mm	FZM	1600	28W	58	45°
250677 Zett2 D35004/FSM/28W/80/A45	D290x150xH133±1mm	FSM	1660	28W	60	45°
250678 Zett2 D35004/FSH/28W/80/A45	D290x150xH133±1mm	FSH	2360	28W	85	45°
250679 Zett2 D35004/BVF/28W/80/A55	D290x150xH133±1mm	BVF	2450	28W	88	55°
250680 Zett2 D35004/FBS/28W/80/A55	D290x150xH133±1mm	FBS	1660	28W	60	55°
250681 Zett2 D35004/FZM/28W/80/A55	D290x150xH133±1mm	FZM	1600	28W	58	55°
250682 Zett2 D35004/FSM/28W/80/A55	D290x150xH133±1mm	FSM	1660	28W	60	55°
250683 Zett2 D35004/FSH/28W/80/A55	D290x150xH133±1mm	FSH	2360	28W	85	55°
250684 Zett2 D35004/BVF/40W/80/A20	D290x150xH133±1mm	BVF	3350	40W	84	20°
250685 Zett2 D35004/FBS/40W/80/A20	D290x150xH133±1mm	FBS	2310	40W	58	20°
250686 Zett2 D35004/FZM/40W/80/A20	D290x150xH133±1mm	FZM	2210	40W	56	20°
250687 Zett2 D35004/FSM/40W/80/A20	D290x150xH133±1mm	FSM	2260	40W	57	20°
250688 Zett2 D35004/FSH/40W/80/A20	D290x150xH133±1mm	FSH	3280	40W	82	20°
250689 Zett2 D35004/BVF/40W/80/A30	D290x150xH133±1mm	BVF	3350	40W	84	30°
250690 Zett2 D35004/FBS/40W/80/A30	D290x150xH133±1mm	FBS	2310	40W	58	30°
250691 Zett2 D35004/FZM/40W/80/A30	D290x150xH133±1mm	FZM	2210	40W	56	30°
250692 Zett2 D35004/FSM/40W/80/A30	D290x150xH133±1mm	FSM	2260	40W	57	30°
250693 Zett2 D35004/FSH/40W/80/A30	D290x150xH133±1mm	FSH	3280	40W	82	30°
250694 Zett2 D35004/BVF/40W/80/A45	D290x150xH133±1mm	BVF	3350	40W	84	45°
250695 Zett2 D35004/FBS/40W/80/A45	D290x150xH133±1mm	FBS	2310	40W	58	45°
250696 Zett2 D35004/FZM/40W/80/A45	D290x150xH133±1mm	FZM	2210	40W	56	45°
250697 Zett2 D35004/FSM/40W/80/A45	D290x150xH133±1mm	FSM	2260	40W	57	45°
250698 Zett2 D35004/FSH/40W/80/A45	D290x150xH133±1mm	FSH	3280	40W	82	45°
250699 Zett2 D35004/BVF/40W/80/A55	D290x150xH133±1mm	BVF	3350	40W	84	55°
250700 Zett2 D35004/FBS/40W/80/A55	D290x150xH133±1mm	FBS	2310	40W	58	55°
250701 Zett2 D35004/FZM/40W/80/A55	D290x150xH133±1mm	FZM	2210	40W	56	55°
250702 Zett2 D35004/FSM/40W/80/A55	D290x150xH133±1mm	FSM	2260	40W	57	55°
250703 Zett2 D35004/FSH/40W/80/A55	D290x150xH133±1mm	FSH	3280	40W	82	55°
250560 Zett2 D35004/BVF/54W/80/A20	D290x150xH133±1mm	BVF	4440	54W	83	20°
250561 Zett2 D35004/FBS/54W/80/A20	D290x150xH133±1mm	FBS	3030	54W	57	20°
250562 Zett2 D35004/FZM/54W/80/A20	D290x150xH133±1mm	FZM	2910	54W	54	20°
250563 Zett2 D35004/FSM/54W/80/A20	D290x150xH133±1mm	FSM	2960	54W	55	20°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
250564 Zett2 D35004/FSH/54W/80/A20	D290x150xH133±1mm	FSH	4340	54W	81	20°
250565 Zett2 D35004/BVF/54W/80/A30	D290x150xH133±1mm	BVF	4440	54W	83	30°
250566 Zett2 D35004/FBS/54W/80/A30	D290x150xH133±1mm	FBS	3030	54W	57	30°
250567 Zett2 D35004/FZM/54W/80/A30	D290x150xH133±1mm	FZM	2910	54W	54	30°
250568 Zett2 D35004/FSM/54W/80/A30	D290x150xH133±1mm	FSM	2960	54W	55	30°
250569 Zett2 D35004/FSH/54W/80/A30	D290x150xH133±1mm	FSH	4340	54W	81	30°
250570 Zett2 D35004/BVF/54W/80/A45	D290x150xH133±1mm	BVF	4440	54W	83	45°
250571 Zett2 D35004/FBS/54W/80/A45	D290x150xH133±1mm	FBS	3030	54W	57	45°
250572 Zett2 D35004/FZM/54W/80/A45	D290x150xH133±1mm	FZM	2910	54W	54	45°
250573 Zett2 D35004/FSM/54W/80/A45	D290x150xH133±1mm	FSM	2960	54W	55	45°
250574 Zett2 D35004/FSH/54W/80/A45	D290x150xH133±1mm	FSH	4340	54W	81	45°
250575 Zett2 D35004/BVF/54W/80/A55	D290x150xH133±1mm	BVF	4440	54W	83	55°
250576 Zett2 D35004/FBS/54W/80/A55	D290x150xH133±1mm	FBS	3030	54W	57	55°
250577 Zett2 D35004/FZM/54W/80/A55	D290x150xH133±1mm	FZM	2910	54W	54	55°
250578 Zett2 D35004/FSM/54W/80/A55	D290x150xH133±1mm	FSM	2960	54W	55	55°
250579 Zett2 D35004/FSH/54W/80/A55	D290x150xH133±1mm	FSH	4340	54W	81	55°
250228 Zett1 D35003/AMB2200/14W/80/A20	D150x150xH133±1mm	AMB2200	1020	14W	73	20°
250229 Zett1 D35003/AMB2200/14W/80/A30	D150x150xH133±1mm	AMB2200	1020	14W	73	30°
250230 Zett1 D35003/AMB2200/14W/80/A45	D150x150xH133±1mm	AMB2200	1020	14W	73	45°
250231 Zett1 D35003/AMB2200/14W/80/A55	D150x150xH133±1mm	AMB2200	1020	14W	73	55°
250232 Zett1 D35003/AMB2200/20W/80/A20	D150x150xH133±1mm	AMB2200	1410	20W	71	20°
250233 Zett1 D35003/AMB2200/20W/80/A30	D150x150xH133±1mm	AMB2200	1410	20W	71	30°
250234 Zett1 D35003/AMB2200/20W/80/A45	D150x150xH133±1mm	AMB2200	1410	20W	71	45°
250235 Zett1 D35003/AMB2200/20W/80/A55	D150x150xH133±1mm	AMB2200	1410	20W	71	55°
250236 Zett1 D35003/AMB2200/27W/80/A20	D150x150xH133±1mm	AMB2200	1870	27W	70	20°
250237 Zett1 D35003/AMB2200/27W/80/A30	D150x150xH133±1mm	AMB2200	1870	27W	70	30°
250238 Zett1 D35003/AMB2200/27W/80/A45	D150x150xH133±1mm	AMB2200	1870	27W	70	45°
250239 Zett1 D35003/AMB2200/27W/80/A55	D150x150xH133±1mm	AMB2200	1870	27W	70	55°
250728 Zett2 D35004/AMB2200/28W/80/A20	D290x150xH133±1mm	AMB2200	2040	28W	73	20°
250729 Zett2 D35004/AMB2200/28W/80/A30	D290x150xH133±1mm	AMB2200	2040	28W	73	30°
250730 Zett2 D35004/AMB2200/28W/80/A45	D290x150xH133±1mm	AMB2200	2040	28W	73	45°
250731 Zett2 D35004/AMB2200/28W/80/A55	D290x150xH133±1mm	AMB2200	2040	28W	73	55°
250732 Zett2 D35004/AMB2200/40W/80/A20	D290x150xH133±1mm	AMB2200	2820	40W	71	20°
250733 Zett2 D35004/AMB2200/40W/80/A30	D290x150xH133±1mm	AMB2200	2820	40W	71	30°
250734 Zett2 D35004/AMB2200/40W/80/A45	D290x150xH133±1mm	AMB2200	2820	40W	71	45°
250735 Zett2 D35004/AMB2200/40W/80/A55	D290x150xH133±1mm	AMB2200	2820	40W	71	55°
250736 Zett2 D35004/AMB2200/54W/80/A20	D290x150xH133±1mm	AMB2200	3740	54W	70	20°
250737 Zett2 D35004/AMB2200/54W/80/A30	D290x150xH133±1mm	AMB2200	3740	54W	70	30°
250738 Zett2 D35004/AMB2200/54W/80/A45	D290x150xH133±1mm	AMB2200	3740	54W	70	45°
250739 Zett2 D35004/AMB2200/54W/80/A55	D290x150xH133±1mm	AMB2200	3740	54W	70	55°
CRI 93						
250092 Zett1 D35003/AGI3000/17W/93/A20	D150x150xH133±1mm	AGI3000	985	17W	58	20°
250093 Zett1 D35003/AGI3500/17W/93/A20	D150x150xH133±1mm	AGI3500	1050	17W	62	20°
250094 Zett1 D35003/AGI4000/17W/93/A20	D150x150xH133±1mm	AGI4000	1115	17W	66	20°
250095 Zett1 D35003/AGI3000/17W/93/A30	D150x150xH133±1mm	AGI3000	985	17W	58	30°
250096 Zett1 D35003/AGI3500/17W/93/A30	D150x150xH133±1mm	AGI3500	1050	17W	62	30°
250097 Zett1 D35003/AGI4000/17W/93/A30	D150x150xH133±1mm	AGI4000	1115	17W	66	30°
250098 Zett1 D35003/AGI3000/17W/93/A45	D150x150xH133±1mm	AGI3000	985	17W	58	45°
250099 Zett1 D35003/AGI3500/17W/93/A45	D150x150xH133±1mm	AGI3500	1050	17W	62	45°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
250100 Zett1 D35003/AGI4000/17W/93/A45	D150x150xH133±1mm	AGI4000	1115	17W	66	45°
250101 Zett1 D35003/AGI3000/17W/93/A55	D150x150xH133±1mm	AGI3000	985	17W	58	55°
250102 Zett1 D35003/AGI3500/17W/93/A55	D150x150xH133±1mm	AGI3500	1050	17W	62	55°
250103 Zett1 D35003/AGI4000/17W/93/A55	D150x150xH133±1mm	AGI4000	1115	17W	66	55°
250104 Zett1 D35003/AGI3000/23W/93/A20	D150x150xH133±1mm	AGI3000	1330	23W	58	20°
250105 Zett1 D35003/AGI3500/23W/93/A20	D150x150xH133±1mm	AGI3500	1440	23W	63	20°
250106 Zett1 D35003/AGI4000/23W/93/A20	D150x150xH133±1mm	AGI4000	1550	23W	68	20°
250107 Zett1 D35003/AGI3000/23W/93/A30	D150x150xH133±1mm	AGI3000	1330	23W	58	30°
250108 Zett1 D35003/AGI3500/23W/93/A30	D150x150xH133±1mm	AGI3500	1440	23W	63	30°
250109 Zett1 D35003/AGI4000/23W/93/A30	D150x150xH133±1mm	AGI4000	1550	23W	68	30°
250110 Zett1 D35003/AGI3000/23W/93/A45	D150x150xH133±1mm	AGI3000	1330	23W	58	45°
250111 Zett1 D35003/AGI3500/23W/93/A45	D150x150xH133±1mm	AGI3500	1440	23W	63	45°
250112 Zett1 D35003/AGI4000/23W/93/A45	D150x150xH133±1mm	AGI4000	1550	23W	68	45°
250113 Zett1 D35003/AGI3000/23W/93/A55	D150x150xH133±1mm	AGI3000	1330	23W	58	55°
250114 Zett1 D35003/AGI3500/23W/93/A55	D150x150xH133±1mm	AGI3500	1440	23W	63	55°
250115 Zett1 D35003/AGI4000/23W/93/A55	D150x150xH133±1mm	AGI4000	1550	23W	68	55°
250116 Zett1 D35003/AGI3000/29W/93/A20	D150x150xH133±1mm	AGI3000	1680	29W	58	20°
250117 Zett1 D35003/AGI3500/29W/93/A20	D150x150xH133±1mm	AGI3500	1820	29W	63	20°
250118 Zett1 D35003/AGI4000/29W/93/A20	D150x150xH133±1mm	AGI4000	1960	29W	68	20°
250119 Zett1 D35003/AGI3000/29W/93/A30	D150x150xH133±1mm	AGI3000	1680	29W	58	30°
250120 Zett1 D35003/AGI3500/29W/93/A30	D150x150xH133±1mm	AGI3500	1820	29W	63	30°
250121 Zett1 D35003/AGI4000/29W/93/A30	D150x150xH133±1mm	AGI4000	1960	29W	68	30°
250122 Zett1 D35003/AGI3000/29W/93/A45	D150x150xH133±1mm	AGI3000	1680	29W	58	45°
250123 Zett1 D35003/AGI3500/29W/93/A45	D150x150xH133±1mm	AGI3500	1820	29W	63	45°
250124 Zett1 D35003/AGI4000/29W/93/A45	D150x150xH133±1mm	AGI4000	1960	29W	68	45°
250125 Zett1 D35003/AGI3000/29W/93/A55	D150x150xH133±1mm	AGI3000	1680	29W	58	55°
250126 Zett1 D35003/AGI3500/29W/93/A55	D150x150xH133±1mm	AGI3500	1820	29W	63	55°
250127 Zett1 D35003/AGI4000/29W/93/A55	D150x150xH133±1mm	AGI4000	1960	29W	68	55°
250592 Zett2 D35004/AGI3000/34W/93/A20	D290x150xH133±1mm	AGI3000	1970	34W	58	20°
250593 Zett2 D35004/AGI3500/34W/93/A20	D290x150xH133±1mm	AGI3500	2100	34W	62	20°
250594 Zett2 D35004/AGI4000/34W/93/A20	D290x150xH133±1mm	AGI4000	2230	34W	66	20°
250595 Zett2 D35004/AGI3000/34W/93/A30	D290x150xH133±1mm	AGI3000	1970	34W	58	30°
250596 Zett2 D35004/AGI3500/34W/93/A30	D290x150xH133±1mm	AGI3500	2100	34W	62	30°
250597 Zett2 D35004/AGI4000/34W/93/A30	D290x150xH133±1mm	AGI4000	2230	34W	66	30°
250598 Zett2 D35004/AGI3000/34W/93/A45	D290x150xH133±1mm	AGI3000	1970	34W	58	45°
250599 Zett2 D35004/AGI3500/34W/93/A45	D290x150xH133±1mm	AGI3500	2100	34W	62	45°
250600 Zett2 D35004/AGI4000/34W/93/A45	D290x150xH133±1mm	AGI4000	2230	34W	66	45°
250601 Zett2 D35004/AGI3000/34W/93/A55	D290x150xH133±1mm	AGI3000	1970	34W	58	55°
250602 Zett2 D35004/AGI3500/34W/93/A55	D290x150xH133±1mm	AGI3500	2100	34W	62	55°
250603 Zett2 D35004/AGI4000/34W/93/A55	D290x150xH133±1mm	AGI4000	2230	34W	66	55°
250604 Zett2 D35004/AGI3000/46W/93/A20	D290x150xH133±1mm	AGI3000	2660	46W	58	20°
250605 Zett2 D35004/AGI3500/46W/93/A20	D290x150xH133±1mm	AGI3500	2880	46W	63	20°
250606 Zett2 D35004/AGI4000/46W/93/A20	D290x150xH133±1mm	AGI4000	3100	46W	68	20°
250607 Zett2 D35004/AGI3000/46W/93/A30	D290x150xH133±1mm	AGI3000	2660	46W	58	30°
250608 Zett2 D35004/AGI3500/46W/93/A30	D290x150xH133±1mm	AGI3500	2880	46W	63	30°
250609 Zett2 D35004/AGI4000/46W/93/A30	D290x150xH133±1mm	AGI4000	3100	46W	68	30°
250610 Zett2 D35004/AGI3000/46W/93/A45	D290x150xH133±1mm	AGI3000	2660	46W	58	45°
250611 Zett2 D35004/AGI3500/46W/93/A45	D290x150xH133±1mm	AGI3500	2880	46W	63	45°
250612 Zett2 D35004/AGI4000/46W/93/A45	D290x150xH133±1mm	AGI4000	3100	46W	68	45°
250613 Zett2 D35004/AGI3000/46W/93/A55	D290x150xH133±1mm	AGI3000	2660	46W	58	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
250614 Zett2 D35004/AGI3500/46W/93/A55	D290x150xH133±1mm	AGI3500	2880	46W	63	55°
250615 Zett2 D35004/AGI4000/46W/93/A55	D290x150xH133±1mm	AGI4000	3100	46W	68	55°
250616 Zett2 D35004/AGI3000/58W/93/A20	D290x150xH133±1mm	AGI3000	3360	58W	58	20°
250617 Zett2 D35004/AGI3500/58W/93/A20	D290x150xH133±1mm	AGI3500	3640	58W	63	20°
250618 Zett2 D35004/AGI4000/58W/93/A20	D290x150xH133±1mm	AGI4000	3920	58W	68	20°
250619 Zett2 D35004/AGI3000/58W/93/A30	D290x150xH133±1mm	AGI3000	3360	58W	58	30°
250620 Zett2 D35004/AGI3500/58W/93/A30	D290x150xH133±1mm	AGI3500	3640	58W	63	30°
250621 Zett2 D35004/AGI4000/58W/93/A30	D290x150xH133±1mm	AGI4000	3920	58W	68	30°
250622 Zett2 D35004/AGI3000/58W/93/A45	D290x150xH133±1mm	AGI3000	3360	58W	58	45°
250623 Zett2 D35004/AGI3500/58W/93/A45	D290x150xH133±1mm	AGI3500	3640	58W	63	45°
250624 Zett2 D35004/AGI4000/58W/93/A45	D290x150xH133±1mm	AGI4000	3920	58W	68	45°
250625 Zett2 D35004/AGI3000/58W/93/A55	D290x150xH133±1mm	AGI3000	3360	58W	58	55°
250626 Zett2 D35004/AGI3500/58W/93/A55	D290x150xH133±1mm	AGI3500	3640	58W	63	55°
250627 Zett2 D35004/AGI4000/58W/93/A55	D290x150xH133±1mm	AGI4000	3920	58W	68	55°
CRI 95						
250204 Zett1 D35003/FAS/14W/95/A20	D150x150xH133±1mm	FAS	1165	14W	84	20°
250205 Zett1 D35003/FAS/14W/95/A30	D150x150xH133±1mm	FAS	1165	14W	84	30°
250206 Zett1 D35003/FAS/14W/95/A45	D150x150xH133±1mm	FAS	1165	14W	84	45°
250207 Zett1 D35003/FAS/14W/95/A55	D150x150xH133±1mm	FAS	1165	14W	84	55°
250208 Zett1 D35003/FAS/20W/95/A20	D150x150xH133±1mm	FAS	1610	20W	81	20°
250209 Zett1 D35003/FAS/20W/95/A30	D150x150xH133±1mm	FAS	1610	20W	81	30°
250210 Zett1 D35003/FAS/20W/95/A45	D150x150xH133±1mm	FAS	1610	20W	81	45°
250211 Zett1 D35003/FAS/20W/95/A55	D150x150xH133±1mm	FAS	1610	20W	81	55°
250080 Zett1 D35003/FAS/27W/95/A20	D150x150xH133±1mm	FAS	2120	27W	79	20°
250081 Zett1 D35003/FAS/27W/95/A30	D150x150xH133±1mm	FAS	2120	27W	79	30°
250082 Zett1 D35003/FAS/27W/95/A45	D150x150xH133±1mm	FAS	2120	27W	79	45°
250083 Zett1 D35003/FAS/27W/95/A55	D150x150xH133±1mm	FAS	2120	27W	79	55°
250704 Zett2 D35004/FAS/28W/95/A20	D290x150xH133±1mm	FAS	2330	28W	84	20°
250705 Zett2 D35004/FAS/28W/95/A30	D290x150xH133±1mm	FAS	2330	28W	84	30°
250706 Zett2 D35004/FAS/28W/95/A45	D290x150xH133±1mm	FAS	2330	28W	84	45°
250707 Zett2 D35004/FAS/28W/95/A55	D290x150xH133±1mm	FAS	2330	28W	84	55°
250708 Zett2 D35004/FAS/40W/95/A20	D290x150xH133±1mm	FAS	3220	40W	81	20°
250709 Zett2 D35004/FAS/40W/95/A30	D290x150xH133±1mm	FAS	3220	40W	81	30°
250710 Zett2 D35004/FAS/40W/95/A45	D290x150xH133±1mm	FAS	3220	40W	81	45°
250711 Zett2 D35004/FAS/40W/95/A55	D290x150xH133±1mm	FAS	3220	40W	81	55°
250580 Zett2 D35004/FAS/54W/95/A20	D290x150xH133±1mm	FAS	4240	54W	79	20°
250581 Zett2 D35004/FAS/54W/95/A30	D290x150xH133±1mm	FAS	4240	54W	79	30°
250582 Zett2 D35004/FAS/54W/95/A45	D290x150xH133±1mm	FAS	4240	54W	79	45°
250583 Zett2 D35004/FAS/54W/95/A55	D290x150xH133±1mm	FAS	4240	54W	79	55°
CRI 98						
250216 Zett1 D35003/ART3000/14W/98/A20	D150x150xH133±1mm	ART3000	1160	14W	83	20°
250217 Zett1 D35003/ART3000/14W/98/A30	D150x150xH133±1mm	ART3000	1160	14W	83	30°
250218 Zett1 D35003/ART3000/14W/98/A45	D150x150xH133±1mm	ART3000	1160	14W	83	45°
250219 Zett1 D35003/ART3000/14W/98/A55	D150x150xH133±1mm	ART3000	1160	14W	83	55°
250224 Zett1 D35003/ART3000/20W/98/A20	D150x150xH133±1mm	ART3000	1600	20W	80	20°
250225 Zett1 D35003/ART3000/20W/98/A30	D150x150xH133±1mm	ART3000	1600	20W	80	30°
250226 Zett1 D35003/ART3000/20W/98/A45	D150x150xH133±1mm	ART3000	1600	20W	80	45°
250227 Zett1 D35003/ART3000/20W/98/A55	D150x150xH133±1mm	ART3000	1600	20W	80	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 98						
250088 Zett1 D35003/ART3000/27W/98/A20	D150x150xH133±1mm	ART3000	2095	27W	78	20°
250089 Zett1 D35003/ART3000/27W/98/A30	D150x150xH133±1mm	ART3000	2095	27W	78	30°
250090 Zett1 D35003/ART3000/27W/98/A45	D150x150xH133±1mm	ART3000	2095	27W	78	45°
250091 Zett1 D35003/ART3000/27W/98/A55	D150x150xH133±1mm	ART3000	2095	27W	78	55°
250716 Zett2 D35004/ART3000/28W/98/A20	D290x150xH133±1mm	ART3000	2320	28W	83	20°
250717 Zett2 D35004/ART3000/28W/98/A30	D290x150xH133±1mm	ART3000	2320	28W	83	30°
250718 Zett2 D35004/ART3000/28W/98/A45	D290x150xH133±1mm	ART3000	2320	28W	83	45°
250719 Zett2 D35004/ART3000/28W/98/A55	D290x150xH133±1mm	ART3000	2320	28W	83	55°
250724 Zett2 D35004/ART3000/40W/98/A20	D290x150xH133±1mm	ART3000	3200	40W	80	20°
250725 Zett2 D35004/ART3000/40W/98/A30	D290x150xH133±1mm	ART3000	3200	40W	80	30°
250726 Zett2 D35004/ART3000/40W/98/A45	D290x150xH133±1mm	ART3000	3200	40W	80	45°
250727 Zett2 D35004/ART3000/40W/98/A55	D290x150xH133±1mm	ART3000	3200	40W	80	55°
250588 Zett2 D35004/ART3000/54W/98/A20	D290x150xH133±1mm	ART3000	4190	54W	78	20°
250589 Zett2 D35004/ART3000/54W/98/A30	D290x150xH133±1mm	ART3000	4190	54W	78	30°
250590 Zett2 D35004/ART3000/54W/98/A45	D290x150xH133±1mm	ART3000	4190	54W	78	45°
250591 Zett2 D35004/ART3000/54W/98/A55	D290x150xH133±1mm	ART3000	4190	54W	78	55°