



Zett

RECESSED SPOTLIGHTS | NON-DALI EM SERIES

Recessed downlight with the option of up to 2 bodies to independently move. Highly adjustable with a minimalist design that adds an unobtrusive yet elegant accent to the spaces where it's mounted. Its patented flexible mechanism enables the downlight to be rotated by 350° and tilted by 25°. Its lenses with different angle beams precisely direct the light towards the desired objects.

Zett's aluminium housing is available in several colors - Signal White, Jet Black and White Aluminium, for a perfect blend with various environments.

Zett recessed downlight comes in several series, with various add-on and controls:




- Zett Non-DALI – the standard for any project in the retail and healthcare sectors
- Zett Non-DALI EM – with emergency lighting kit
- Zett DALI – with DALI controls for illumination adjustments
- Zett DALI EM – with DALI controls and emergency lighting kit

APPLICATION

Supermarket | Fashion | Retail | Hospitality | Exhibition | Architectural

FEATURES & BENEFITS

- CRI > 80 as standard, up to 93 for special color temperatures
- Rotates through 350°, tilts through 25°
- 8 color temperatures, including specialized options for hospitality and AGI light
- Wide variety of angle beams: 20°, 30°, 45°, 55° (for a precise angle beam)
- Luminaire efficiency: 109lm/W @4000K
- Dimmable (only for DALI Series and DALI EM Series)
- Equipped with emergency kit (1h / 3h)




SPECIFICATIONS

Power consumption	14W, 17W, 20W, 23W, 27W, 29W	28W, 34W, 40W, 46W, 54W, 58W
Dimensions	D150x150xH133±1mm	D290x150xH133±1mm
Weight	1.5 - 1.8 Kg	2.4 - 2.7 Kg
Housing materials	Aluminium, glass	
IK code	IK02	
THD (at 230V, 50Hz, Full load)	<10%	
Protection class	Safety class 1	
Operating temperature [°C]	+5°C ... +40°C / +41F ... +104F	
Operating humidity [%]	10 ÷ 85	
Power factor	≥0.95	
AC Input [Vac]	220 - 240 VAC	
Lens angle [°]	20°, 30°, 45°, 55°	
Lifespan [h]	50,000	
Housing color	○ RAL 9003 - Signal White, ● RAL 9005 - Jet Black, ● RAL 9006 - White Aluminium	
Lumen maintenance	L90/B10@50,000h at 25°C	
IP factor (general)	IP20	
Control option	-	
Warranty [years]	5	
Storage temperature range [°C]	+5°C ... +25°C / +41F ... +77F	
Emergency option	EM1H, EM3H	

#	Standard	AGI	AMB
CRI	CRI80	CRI93	CRI80
CCT [K]	2700 / 3000 / 3500 / 4000	AGI 3000 / 3500 / 4000	2200
MacAdam	3	3	3

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES

Luminous flux tolerances: -/+ 5%

Consumption tolerance: -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM

BATTERY WARRANTY

Non-DALI EM & DALI EM: 12 months warranty

Non-DALI & DALI: -

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
8-20W	Non-DALI	62	50	31	104	85	52
23-35W	Non-DALI	24	20	10	47	40	20
42W	Non-DALI	20	16	8	38	32	16
8-20W	DALI	62	50	31	104	85	52
23-27W	DALI	25	21	13	50	42	26
34-42W	DALI	17	14	9	34	28	18

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD ≤35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
150240 Zett1 D35003/2700/14W/80/A20/EM1H	D150x150xH133±1mm	2700	1440	14W	103	20°
150241 Zett1 D35003/3000/14W/80/A20/EM1H	D150x150xH133±1mm	3000	1455	14W	104	20°
150242 Zett1 D35003/3500/14W/80/A20/EM1H	D150x150xH133±1mm	3500	1495	14W	107	20°
150243 Zett1 D35003/4000/14W/80/A20/EM1H	D150x150xH133±1mm	4000	1525	14W	109	20°
150245 Zett1 D35003/2700/14W/80/A30/EM1H	D150x150xH133±1mm	2700	1440	14W	103	30°
150246 Zett1 D35003/3000/14W/80/A30/EM1H	D150x150xH133±1mm	3000	1455	14W	104	30°
150247 Zett1 D35003/3500/14W/80/A30/EM1H	D150x150xH133±1mm	3500	1495	14W	107	30°
150248 Zett1 D35003/4000/14W/80/A30/EM1H	D150x150xH133±1mm	4000	1525	14W	109	30°
150250 Zett1 D35003/2700/14W/80/A45/EM1H	D150x150xH133±1mm	2700	1440	14W	103	45°
150251 Zett1 D35003/3000/14W/80/A45/EM1H	D150x150xH133±1mm	3000	1455	14W	104	45°
150252 Zett1 D35003/3500/14W/80/A45/EM1H	D150x150xH133±1mm	3500	1495	14W	107	45°
150253 Zett1 D35003/4000/14W/80/A45/EM1H	D150x150xH133±1mm	4000	1525	14W	109	45°
150255 Zett1 D35003/2700/14W/80/A55/EM1H	D150x150xH133±1mm	2700	1440	14W	103	55°
150256 Zett1 D35003/3000/14W/80/A55/EM1H	D150x150xH133±1mm	3000	1455	14W	104	55°
150257 Zett1 D35003/3500/14W/80/A55/EM1H	D150x150xH133±1mm	3500	1495	14W	107	55°
150258 Zett1 D35003/4000/14W/80/A55/EM1H	D150x150xH133±1mm	4000	1525	14W	109	55°
150260 Zett1 D35003/2700/20W/80/A20/EM1H	D150x150xH133±1mm	2700	2010	20W	101	20°
150261 Zett1 D35003/3000/20W/80/A20/EM1H	D150x150xH133±1mm	3000	2025	20W	102	20°
150262 Zett1 D35003/3500/20W/80/A20/EM1H	D150x150xH133±1mm	3500	2080	20W	104	20°
150263 Zett1 D35003/4000/20W/80/A20/EM1H	D150x150xH133±1mm	4000	2120	20W	106	20°
150265 Zett1 D35003/2700/20W/80/A30/EM1H	D150x150xH133±1mm	2700	2010	20W	101	30°
150266 Zett1 D35003/3000/20W/80/A30/EM1H	D150x150xH133±1mm	3000	2025	20W	102	30°
150267 Zett1 D35003/3500/20W/80/A30/EM1H	D150x150xH133±1mm	3500	2080	20W	104	30°
150268 Zett1 D35003/4000/20W/80/A30/EM1H	D150x150xH133±1mm	4000	2120	20W	106	30°
150270 Zett1 D35003/2700/20W/80/A45/EM1H	D150x150xH133±1mm	2700	2010	20W	101	45°
150271 Zett1 D35003/3000/20W/80/A45/EM1H	D150x150xH133±1mm	3000	2025	20W	102	45°
150272 Zett1 D35003/3500/20W/80/A45/EM1H	D150x150xH133±1mm	3500	2080	20W	104	45°
150273 Zett1 D35003/4000/20W/80/A45/EM1H	D150x150xH133±1mm	4000	2120	20W	106	45°
150275 Zett1 D35003/2700/20W/80/A55/EM1H	D150x150xH133±1mm	2700	2010	20W	101	55°
150276 Zett1 D35003/3000/20W/80/A55/EM1H	D150x150xH133±1mm	3000	2025	20W	102	55°
150277 Zett1 D35003/3500/20W/80/A55/EM1H	D150x150xH133±1mm	3500	2080	20W	104	55°
150278 Zett1 D35003/4000/20W/80/A55/EM1H	D150x150xH133±1mm	4000	2120	20W	106	55°
150280 Zett1 D35003/2700/27W/80/A20/EM1H	D150x150xH133±1mm	2700	2605	27W	97	20°
150281 Zett1 D35003/3000/27W/80/A20/EM1H	D150x150xH133±1mm	3000	2630	27W	98	20°
150282 Zett1 D35003/3500/27W/80/A20/EM1H	D150x150xH133±1mm	3500	2700	27W	100	20°
150283 Zett1 D35003/4000/27W/80/A20/EM1H	D150x150xH133±1mm	4000	2755	27W	103	20°
150285 Zett1 D35003/2700/27W/80/A30/EM1H	D150x150xH133±1mm	2700	2605	27W	97	30°
150286 Zett1 D35003/3000/27W/80/A30/EM1H	D150x150xH133±1mm	3000	2630	27W	98	30°
150287 Zett1 D35003/3500/27W/80/A30/EM1H	D150x150xH133±1mm	3500	2700	27W	100	30°
150288 Zett1 D35003/4000/27W/80/A30/EM1H	D150x150xH133±1mm	4000	2755	27W	103	30°
150290 Zett1 D35003/2700/27W/80/A45/EM1H	D150x150xH133±1mm	2700	2605	27W	97	45°
150291 Zett1 D35003/3000/27W/80/A45/EM1H	D150x150xH133±1mm	3000	2630	27W	98	45°
150292 Zett1 D35003/3500/27W/80/A45/EM1H	D150x150xH133±1mm	3500	2700	27W	100	45°
150293 Zett1 D35003/4000/27W/80/A45/EM1H	D150x150xH133±1mm	4000	2755	27W	103	45°
150295 Zett1 D35003/2700/27W/80/A55/EM1H	D150x150xH133±1mm	2700	2605	27W	97	55°
150296 Zett1 D35003/3000/27W/80/A55/EM1H	D150x150xH133±1mm	3000	2630	27W	98	55°
150297 Zett1 D35003/3500/27W/80/A55/EM1H	D150x150xH133±1mm	3500	2700	27W	100	55°
150298 Zett1 D35003/4000/27W/80/A55/EM1H	D150x150xH133±1mm	4000	2755	27W	103	55°
150740 Zett2 D35004/2700/28W/80/A20/EM1H	D290x150xH133±1mm	2700	2880	28W	103	20°
150741 Zett2 D35004/3000/28W/80/A20/EM1H	D290x150xH133±1mm	3000	2910	28W	104	20°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
150742 Zett2 D35004/3500/28W/80/A20/EM1H	D290x150xH133±1mm	3500	2990	28W	107	20°
150743 Zett2 D35004/4000/28W/80/A20/EM1H	D290x150xH133±1mm	4000	3050	28W	109	20°
150745 Zett2 D35004/2700/28W/80/A30/EM1H	D290x150xH133±1mm	2700	2880	28W	103	30°
150746 Zett2 D35004/3000/28W/80/A30/EM1H	D290x150xH133±1mm	3000	2910	28W	104	30°
150747 Zett2 D35004/3500/28W/80/A30/EM1H	D290x150xH133±1mm	3500	2990	28W	107	30°
150748 Zett2 D35004/4000/28W/80/A30/EM1H	D290x150xH133±1mm	4000	3050	28W	109	30°
150750 Zett2 D35004/2700/28W/80/A45/EM1H	D290x150xH133±1mm	2700	2880	28W	103	45°
150751 Zett2 D35004/3000/28W/80/A45/EM1H	D290x150xH133±1mm	3000	2910	28W	104	45°
150752 Zett2 D35004/3500/28W/80/A45/EM1H	D290x150xH133±1mm	3500	2990	28W	107	45°
150753 Zett2 D35004/4000/28W/80/A45/EM1H	D290x150xH133±1mm	4000	3050	28W	109	45°
150755 Zett2 D35004/2700/28W/80/A55/EM1H	D290x150xH133±1mm	2700	2880	28W	103	55°
150756 Zett2 D35004/3000/28W/80/A55/EM1H	D290x150xH133±1mm	3000	2910	28W	104	55°
150757 Zett2 D35004/3500/28W/80/A55/EM1H	D290x150xH133±1mm	3500	2990	28W	107	55°
150758 Zett2 D35004/4000/28W/80/A55/EM1H	D290x150xH133±1mm	4000	3050	28W	109	55°
150760 Zett2 D35004/2700/40W/80/A20/EM1H	D290x150xH133±1mm	2700	4020	40W	101	20°
150761 Zett2 D35004/3000/40W/80/A20/EM1H	D290x150xH133±1mm	3000	4050	40W	102	20°
150762 Zett2 D35004/3500/40W/80/A20/EM1H	D290x150xH133±1mm	3500	4160	40W	104	20°
150763 Zett2 D35004/4000/40W/80/A20/EM1H	D290x150xH133±1mm	4000	4240	40W	106	20°
150765 Zett2 D35004/2700/40W/80/A30/EM1H	D290x150xH133±1mm	2700	4020	40W	101	30°
150766 Zett2 D35004/3000/40W/80/A30/EM1H	D290x150xH133±1mm	3000	4050	40W	102	30°
150767 Zett2 D35004/3500/40W/80/A30/EM1H	D290x150xH133±1mm	3500	4160	40W	104	30°
150768 Zett2 D35004/4000/40W/80/A30/EM1H	D290x150xH133±1mm	4000	4240	40W	106	30°
150770 Zett2 D35004/2700/40W/80/A45/EM1H	D290x150xH133±1mm	2700	4020	40W	101	45°
150771 Zett2 D35004/3000/40W/80/A45/EM1H	D290x150xH133±1mm	3000	4050	40W	102	45°
150772 Zett2 D35004/3500/40W/80/A45/EM1H	D290x150xH133±1mm	3500	4160	40W	104	45°
150773 Zett2 D35004/4000/40W/80/A45/EM1H	D290x150xH133±1mm	4000	4240	40W	106	45°
150775 Zett2 D35004/2700/40W/80/A55/EM1H	D290x150xH133±1mm	2700	4020	40W	101	55°
150776 Zett2 D35004/3000/40W/80/A55/EM1H	D290x150xH133±1mm	3000	4050	40W	102	55°
150777 Zett2 D35004/3500/40W/80/A55/EM1H	D290x150xH133±1mm	3500	4160	40W	104	55°
150778 Zett2 D35004/4000/40W/80/A55/EM1H	D290x150xH133±1mm	4000	4240	40W	106	55°
150780 Zett2 D35004/2700/54W/80/A20/EM1H	D290x150xH133±1mm	2700	5210	54W	97	20°
150781 Zett2 D35004/3000/54W/80/A20/EM1H	D290x150xH133±1mm	3000	5260	54W	98	20°
150782 Zett2 D35004/3500/54W/80/A20/EM1H	D290x150xH133±1mm	3500	5400	54W	100	20°
150783 Zett2 D35004/4000/54W/80/A20/EM1H	D290x150xH133±1mm	4000	5510	54W	103	20°
150785 Zett2 D35004/2700/54W/80/A30/EM1H	D290x150xH133±1mm	2700	5210	54W	97	30°
150786 Zett2 D35004/3000/54W/80/A30/EM1H	D290x150xH133±1mm	3000	5260	54W	98	30°
150787 Zett2 D35004/3500/54W/80/A30/EM1H	D290x150xH133±1mm	3500	5400	54W	100	30°
150788 Zett2 D35004/4000/54W/80/A30/EM1H	D290x150xH133±1mm	4000	5510	54W	103	30°
150790 Zett2 D35004/2700/54W/80/A45/EM1H	D290x150xH133±1mm	2700	5210	54W	97	45°
150791 Zett2 D35004/3000/54W/80/A45/EM1H	D290x150xH133±1mm	3000	5260	54W	98	45°
150792 Zett2 D35004/3500/54W/80/A45/EM1H	D290x150xH133±1mm	3500	5400	54W	100	45°
150793 Zett2 D35004/4000/54W/80/A45/EM1H	D290x150xH133±1mm	4000	5510	54W	103	45°
150795 Zett2 D35004/2700/54W/80/A55/EM1H	D290x150xH133±1mm	2700	5210	54W	97	55°
150796 Zett2 D35004/3000/54W/80/A55/EM1H	D290x150xH133±1mm	3000	5260	54W	98	55°
150797 Zett2 D35004/3500/54W/80/A55/EM1H	D290x150xH133±1mm	3500	5400	54W	100	55°
150798 Zett2 D35004/4000/54W/80/A55/EM1H	D290x150xH133±1mm	4000	5510	54W	103	55°
150300 Zett1 D35003/AMB2200/14W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	20°
150301 Zett1 D35003/AMB2200/14W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	30°
150302 Zett1 D35003/AMB2200/14W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	45°
150303 Zett1 D35003/AMB2200/14W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1020	14W	73	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
150304 Zett1 D35003/AMB2200/20W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	20°
150305 Zett1 D35003/AMB2200/20W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	30°
150306 Zett1 D35003/AMB2200/20W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	45°
150307 Zett1 D35003/AMB2200/20W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1410	20W	71	55°
150308 Zett1 D35003/AMB2200/27W/80/A20/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	20°
150309 Zett1 D35003/AMB2200/27W/80/A30/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	30°
150310 Zett1 D35003/AMB2200/27W/80/A45/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	45°
150311 Zett1 D35003/AMB2200/27W/80/A55/EM1H	D150x150xH133±1mm	AMB2200	1870	27W	70	55°
150800 Zett2 D35004/AMB2200/28W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	20°
150801 Zett2 D35004/AMB2200/28W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	30°
150802 Zett2 D35004/AMB2200/28W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	45°
150803 Zett2 D35004/AMB2200/28W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	2040	28W	73	55°
150804 Zett2 D35004/AMB2200/40W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	20°
150805 Zett2 D35004/AMB2200/40W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	30°
150806 Zett2 D35004/AMB2200/40W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	45°
150807 Zett2 D35004/AMB2200/40W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	2820	40W	71	55°
150808 Zett2 D35004/AMB2200/54W/80/A20/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	20°
150809 Zett2 D35004/AMB2200/54W/80/A30/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	30°
150810 Zett2 D35004/AMB2200/54W/80/A45/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	45°
150811 Zett2 D35004/AMB2200/54W/80/A55/EM1H	D290x150xH133±1mm	AMB2200	3740	54W	70	55°
150312 Zett1 D35003/2700/14W/80/A20/EM3H	D150x150xH133±1mm	2700	1440	14W	103	20°
150313 Zett1 D35003/3000/14W/80/A20/EM3H	D150x150xH133±1mm	3000	1455	14W	104	20°
150314 Zett1 D35003/3500/14W/80/A20/EM3H	D150x150xH133±1mm	3500	1495	14W	107	20°
150315 Zett1 D35003/4000/14W/80/A20/EM3H	D150x150xH133±1mm	4000	1525	14W	109	20°
150317 Zett1 D35003/2700/14W/80/A30/EM3H	D150x150xH133±1mm	2700	1440	14W	103	30°
150318 Zett1 D35003/3000/14W/80/A30/EM3H	D150x150xH133±1mm	3000	1455	14W	104	30°
150319 Zett1 D35003/3500/14W/80/A30/EM3H	D150x150xH133±1mm	3500	1495	14W	107	30°
150320 Zett1 D35003/4000/14W/80/A30/EM3H	D150x150xH133±1mm	4000	1525	14W	109	30°
150322 Zett1 D35003/2700/14W/80/A45/EM3H	D150x150xH133±1mm	2700	1440	14W	103	45°
150323 Zett1 D35003/3000/14W/80/A45/EM3H	D150x150xH133±1mm	3000	1455	14W	104	45°
150324 Zett1 D35003/3500/14W/80/A45/EM3H	D150x150xH133±1mm	3500	1495	14W	107	45°
150325 Zett1 D35003/4000/14W/80/A45/EM3H	D150x150xH133±1mm	4000	1525	14W	109	45°
150327 Zett1 D35003/2700/14W/80/A55/EM3H	D150x150xH133±1mm	2700	1440	14W	103	55°
150328 Zett1 D35003/3000/14W/80/A55/EM3H	D150x150xH133±1mm	3000	1455	14W	104	55°
150329 Zett1 D35003/3500/14W/80/A55/EM3H	D150x150xH133±1mm	3500	1495	14W	107	55°
150330 Zett1 D35003/4000/14W/80/A55/EM3H	D150x150xH133±1mm	4000	1525	14W	109	55°
150332 Zett1 D35003/2700/20W/80/A20/EM3H	D150x150xH133±1mm	2700	2010	20W	101	20°
150333 Zett1 D35003/3000/20W/80/A20/EM3H	D150x150xH133±1mm	3000	2025	20W	102	20°
150334 Zett1 D35003/3500/20W/80/A20/EM3H	D150x150xH133±1mm	3500	2080	20W	104	20°
150335 Zett1 D35003/4000/20W/80/A20/EM3H	D150x150xH133±1mm	4000	2120	20W	106	20°
150337 Zett1 D35003/2700/20W/80/A30/EM3H	D150x150xH133±1mm	2700	2010	20W	101	30°
150338 Zett1 D35003/3000/20W/80/A30/EM3H	D150x150xH133±1mm	3000	2025	20W	102	30°
150339 Zett1 D35003/3500/20W/80/A30/EM3H	D150x150xH133±1mm	3500	2080	20W	104	30°
150340 Zett1 D35003/4000/20W/80/A30/EM3H	D150x150xH133±1mm	4000	2120	20W	106	30°
150342 Zett1 D35003/2700/20W/80/A45/EM3H	D150x150xH133±1mm	2700	2010	20W	101	45°
150343 Zett1 D35003/3000/20W/80/A45/EM3H	D150x150xH133±1mm	3000	2025	20W	102	45°
150344 Zett1 D35003/3500/20W/80/A45/EM3H	D150x150xH133±1mm	3500	2080	20W	104	45°
150345 Zett1 D35003/4000/20W/80/A45/EM3H	D150x150xH133±1mm	4000	2120	20W	106	45°
150347 Zett1 D35003/2700/20W/80/A55/EM3H	D150x150xH133±1mm	2700	2010	20W	101	55°
150348 Zett1 D35003/3000/20W/80/A55/EM3H	D150x150xH133±1mm	3000	2025	20W	102	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
150349 Zett1 D35003/3500/20W/80/A55/EM3H	D150x150xH133±1mm	3500	2080	20W	104	55°
150350 Zett1 D35003/4000/20W/80/A55/EM3H	D150x150xH133±1mm	4000	2120	20W	106	55°
150352 Zett1 D35003/2700/27W/80/A20/EM3H	D150x150xH133±1mm	2700	2605	27W	97	20°
150353 Zett1 D35003/3000/27W/80/A20/EM3H	D150x150xH133±1mm	3000	2630	27W	98	20°
150354 Zett1 D35003/3500/27W/80/A20/EM3H	D150x150xH133±1mm	3500	2700	27W	100	20°
150355 Zett1 D35003/4000/27W/80/A20/EM3H	D150x150xH133±1mm	4000	2755	27W	103	20°
150357 Zett1 D35003/2700/27W/80/A30/EM3H	D150x150xH133±1mm	2700	2605	27W	97	30°
150358 Zett1 D35003/3000/27W/80/A30/EM3H	D150x150xH133±1mm	3000	2630	27W	98	30°
150359 Zett1 D35003/3500/27W/80/A30/EM3H	D150x150xH133±1mm	3500	2700	27W	100	30°
150360 Zett1 D35003/4000/27W/80/A30/EM3H	D150x150xH133±1mm	4000	2755	27W	103	30°
150362 Zett1 D35003/2700/27W/80/A45/EM3H	D150x150xH133±1mm	2700	2605	27W	97	45°
150363 Zett1 D35003/3000/27W/80/A45/EM3H	D150x150xH133±1mm	3000	2630	27W	98	45°
150364 Zett1 D35003/3500/27W/80/A45/EM3H	D150x150xH133±1mm	3500	2700	27W	100	45°
150365 Zett1 D35003/4000/27W/80/A45/EM3H	D150x150xH133±1mm	4000	2755	27W	103	45°
150367 Zett1 D35003/2700/27W/80/A55/EM3H	D150x150xH133±1mm	2700	2605	27W	97	55°
150368 Zett1 D35003/3000/27W/80/A55/EM3H	D150x150xH133±1mm	3000	2630	27W	98	55°
150369 Zett1 D35003/3500/27W/80/A55/EM3H	D150x150xH133±1mm	3500	2700	27W	100	55°
150370 Zett1 D35003/4000/27W/80/A55/EM3H	D150x150xH133±1mm	4000	2755	27W	103	55°
150812 Zett2 D35004/2700/28W/80/A20/EM3H	D290x150xH133±1mm	2700	2880	28W	103	20°
150813 Zett2 D35004/3000/28W/80/A20/EM3H	D290x150xH133±1mm	3000	2910	28W	104	20°
150814 Zett2 D35004/3500/28W/80/A20/EM3H	D290x150xH133±1mm	3500	2990	28W	107	20°
150815 Zett2 D35004/4000/28W/80/A20/EM3H	D290x150xH133±1mm	4000	3050	28W	109	20°
150817 Zett2 D35004/2700/28W/80/A30/EM3H	D290x150xH133±1mm	2700	2880	28W	103	30°
150818 Zett2 D35004/3000/28W/80/A30/EM3H	D290x150xH133±1mm	3000	2910	28W	104	30°
150819 Zett2 D35004/3500/28W/80/A30/EM3H	D290x150xH133±1mm	3500	2990	28W	107	30°
150820 Zett2 D35004/4000/28W/80/A30/EM3H	D290x150xH133±1mm	4000	3050	28W	109	30°
150822 Zett2 D35004/2700/28W/80/A45/EM3H	D290x150xH133±1mm	2700	2880	28W	103	45°
150823 Zett2 D35004/3000/28W/80/A45/EM3H	D290x150xH133±1mm	3000	2910	28W	104	45°
150824 Zett2 D35004/3500/28W/80/A45/EM3H	D290x150xH133±1mm	3500	2990	28W	107	45°
150825 Zett2 D35004/4000/28W/80/A45/EM3H	D290x150xH133±1mm	4000	3050	28W	109	45°
150827 Zett2 D35004/2700/28W/80/A55/EM3H	D290x150xH133±1mm	2700	2880	28W	103	55°
150828 Zett2 D35004/3000/28W/80/A55/EM3H	D290x150xH133±1mm	3000	2910	28W	104	55°
150829 Zett2 D35004/3500/28W/80/A55/EM3H	D290x150xH133±1mm	3500	2990	28W	107	55°
150830 Zett2 D35004/4000/28W/80/A55/EM3H	D290x150xH133±1mm	4000	3050	28W	109	55°
150832 Zett2 D35004/2700/40W/80/A20/EM3H	D290x150xH133±1mm	2700	4020	40W	101	20°
150833 Zett2 D35004/3000/40W/80/A20/EM3H	D290x150xH133±1mm	3000	4050	40W	102	20°
150834 Zett2 D35004/3500/40W/80/A20/EM3H	D290x150xH133±1mm	3500	4160	40W	104	20°
150835 Zett2 D35004/4000/40W/80/A20/EM3H	D290x150xH133±1mm	4000	4240	40W	106	20°
150837 Zett2 D35004/2700/40W/80/A30/EM3H	D290x150xH133±1mm	2700	4020	40W	101	30°
150838 Zett2 D35004/3000/40W/80/A30/EM3H	D290x150xH133±1mm	3000	4050	40W	102	30°
150839 Zett2 D35004/3500/40W/80/A30/EM3H	D290x150xH133±1mm	3500	4160	40W	104	30°
150840 Zett2 D35004/4000/40W/80/A30/EM3H	D290x150xH133±1mm	4000	4240	40W	106	30°
150842 Zett2 D35004/2700/40W/80/A45/EM3H	D290x150xH133±1mm	2700	4020	40W	101	45°
150843 Zett2 D35004/3000/40W/80/A45/EM3H	D290x150xH133±1mm	3000	4050	40W	102	45°
150844 Zett2 D35004/3500/40W/80/A45/EM3H	D290x150xH133±1mm	3500	4160	40W	104	45°
150845 Zett2 D35004/4000/40W/80/A45/EM3H	D290x150xH133±1mm	4000	4240	40W	106	45°
150847 Zett2 D35004/2700/40W/80/A55/EM3H	D290x150xH133±1mm	2700	4020	40W	101	55°
150848 Zett2 D35004/3000/40W/80/A55/EM3H	D290x150xH133±1mm	3000	4050	40W	102	55°
150849 Zett2 D35004/3500/40W/80/A55/EM3H	D290x150xH133±1mm	3500	4160	40W	104	55°
150850 Zett2 D35004/4000/40W/80/A55/EM3H	D290x150xH133±1mm	4000	4240	40W	106	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
150852 Zett2 D35004/2700/54W/80/A20/EM3H	D290x150xH133±1mm	2700	5210	54W	97	20°
150853 Zett2 D35004/3000/54W/80/A20/EM3H	D290x150xH133±1mm	3000	5260	54W	98	20°
150854 Zett2 D35004/3500/54W/80/A20/EM3H	D290x150xH133±1mm	3500	5400	54W	100	20°
150855 Zett2 D35004/4000/54W/80/A20/EM3H	D290x150xH133±1mm	4000	5510	54W	103	20°
150857 Zett2 D35004/2700/54W/80/A30/EM3H	D290x150xH133±1mm	2700	5210	54W	97	30°
150858 Zett2 D35004/3000/54W/80/A30/EM3H	D290x150xH133±1mm	3000	5260	54W	98	30°
150859 Zett2 D35004/3500/54W/80/A30/EM3H	D290x150xH133±1mm	3500	5400	54W	100	30°
150860 Zett2 D35004/4000/54W/80/A30/EM3H	D290x150xH133±1mm	4000	5510	54W	103	30°
150862 Zett2 D35004/2700/54W/80/A45/EM3H	D290x150xH133±1mm	2700	5210	54W	97	45°
150863 Zett2 D35004/3000/54W/80/A45/EM3H	D290x150xH133±1mm	3000	5260	54W	98	45°
150864 Zett2 D35004/3500/54W/80/A45/EM3H	D290x150xH133±1mm	3500	5400	54W	100	45°
150865 Zett2 D35004/4000/54W/80/A45/EM3H	D290x150xH133±1mm	4000	5510	54W	103	45°
150867 Zett2 D35004/2700/54W/80/A55/EM3H	D290x150xH133±1mm	2700	5210	54W	97	55°
150868 Zett2 D35004/3000/54W/80/A55/EM3H	D290x150xH133±1mm	3000	5260	54W	98	55°
150869 Zett2 D35004/3500/54W/80/A55/EM3H	D290x150xH133±1mm	3500	5400	54W	100	55°
150870 Zett2 D35004/4000/54W/80/A55/EM3H	D290x150xH133±1mm	4000	5510	54W	103	55°
150408 Zett1 D35003/AMB2200/14W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	20°
150409 Zett1 D35003/AMB2200/14W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	30°
150410 Zett1 D35003/AMB2200/14W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	45°
150411 Zett1 D35003/AMB2200/14W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1020	14W	73	55°
150412 Zett1 D35003/AMB2200/20W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	20°
150413 Zett1 D35003/AMB2200/20W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	30°
150414 Zett1 D35003/AMB2200/20W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	45°
150415 Zett1 D35003/AMB2200/20W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1410	20W	71	55°
150416 Zett1 D35003/AMB2200/27W/80/A20/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	20°
150417 Zett1 D35003/AMB2200/27W/80/A30/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	30°
150418 Zett1 D35003/AMB2200/27W/80/A45/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	45°
150419 Zett1 D35003/AMB2200/27W/80/A55/EM3H	D150x150xH133±1mm	AMB2200	1870	27W	70	55°
150908 Zett2 D35004/AMB2200/28W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	20°
150909 Zett2 D35004/AMB2200/28W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	30°
150910 Zett2 D35004/AMB2200/28W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	45°
150911 Zett2 D35004/AMB2200/28W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	2040	28W	73	55°
150912 Zett2 D35004/AMB2200/40W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	20°
150913 Zett2 D35004/AMB2200/40W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	30°
150914 Zett2 D35004/AMB2200/40W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	45°
150915 Zett2 D35004/AMB2200/40W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	2820	40W	71	55°
150916 Zett2 D35004/AMB2200/54W/80/A20/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	20°
150917 Zett2 D35004/AMB2200/54W/80/A30/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	30°
150918 Zett2 D35004/AMB2200/54W/80/A45/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	45°
150919 Zett2 D35004/AMB2200/54W/80/A55/EM3H	D290x150xH133±1mm	AMB2200	3740	54W	70	55°
CRI 93						
150128 Zett1 D35003/AGI3000/17W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	20°
150129 Zett1 D35003/AGI3500/17W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	20°
150130 Zett1 D35003/AGI4000/17W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	20°
150131 Zett1 D35003/AGI3000/17W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	30°
150132 Zett1 D35003/AGI3500/17W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	30°
150133 Zett1 D35003/AGI4000/17W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	30°
150134 Zett1 D35003/AGI3000/17W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	45°
150135 Zett1 D35003/AGI3500/17W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	45°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
150136 Zett1 D35003/AGI4000/17W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	45°
150137 Zett1 D35003/AGI3000/17W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	985	17W	58	55°
150138 Zett1 D35003/AGI3500/17W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1050	17W	62	55°
150139 Zett1 D35003/AGI4000/17W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1115	17W	66	55°
150140 Zett1 D35003/AGI3000/23W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	20°
150141 Zett1 D35003/AGI3500/23W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	20°
150142 Zett1 D35003/AGI4000/23W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	20°
150143 Zett1 D35003/AGI3000/23W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	30°
150144 Zett1 D35003/AGI3500/23W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	30°
150145 Zett1 D35003/AGI4000/23W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	30°
150146 Zett1 D35003/AGI3000/23W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	45°
150147 Zett1 D35003/AGI3500/23W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	45°
150148 Zett1 D35003/AGI4000/23W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	45°
150149 Zett1 D35003/AGI3000/23W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	1330	23W	58	55°
150150 Zett1 D35003/AGI3500/23W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1440	23W	63	55°
150151 Zett1 D35003/AGI4000/23W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1550	23W	68	55°
150152 Zett1 D35003/AGI3000/29W/93/A20/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	20°
150153 Zett1 D35003/AGI3500/29W/93/A20/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	20°
150154 Zett1 D35003/AGI4000/29W/93/A20/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	20°
150155 Zett1 D35003/AGI3000/29W/93/A30/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	30°
150156 Zett1 D35003/AGI3500/29W/93/A30/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	30°
150157 Zett1 D35003/AGI4000/29W/93/A30/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	30°
150158 Zett1 D35003/AGI3000/29W/93/A45/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	45°
150159 Zett1 D35003/AGI3500/29W/93/A45/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	45°
150160 Zett1 D35003/AGI4000/29W/93/A45/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	45°
150161 Zett1 D35003/AGI3000/29W/93/A55/EM1H	D150x150xH133±1mm	AGI3000	1680	29W	58	55°
150162 Zett1 D35003/AGI3500/29W/93/A55/EM1H	D150x150xH133±1mm	AGI3500	1820	29W	63	55°
150163 Zett1 D35003/AGI4000/29W/93/A55/EM1H	D150x150xH133±1mm	AGI4000	1960	29W	68	55°
150628 Zett2 D35004/AGI3000/34W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	20°
150629 Zett2 D35004/AGI3500/34W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	20°
150630 Zett2 D35004/AGI4000/34W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	20°
150631 Zett2 D35004/AGI3000/34W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	30°
150632 Zett2 D35004/AGI3500/34W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	30°
150633 Zett2 D35004/AGI4000/34W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	30°
150634 Zett2 D35004/AGI3000/34W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	45°
150635 Zett2 D35004/AGI3500/34W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	45°
150636 Zett2 D35004/AGI4000/34W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	45°
150637 Zett2 D35004/AGI3000/34W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	1970	34W	58	55°
150638 Zett2 D35004/AGI3500/34W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	2100	34W	62	55°
150639 Zett2 D35004/AGI4000/34W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	2230	34W	66	55°
150640 Zett2 D35004/AGI3000/46W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	20°
150641 Zett2 D35004/AGI3500/46W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	20°
150642 Zett2 D35004/AGI4000/46W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	20°
150643 Zett2 D35004/AGI3000/46W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	30°
150644 Zett2 D35004/AGI3500/46W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	30°
150645 Zett2 D35004/AGI4000/46W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	30°
150646 Zett2 D35004/AGI3000/46W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	45°
150647 Zett2 D35004/AGI3500/46W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	45°
150648 Zett2 D35004/AGI4000/46W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	45°
150649 Zett2 D35004/AGI3000/46W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	2660	46W	58	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
150650 Zett2 D35004/AGI3500/46W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	2880	46W	63	55°
150651 Zett2 D35004/AGI4000/46W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	3100	46W	68	55°
150652 Zett2 D35004/AGI3000/58W/93/A20/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	20°
150653 Zett2 D35004/AGI3500/58W/93/A20/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	20°
150654 Zett2 D35004/AGI4000/58W/93/A20/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	20°
150655 Zett2 D35004/AGI3000/58W/93/A30/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	30°
150656 Zett2 D35004/AGI3500/58W/93/A30/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	30°
150657 Zett2 D35004/AGI4000/58W/93/A30/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	30°
150658 Zett2 D35004/AGI3000/58W/93/A45/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	45°
150659 Zett2 D35004/AGI3500/58W/93/A45/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	45°
150660 Zett2 D35004/AGI4000/58W/93/A45/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	45°
150661 Zett2 D35004/AGI3000/58W/93/A55/EM1H	D290x150xH133±1mm	AGI3000	3360	58W	58	55°
150662 Zett2 D35004/AGI3500/58W/93/A55/EM1H	D290x150xH133±1mm	AGI3500	3640	58W	63	55°
150663 Zett2 D35004/AGI4000/58W/93/A55/EM1H	D290x150xH133±1mm	AGI4000	3920	58W	68	55°
150372 Zett1 D35003/AGI3000/17W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	20°
150373 Zett1 D35003/AGI3500/17W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	20°
150374 Zett1 D35003/AGI4000/17W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	20°
150375 Zett1 D35003/AGI3000/17W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	30°
150376 Zett1 D35003/AGI3500/17W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	30°
150377 Zett1 D35003/AGI4000/17W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	30°
150378 Zett1 D35003/AGI3000/17W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	45°
150379 Zett1 D35003/AGI3500/17W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	45°
150380 Zett1 D35003/AGI4000/17W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	45°
150381 Zett1 D35003/AGI3000/17W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	985	17W	58	55°
150382 Zett1 D35003/AGI3500/17W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1050	17W	62	55°
150383 Zett1 D35003/AGI4000/17W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1115	17W	66	55°
150384 Zett1 D35003/AGI3000/23W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	20°
150385 Zett1 D35003/AGI3500/23W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	20°
150386 Zett1 D35003/AGI4000/23W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	20°
150387 Zett1 D35003/AGI3000/23W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	30°
150388 Zett1 D35003/AGI3500/23W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	30°
150389 Zett1 D35003/AGI4000/23W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	30°
150390 Zett1 D35003/AGI3000/23W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	45°
150391 Zett1 D35003/AGI3500/23W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	45°
150392 Zett1 D35003/AGI4000/23W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	45°
150393 Zett1 D35003/AGI3000/23W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	1330	23W	58	55°
150394 Zett1 D35003/AGI3500/23W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1440	23W	63	55°
150395 Zett1 D35003/AGI4000/23W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1550	23W	68	55°
150396 Zett1 D35003/AGI3000/29W/93/A20/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	20°
150397 Zett1 D35003/AGI3500/29W/93/A20/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	20°
150398 Zett1 D35003/AGI4000/29W/93/A20/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	20°
150399 Zett1 D35003/AGI3000/29W/93/A30/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	30°
150400 Zett1 D35003/AGI3500/29W/93/A30/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	30°
150401 Zett1 D35003/AGI4000/29W/93/A30/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	30°
150402 Zett1 D35003/AGI3000/29W/93/A45/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	45°
150403 Zett1 D35003/AGI3500/29W/93/A45/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	45°
150404 Zett1 D35003/AGI4000/29W/93/A45/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	45°
150405 Zett1 D35003/AGI3000/29W/93/A55/EM3H	D150x150xH133±1mm	AGI3000	1680	29W	58	55°
150406 Zett1 D35003/AGI3500/29W/93/A55/EM3H	D150x150xH133±1mm	AGI3500	1820	29W	63	55°
150407 Zett1 D35003/AGI4000/29W/93/A55/EM3H	D150x150xH133±1mm	AGI4000	1960	29W	68	55°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 93						
150872 Zett2 D35004/AGI3000/34W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	20°
150873 Zett2 D35004/AGI3500/34W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	20°
150874 Zett2 D35004/AGI4000/34W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	20°
150875 Zett2 D35004/AGI3000/34W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	30°
150876 Zett2 D35004/AGI3500/34W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	30°
150877 Zett2 D35004/AGI4000/34W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	30°
150878 Zett2 D35004/AGI3000/34W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	45°
150879 Zett2 D35004/AGI3500/34W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	45°
150880 Zett2 D35004/AGI4000/34W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	45°
150881 Zett2 D35004/AGI3000/34W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	1970	34W	58	55°
150882 Zett2 D35004/AGI3500/34W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	2100	34W	62	55°
150883 Zett2 D35004/AGI4000/34W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	2230	34W	66	55°
150884 Zett2 D35004/AGI3000/46W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	20°
150885 Zett2 D35004/AGI3500/46W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	20°
150886 Zett2 D35004/AGI4000/46W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	20°
150887 Zett2 D35004/AGI3000/46W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	30°
150888 Zett2 D35004/AGI3500/46W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	30°
150889 Zett2 D35004/AGI4000/46W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	30°
150890 Zett2 D35004/AGI3000/46W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	45°
150891 Zett2 D35004/AGI3500/46W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	45°
150892 Zett2 D35004/AGI4000/46W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	45°
150893 Zett2 D35004/AGI3000/46W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	2660	46W	58	55°
150894 Zett2 D35004/AGI3500/46W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	2880	46W	63	55°
150895 Zett2 D35004/AGI4000/46W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	3100	46W	68	55°
150896 Zett2 D35004/AGI3000/58W/93/A20/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	20°
150897 Zett2 D35004/AGI3500/58W/93/A20/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	20°
150898 Zett2 D35004/AGI4000/58W/93/A20/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	20°
150899 Zett2 D35004/AGI3000/58W/93/A30/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	30°
150900 Zett2 D35004/AGI3500/58W/93/A30/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	30°
150901 Zett2 D35004/AGI4000/58W/93/A30/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	30°
150902 Zett2 D35004/AGI3000/58W/93/A45/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	45°
150903 Zett2 D35004/AGI3500/58W/93/A45/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	45°
150904 Zett2 D35004/AGI4000/58W/93/A45/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	45°
150905 Zett2 D35004/AGI3000/58W/93/A55/EM3H	D290x150xH133±1mm	AGI3000	3360	58W	58	55°
150906 Zett2 D35004/AGI3500/58W/93/A55/EM3H	D290x150xH133±1mm	AGI3500	3640	58W	63	55°
150907 Zett2 D35004/AGI4000/58W/93/A55/EM3H	D290x150xH133±1mm	AGI4000	3920	58W	68	55°

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: November 18, 2019 11:11 AM. www.greentek.eu