



Galaxy Slim 3R2

SUSPENDED | NON-DALI SERIES

An ultra-flat housing luminaire suitable for retail, groceries & supermarkets, and DIY stores. Available in different types of optics - for a general lighting that amazes through its impressive efficiency and lighting quality ratings.

Galaxy Slim 3R2 has several series, determined by various add-on and controls:


- Galaxy Slim 3R2 Non-DALI: the standard version for retail, groceries & supermarkets, and DIY stores
- Galaxy Slim 3R2 DALI: with DALI dimming

FEATURES & BENEFITS

- CRI 80 as standard
- 4 color temperatures (3000K, 4000K, 5000K, 6500K)
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171lm/W @4000K
- Dimmable (only for DALI Series)

APPLICATION

Grocery & Supermarket | Retail | DIY




SPECIFICATIONS

Power consumption	28W, 37W, 49W, 60W, 70W
Dimensions	593 x 188.4 x 57.6 ± 1mm
Weight	2.7 Kg
Housing materials	Aluminum & Polycarbonate
IK code	IK02
THD (at 230V, 50Hz, Full load)	<8%
Protection class	Safety class 1
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F
Operating humidity [%]	10 ÷ 85
Power factor	≥0.95
AC Input [Vac]	220 - 240 VAC
Lens angle [°]	30°, 60°, 90°, DA, SA
Lifespan [h]	50.000
Housing color	● Anodised black, ● Anodised grey
Lumen maintenance	L90/B10@50.000h at 25°C
IP factor	IP20
Control optional	-
Warranty [years]	5
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F
Emergency option	-

#	Standard
CRI	CRI80
CCT [K]	3000 / 4000 / 5000 / 6500
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	38	30	19	62	51	31
≥ 50W	Non-DALI	38	30	19	62	51	31
< 80W	DALI	27	21	13	45	35	21

RISK GROUP**Standard (CRI80)** RG1**FOOD (BVF, FBS, FSM)** RG1**FOOD <20W (FZM, FSH)** RG2 (dthr=1.8m)**FOOD >20W (FZM, FSH)** RG2 (dthr=2.2m)**FAS** RG1**AMB2200** RG1**ART** RG1**AGI** RG1**CRI90** RG1**CRI95** RG1**ENT** RG1**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169400 Galaxy Slim 3R2 AL/3000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	4575	28W	164	30°
169400 Galaxy Slim 3R2 AL/3000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	4575	28W	164	30°
169401 Galaxy Slim 3R2 AL/4000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	4765	28W	171	30°
169401 Galaxy Slim 3R2 AL/4000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	4765	28W	171	30°
169402 Galaxy Slim 3R2 AL/5000/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	4895	28W	175	30°
169402 Galaxy Slim 3R2 AL/5000/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	4895	28W	175	30°
169403 Galaxy Slim 3R2 AL/6500/28W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	4765	28W	171	30°
169403 Galaxy Slim 3R2 AL/6500/28W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	4765	28W	171	30°
169404 Galaxy Slim 3R2 AL/3000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	60°
169404 Galaxy Slim 3R2 AL/3000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	60°
169405 Galaxy Slim 3R2 AL/4000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	60°
169405 Galaxy Slim 3R2 AL/4000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	60°
169406 Galaxy Slim 3R2 AL/5000/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	60°
169406 Galaxy Slim 3R2 AL/5000/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	60°
169407 Galaxy Slim 3R2 AL/6500/28W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	60°
169407 Galaxy Slim 3R2 AL/6500/28W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	60°
169408 Galaxy Slim 3R2 AL/3000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	4560	28W	163	90°
169408 Galaxy Slim 3R2 AL/3000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	4560	28W	163	90°
169409 Galaxy Slim 3R2 AL/4000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	4750	28W	170	90°
169409 Galaxy Slim 3R2 AL/4000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	4750	28W	170	90°
169410 Galaxy Slim 3R2 AL/5000/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	4880	28W	175	90°
169410 Galaxy Slim 3R2 AL/5000/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	4880	28W	175	90°
169411 Galaxy Slim 3R2 AL/6500/28W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	4750	28W	170	90°
169411 Galaxy Slim 3R2 AL/6500/28W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	4750	28W	170	90°
169412 Galaxy Slim 3R2 AL/3000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	DA
169412 Galaxy Slim 3R2 AL/3000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	4540	28W	163	DA
169413 Galaxy Slim 3R2 AL/4000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	DA
169413 Galaxy Slim 3R2 AL/4000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	4730	28W	169	DA
169414 Galaxy Slim 3R2 AL/5000/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	DA
169414 Galaxy Slim 3R2 AL/5000/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	4860	28W	174	DA
169415 Galaxy Slim 3R2 AL/6500/28W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	DA
169415 Galaxy Slim 3R2 AL/6500/28W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	4730	28W	169	DA
169416 Galaxy Slim 3R2 AL/3000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	4335	28W	155	SA
169416 Galaxy Slim 3R2 AL/3000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	4335	28W	155	SA
169417 Galaxy Slim 3R2 AL/4000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	4515	28W	162	SA
169417 Galaxy Slim 3R2 AL/4000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	4515	28W	162	SA
169418 Galaxy Slim 3R2 AL/5000/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	4640	28W	166	SA
169418 Galaxy Slim 3R2 AL/5000/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	4640	28W	166	SA
169419 Galaxy Slim 3R2 AL/6500/28W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	4515	28W	162	SA
169419 Galaxy Slim 3R2 AL/6500/28W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	4515	28W	162	SA
169420 Galaxy Slim 3R2 AL/3000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	5965	37W	162	30°
169420 Galaxy Slim 3R2 AL/3000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	5965	37W	162	30°
169421 Galaxy Slim 3R2 AL/4000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	6215	37W	168	30°
169421 Galaxy Slim 3R2 AL/4000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	6215	37W	168	30°
169422 Galaxy Slim 3R2 AL/5000/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	6385	37W	173	30°
169422 Galaxy Slim 3R2 AL/5000/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	6385	37W	173	30°
169423 Galaxy Slim 3R2 AL/6500/37W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	6215	37W	168	30°
169423 Galaxy Slim 3R2 AL/6500/37W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	6215	37W	168	30°
169424 Galaxy Slim 3R2 AL/3000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	60°
169424 Galaxy Slim 3R2 AL/3000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	60°
169425 Galaxy Slim 3R2 AL/4000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	60°
169425 Galaxy Slim 3R2 AL/4000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	60°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169426 Galaxy Slim 3R2 AL/5000/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	60°
169426 Galaxy Slim 3R2 AL/5000/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	60°
169427 Galaxy Slim 3R2 AL/6500/37W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	60°
169427 Galaxy Slim 3R2 AL/6500/37W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	60°
169428 Galaxy Slim 3R2 AL/3000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	5945	37W	161	90°
169428 Galaxy Slim 3R2 AL/3000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	5945	37W	161	90°
169429 Galaxy Slim 3R2 AL/4000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	6200	37W	168	90°
169429 Galaxy Slim 3R2 AL/4000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	6200	37W	168	90°
169430 Galaxy Slim 3R2 AL/5000/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	6365	37W	172	90°
169430 Galaxy Slim 3R2 AL/5000/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	6365	37W	172	90°
169431 Galaxy Slim 3R2 AL/6500/37W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	6200	37W	168	90°
169431 Galaxy Slim 3R2 AL/6500/37W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	6200	37W	168	90°
169432 Galaxy Slim 3R2 AL/3000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	DA
169432 Galaxy Slim 3R2 AL/3000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	5920	37W	160	DA
169433 Galaxy Slim 3R2 AL/4000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	DA
169433 Galaxy Slim 3R2 AL/4000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	6170	37W	167	DA
169434 Galaxy Slim 3R2 AL/5000/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	DA
169434 Galaxy Slim 3R2 AL/5000/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	6335	37W	172	DA
169435 Galaxy Slim 3R2 AL/6500/37W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	DA
169435 Galaxy Slim 3R2 AL/6500/37W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	6170	37W	167	DA
169436 Galaxy Slim 3R2 AL/3000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	5650	37W	153	SA
169436 Galaxy Slim 3R2 AL/3000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	5650	37W	153	SA
169437 Galaxy Slim 3R2 AL/4000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	5890	37W	160	SA
169437 Galaxy Slim 3R2 AL/4000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	5890	37W	160	SA
169438 Galaxy Slim 3R2 AL/5000/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	6050	37W	164	SA
169438 Galaxy Slim 3R2 AL/5000/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	6050	37W	164	SA
169439 Galaxy Slim 3R2 AL/6500/37W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	5890	37W	160	SA
169439 Galaxy Slim 3R2 AL/6500/37W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	5890	37W	160	SA
169440 Galaxy Slim 3R2 AL/3000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	7915	49W	162	30°
169440 Galaxy Slim 3R2 AL/3000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	7915	49W	162	30°
169441 Galaxy Slim 3R2 AL/4000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	8250	49W	169	30°
169441 Galaxy Slim 3R2 AL/4000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	8250	49W	169	30°
169442 Galaxy Slim 3R2 AL/5000/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	8470	49W	173	30°
169442 Galaxy Slim 3R2 AL/5000/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	8470	49W	173	30°
169443 Galaxy Slim 3R2 AL/6500/49W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	8250	49W	169	30°
169443 Galaxy Slim 3R2 AL/6500/49W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	8250	49W	169	30°
169444 Galaxy Slim 3R2 AL/3000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	60°
169444 Galaxy Slim 3R2 AL/3000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	60°
169445 Galaxy Slim 3R2 AL/4000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	60°
169445 Galaxy Slim 3R2 AL/4000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	60°
169446 Galaxy Slim 3R2 AL/5000/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	60°
169446 Galaxy Slim 3R2 AL/5000/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	60°
169447 Galaxy Slim 3R2 AL/6500/49W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	60°
169447 Galaxy Slim 3R2 AL/6500/49W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	60°
169448 Galaxy Slim 3R2 AL/3000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	7895	49W	162	90°
169448 Galaxy Slim 3R2 AL/3000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	7895	49W	162	90°
169449 Galaxy Slim 3R2 AL/4000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	8225	49W	168	90°
169449 Galaxy Slim 3R2 AL/4000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	8225	49W	168	90°
169450 Galaxy Slim 3R2 AL/5000/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	8450	49W	173	90°
169450 Galaxy Slim 3R2 AL/5000/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	8450	49W	173	90°
169451 Galaxy Slim 3R2 AL/6500/49W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	8225	49W	168	90°
169451 Galaxy Slim 3R2 AL/6500/49W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	8225	49W	168	90°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169452 Galaxy Slim 3R2 AL/3000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	DA
169452 Galaxy Slim 3R2 AL/3000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	7855	49W	161	DA
169453 Galaxy Slim 3R2 AL/4000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	DA
169453 Galaxy Slim 3R2 AL/4000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	8190	49W	168	DA
169454 Galaxy Slim 3R2 AL/5000/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	DA
169454 Galaxy Slim 3R2 AL/5000/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	8410	49W	172	DA
169455 Galaxy Slim 3R2 AL/6500/49W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	DA
169455 Galaxy Slim 3R2 AL/6500/49W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	8190	49W	168	DA
169456 Galaxy Slim 3R2 AL/3000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	7500	49W	154	SA
169456 Galaxy Slim 3R2 AL/3000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	7500	49W	154	SA
169457 Galaxy Slim 3R2 AL/4000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	7820	49W	160	SA
169457 Galaxy Slim 3R2 AL/4000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	7820	49W	160	SA
169458 Galaxy Slim 3R2 AL/5000/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	8030	49W	164	SA
169458 Galaxy Slim 3R2 AL/5000/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	8030	49W	164	SA
169459 Galaxy Slim 3R2 AL/6500/49W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	7820	49W	160	SA
169459 Galaxy Slim 3R2 AL/6500/49W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	7820	49W	160	SA
169460 Galaxy Slim 3R2 AL/3000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	9305	60W	156	30°
169460 Galaxy Slim 3R2 AL/3000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	9305	60W	156	30°
169461 Galaxy Slim 3R2 AL/4000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	9695	60W	162	30°
169461 Galaxy Slim 3R2 AL/4000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	9695	60W	162	30°
169462 Galaxy Slim 3R2 AL/5000/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	9960	60W	166	30°
169462 Galaxy Slim 3R2 AL/5000/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	9960	60W	166	30°
169463 Galaxy Slim 3R2 AL/6500/60W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	9695	60W	162	30°
169463 Galaxy Slim 3R2 AL/6500/60W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	9695	60W	162	30°
169464 Galaxy Slim 3R2 AL/3000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	60°
169464 Galaxy Slim 3R2 AL/3000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	60°
169465 Galaxy Slim 3R2 AL/4000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	60°
169465 Galaxy Slim 3R2 AL/4000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	60°
169466 Galaxy Slim 3R2 AL/5000/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	60°
169466 Galaxy Slim 3R2 AL/5000/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	60°
169467 Galaxy Slim 3R2 AL/6500/60W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	60°
169467 Galaxy Slim 3R2 AL/6500/60W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	60°
169468 Galaxy Slim 3R2 AL/3000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	9275	60W	155	90°
169468 Galaxy Slim 3R2 AL/3000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	9275	60W	155	90°
169469 Galaxy Slim 3R2 AL/4000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	9670	60W	162	90°
169469 Galaxy Slim 3R2 AL/4000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	9670	60W	162	90°
169470 Galaxy Slim 3R2 AL/5000/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	9930	60W	166	90°
169470 Galaxy Slim 3R2 AL/5000/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	9930	60W	166	90°
169471 Galaxy Slim 3R2 AL/6500/60W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	9670	60W	162	90°
169471 Galaxy Slim 3R2 AL/6500/60W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	9670	60W	162	90°
169472 Galaxy Slim 3R2 AL/3000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	DA
169472 Galaxy Slim 3R2 AL/3000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	9235	60W	154	DA
169473 Galaxy Slim 3R2 AL/4000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	DA
169473 Galaxy Slim 3R2 AL/4000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	9625	60W	161	DA
169474 Galaxy Slim 3R2 AL/5000/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	DA
169474 Galaxy Slim 3R2 AL/5000/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	9885	60W	165	DA
169475 Galaxy Slim 3R2 AL/6500/60W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	DA
169475 Galaxy Slim 3R2 AL/6500/60W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	9625	60W	161	DA
169476 Galaxy Slim 3R2 AL/3000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	8815	60W	147	SA
169476 Galaxy Slim 3R2 AL/3000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	8815	60W	147	SA
169477 Galaxy Slim 3R2 AL/4000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	9190	60W	154	SA
169477 Galaxy Slim 3R2 AL/4000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	9190	60W	154	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169478 Galaxy Slim 3R2 AL/5000/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	9435	60W	158	SA
169478 Galaxy Slim 3R2 AL/5000/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	9435	60W	158	SA
169479 Galaxy Slim 3R2 AL/6500/60W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	9190	60W	154	SA
169479 Galaxy Slim 3R2 AL/6500/60W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	9190	60W	154	SA
169480 Galaxy Slim 3R2 AL/3000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	3000	10625	70W	152	30°
169480 Galaxy Slim 3R2 AL/3000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	3000	10625	70W	152	30°
169481 Galaxy Slim 3R2 AL/4000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	4000	11075	70W	159	30°
169481 Galaxy Slim 3R2 AL/4000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	4000	11075	70W	159	30°
169482 Galaxy Slim 3R2 AL/5000/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	5000	11370	70W	163	30°
169482 Galaxy Slim 3R2 AL/5000/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	5000	11370	70W	163	30°
169483 Galaxy Slim 3R2 AL/6500/70W/80/A3TB/B	593 x 188.4 x 57.6 ± 1mm	6500	11075	70W	159	30°
169483 Galaxy Slim 3R2 AL/6500/70W/80/A3TB/G	593 x 188.4 x 57.6 ± 1mm	6500	11075	70W	159	30°
169484 Galaxy Slim 3R2 AL/3000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	60°
169484 Galaxy Slim 3R2 AL/3000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	60°
169485 Galaxy Slim 3R2 AL/4000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	60°
169485 Galaxy Slim 3R2 AL/4000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	60°
169486 Galaxy Slim 3R2 AL/5000/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	60°
169486 Galaxy Slim 3R2 AL/5000/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	60°
169487 Galaxy Slim 3R2 AL/6500/70W/80/A3NB/B	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	60°
169487 Galaxy Slim 3R2 AL/6500/70W/80/A3NB/G	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	60°
169488 Galaxy Slim 3R2 AL/3000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	3000	10595	70W	152	90°
169488 Galaxy Slim 3R2 AL/3000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	3000	10595	70W	152	90°
169489 Galaxy Slim 3R2 AL/4000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	4000	11040	70W	158	90°
169489 Galaxy Slim 3R2 AL/4000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	4000	11040	70W	158	90°
169490 Galaxy Slim 3R2 AL/5000/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	5000	11340	70W	162	90°
169490 Galaxy Slim 3R2 AL/5000/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	5000	11340	70W	162	90°
169491 Galaxy Slim 3R2 AL/6500/70W/80/A3WB/B	593 x 188.4 x 57.6 ± 1mm	6500	11040	70W	158	90°
169491 Galaxy Slim 3R2 AL/6500/70W/80/A3WB/G	593 x 188.4 x 57.6 ± 1mm	6500	11040	70W	158	90°
169492 Galaxy Slim 3R2 AL/3000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	DA
169492 Galaxy Slim 3R2 AL/3000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	3000	10545	70W	151	DA
169493 Galaxy Slim 3R2 AL/4000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	DA
169493 Galaxy Slim 3R2 AL/4000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	4000	10990	70W	157	DA
169494 Galaxy Slim 3R2 AL/5000/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	DA
169494 Galaxy Slim 3R2 AL/5000/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	5000	11290	70W	162	DA
169495 Galaxy Slim 3R2 AL/6500/70W/80/A3DA/B	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	DA
169495 Galaxy Slim 3R2 AL/6500/70W/80/A3DA/G	593 x 188.4 x 57.6 ± 1mm	6500	10990	70W	157	DA
169496 Galaxy Slim 3R2 AL/3000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	3000	10070	70W	144	SA
169496 Galaxy Slim 3R2 AL/3000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	3000	10070	70W	144	SA
169497 Galaxy Slim 3R2 AL/4000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	4000	10495	70W	150	SA
169497 Galaxy Slim 3R2 AL/4000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	4000	10495	70W	150	SA
169498 Galaxy Slim 3R2 AL/5000/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	5000	10775	70W	154	SA
169498 Galaxy Slim 3R2 AL/5000/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	5000	10775	70W	154	SA
169499 Galaxy Slim 3R2 AL/6500/70W/80/A3SA/B	593 x 188.4 x 57.6 ± 1mm	6500	10495	70W	150	SA
169499 Galaxy Slim 3R2 AL/6500/70W/80/A3SA/G	593 x 188.4 x 57.6 ± 1mm	6500	10495	70W	150	SA

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: August 8, 2022 6:11 PM. www.greentek.eu