



Lenyk Slim TRK

TRACK LINEARS | DALI SERIES

Lenyk Slim - as the name reveals, has a slimmer, more streamlined housing than Lenyk N. It boasts the same simple and double asymmetric lenses and high efficiency of the Lenyk family but, in addition, it also has a 30-cm version suitable for small enclosures which demand high illuminance.

Lenyk Slim TRK has several series, determined by various add-on and controls:




- Lenyk Slim TRK Non-DALI: the standard for industrial, DIY and retail spaces
- **Lenyk Slim TRK DALI: with DALI dimming**

APPLICATION

Grocery & Supermarkets | Retail | Industrial & Logistics | DIY

FEATURES & BENEFITS

- CRI ≥ 80 as standard
- 4 color temperatures: 3000K, 4000K, 5000K and 6500K
- Long rated life: L90/B10@50.000h
- Very high efficiency: 171 lm/w @4000K
- Wide range of lens angles: TB (30°), NB (60°), WB (90°), DA (Double Asymmetric), SA (Simple Asymmetric)




SPECIFICATIONS

| | | | | |
|--------------------------------|-----------------------------------|-----------------|--------------------|-------------------------|
| Power consumption | 16W | 15W, 26W | 21W, 37W, 44W, 50W | 26W, 35W, 45W, 53W, 62W |
| Dimensions | 301x71x68mm±1mm | 593x71x69mm±1mm | 1177x71x108mm±1mm | 1469x71x108mm±1mm |
| Weight | 0.95 Kg | 1.27 Kg | 2.3 Kg | 2.6 Kg |
| Housing materials | Aluminum & Polycarbonate | | | |
| IK code | IK04 | | | |
| THD (at 230V, 50Hz, Full load) | <9% | | | |
| Protection class | Safety class 1 | | | |
| Operating temperature [°C] | -20°C ... +45°C / -4F ... +113F | | | |
| Operating humidity [%] | 10 ÷ 85 | | | |
| Power factor | ≥0.95 | | | |
| AC Input [Vac] | 220 - 240 VAC | | | |
| Lens angle [°] | 30°, 60°, 90°, DA, SA | | | |
| Lifespan [h] | 50,000 | | | |
| Housing color | ● Anodised Black, ● Anodised Grey | | | |
| Lumen maintenance | L90/B10@50,000h at 25°C | | | |
| IP factor | IP20 | | | |
| Control optional | DALI | | | |
| Warranty [years] | 5 | | | |
| Storage temperature range [°C] | -20°C ... +55°C / -4F ... +131F | | | |
| Emergency option | - | | | |

| | |
|---------|---------------------------|
| # | Standard |
| CRI | CRI80 |
| CCT [K] | 3000 / 4000 / 5000 / 6500 |
| MacAdam | 4 |

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

| Luminaire Power [W] | Control type | Circuit Breaker Type | | | | | |
|---------------------|--------------|----------------------|----|----|----|----|----|
| | | B | | | C | | |
| | | 20 | 16 | 10 | 20 | 16 | 10 |
| <50W | Non-DALI | 38 | 30 | 19 | 62 | 51 | 31 |
| ≥ 50W | Non-DALI | 38 | 30 | 19 | 62 | 51 | 31 |
| <80W | DALI | 27 | 21 | 13 | 45 | 35 | 21 |

RISK GROUP**Standard (CRI80)** RG1**FOOD (BVF, FBS, FSM)** RG1**FOOD ≤35W (FZM, FSH)** RG1**FOOD >35W (FZM, FSH)** RG2**FAS** RG1**AMB2200** RG1**ART** RG1**AGI** RG1**CRI90** RG1**CRI95** RG1**ENT** RG1**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) | |
|---------------|---------------------------------|-----------------|-------------|-----------|----------------|----------------|-----|
| CRI 80 | | | | | | | |
| 291020 | Lenyk Slim TRK30/3000/16W/80/TB | 301x71x68mm±1mm | 3000 | 2010 | 16W | 126 | 30° |
| 291021 | Lenyk Slim TRK30/4000/16W/80/TB | 301x71x68mm±1mm | 4000 | 2095 | 16W | 131 | 30° |
| 291022 | Lenyk Slim TRK30/5000/16W/80/TB | 301x71x68mm±1mm | 5000 | 2150 | 16W | 135 | 30° |
| 291023 | Lenyk Slim TRK30/6500/16W/80/TB | 301x71x68mm±1mm | 6500 | 2095 | 16W | 131 | 30° |
| 291024 | Lenyk Slim TRK30/3000/16W/80/NB | 301x71x68mm±1mm | 3000 | 1995 | 16W | 125 | 60° |
| 291025 | Lenyk Slim TRK30/4000/16W/80/NB | 301x71x68mm±1mm | 4000 | 2080 | 16W | 130 | 60° |
| 291026 | Lenyk Slim TRK30/5000/16W/80/NB | 301x71x68mm±1mm | 5000 | 2135 | 16W | 134 | 60° |
| 291027 | Lenyk Slim TRK30/6500/16W/80/NB | 301x71x68mm±1mm | 6500 | 2080 | 16W | 130 | 60° |
| 291028 | Lenyk Slim TRK30/3000/16W/80/WB | 301x71x68mm±1mm | 3000 | 2005 | 16W | 126 | 90° |
| 291029 | Lenyk Slim TRK30/4000/16W/80/WB | 301x71x68mm±1mm | 4000 | 2090 | 16W | 131 | 90° |
| 291030 | Lenyk Slim TRK30/5000/16W/80/WB | 301x71x68mm±1mm | 5000 | 2145 | 16W | 134 | 90° |
| 291031 | Lenyk Slim TRK30/6500/16W/80/WB | 301x71x68mm±1mm | 6500 | 2090 | 16W | 131 | 90° |
| 291032 | Lenyk Slim TRK30/3000/16W/80/DA | 301x71x68mm±1mm | 3000 | 1995 | 16W | 125 | DA |
| 291033 | Lenyk Slim TRK30/4000/16W/80/DA | 301x71x68mm±1mm | 4000 | 2080 | 16W | 130 | DA |
| 291034 | Lenyk Slim TRK30/5000/16W/80/DA | 301x71x68mm±1mm | 5000 | 2135 | 16W | 134 | DA |
| 291035 | Lenyk Slim TRK30/6500/16W/80/DA | 301x71x68mm±1mm | 6500 | 2080 | 16W | 130 | DA |
| 291036 | Lenyk Slim TRK30/3000/16W/80/SA | 301x71x68mm±1mm | 3000 | 1905 | 16W | 119 | SA |
| 291037 | Lenyk Slim TRK30/4000/16W/80/SA | 301x71x68mm±1mm | 4000 | 1985 | 16W | 124 | SA |
| 291038 | Lenyk Slim TRK30/5000/16W/80/SA | 301x71x68mm±1mm | 5000 | 2040 | 16W | 128 | SA |
| 291039 | Lenyk Slim TRK30/6500/16W/80/SA | 301x71x68mm±1mm | 6500 | 1985 | 16W | 124 | SA |
| 291040 | Lenyk Slim TRK60/3000/15W/80/TB | 593x71x69mm±1mm | 3000 | 2135 | 15W | 143 | 30° |
| 291041 | Lenyk Slim TRK60/4000/15W/80/TB | 593x71x69mm±1mm | 4000 | 2225 | 15W | 149 | 30° |
| 291042 | Lenyk Slim TRK60/5000/15W/80/TB | 593x71x69mm±1mm | 5000 | 2285 | 15W | 153 | 30° |
| 291043 | Lenyk Slim TRK60/6500/15W/80/TB | 593x71x69mm±1mm | 6500 | 2225 | 15W | 149 | 30° |
| 291044 | Lenyk Slim TRK60/3000/15W/80/NB | 593x71x69mm±1mm | 3000 | 2120 | 15W | 142 | 60° |
| 291045 | Lenyk Slim TRK60/4000/15W/80/NB | 593x71x69mm±1mm | 4000 | 2205 | 15W | 147 | 60° |
| 291046 | Lenyk Slim TRK60/5000/15W/80/NB | 593x71x69mm±1mm | 5000 | 2265 | 15W | 151 | 60° |
| 291047 | Lenyk Slim TRK60/6500/15W/80/NB | 593x71x69mm±1mm | 6500 | 2205 | 15W | 147 | 60° |
| 291048 | Lenyk Slim TRK60/3000/15W/80/WB | 593x71x69mm±1mm | 3000 | 2125 | 15W | 142 | 90° |
| 291049 | Lenyk Slim TRK60/4000/15W/80/WB | 593x71x69mm±1mm | 4000 | 2215 | 15W | 148 | 90° |
| 291050 | Lenyk Slim TRK60/5000/15W/80/WB | 593x71x69mm±1mm | 5000 | 2275 | 15W | 152 | 90° |
| 291051 | Lenyk Slim TRK60/6500/15W/80/WB | 593x71x69mm±1mm | 6500 | 2215 | 15W | 148 | 90° |
| 291052 | Lenyk Slim TRK60/3000/15W/80/DA | 593x71x69mm±1mm | 3000 | 2120 | 15W | 142 | DA |
| 291053 | Lenyk Slim TRK60/4000/15W/80/DA | 593x71x69mm±1mm | 4000 | 2205 | 15W | 147 | DA |
| 291054 | Lenyk Slim TRK60/5000/15W/80/DA | 593x71x69mm±1mm | 5000 | 2265 | 15W | 151 | DA |
| 291055 | Lenyk Slim TRK60/6500/15W/80/DA | 593x71x69mm±1mm | 6500 | 2205 | 15W | 147 | DA |
| 291056 | Lenyk Slim TRK60/3000/15W/80/SA | 593x71x69mm±1mm | 3000 | 2020 | 15W | 135 | SA |
| 291057 | Lenyk Slim TRK60/4000/15W/80/SA | 593x71x69mm±1mm | 4000 | 2110 | 15W | 141 | SA |
| 291058 | Lenyk Slim TRK60/5000/15W/80/SA | 593x71x69mm±1mm | 5000 | 2165 | 15W | 145 | SA |
| 291059 | Lenyk Slim TRK60/6500/15W/80/SA | 593x71x69mm±1mm | 6500 | 2110 | 15W | 141 | SA |
| 291060 | Lenyk Slim TRK60/3000/26W/80/TB | 593x71x69mm±1mm | 3000 | 3480 | 26W | 134 | 30° |
| 291061 | Lenyk Slim TRK60/4000/26W/80/TB | 593x71x69mm±1mm | 4000 | 3630 | 26W | 140 | 30° |
| 291062 | Lenyk Slim TRK60/5000/26W/80/TB | 593x71x69mm±1mm | 5000 | 3725 | 26W | 144 | 30° |
| 291063 | Lenyk Slim TRK60/6500/26W/80/TB | 593x71x69mm±1mm | 6500 | 3630 | 26W | 140 | 30° |
| 291064 | Lenyk Slim TRK60/3000/26W/80/NB | 593x71x69mm±1mm | 3000 | 3455 | 26W | 133 | 60° |
| 291065 | Lenyk Slim TRK60/4000/26W/80/NB | 593x71x69mm±1mm | 4000 | 3600 | 26W | 139 | 60° |
| 291066 | Lenyk Slim TRK60/5000/26W/80/NB | 593x71x69mm±1mm | 5000 | 3700 | 26W | 143 | 60° |
| 291067 | Lenyk Slim TRK60/6500/26W/80/NB | 593x71x69mm±1mm | 6500 | 3600 | 26W | 139 | 60° |
| 291068 | Lenyk Slim TRK60/3000/26W/80/WB | 593x71x69mm±1mm | 3000 | 3470 | 26W | 134 | 90° |
| 291069 | Lenyk Slim TRK60/4000/26W/80/WB | 593x71x69mm±1mm | 4000 | 3620 | 26W | 140 | 90° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|-------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 291070 Lenyk Slim TRK60/5000/26W/80/WB | 593x71x69mm±1mm | 5000 | 3715 | 26W | 143 | 90° |
| 291071 Lenyk Slim TRK60/6500/26W/80/WB | 593x71x69mm±1mm | 6500 | 3620 | 26W | 140 | 90° |
| 291072 Lenyk Slim TRK60/3000/26W/80/DA | 593x71x69mm±1mm | 3000 | 3455 | 26W | 133 | DA |
| 291073 Lenyk Slim TRK60/4000/26W/80/DA | 593x71x69mm±1mm | 4000 | 3600 | 26W | 139 | DA |
| 291074 Lenyk Slim TRK60/5000/26W/80/DA | 593x71x69mm±1mm | 5000 | 3700 | 26W | 143 | DA |
| 291075 Lenyk Slim TRK60/6500/26W/80/DA | 593x71x69mm±1mm | 6500 | 3600 | 26W | 139 | DA |
| 291076 Lenyk Slim TRK60/3000/26W/80/SA | 593x71x69mm±1mm | 3000 | 3300 | 26W | 127 | SA |
| 291077 Lenyk Slim TRK60/4000/26W/80/SA | 593x71x69mm±1mm | 4000 | 3440 | 26W | 133 | SA |
| 291078 Lenyk Slim TRK60/5000/26W/80/SA | 593x71x69mm±1mm | 5000 | 3530 | 26W | 136 | SA |
| 291079 Lenyk Slim TRK60/6500/26W/80/SA | 593x71x69mm±1mm | 6500 | 3440 | 26W | 133 | SA |
| 291100 Lenyk Slim TRK120/3000/21W/80/TB | 1177x71x108mm±1mm | 3000 | 3445 | 21W | 165 | 30° |
| 291101 Lenyk Slim TRK120/4000/21W/80/TB | 1177x71x108mm±1mm | 4000 | 3590 | 21W | 171 | 30° |
| 291102 Lenyk Slim TRK120/5000/21W/80/TB | 1177x71x108mm±1mm | 5000 | 3685 | 21W | 176 | 30° |
| 291103 Lenyk Slim TRK120/6500/21W/80/TB | 1177x71x108mm±1mm | 6500 | 3590 | 21W | 171 | 30° |
| 291104 Lenyk Slim TRK120/3000/21W/80/NB | 1177x71x108mm±1mm | 3000 | 3420 | 21W | 163 | 60° |
| 291105 Lenyk Slim TRK120/4000/21W/80/NB | 1177x71x108mm±1mm | 4000 | 3565 | 21W | 170 | 60° |
| 291106 Lenyk Slim TRK120/5000/21W/80/NB | 1177x71x108mm±1mm | 5000 | 3660 | 21W | 175 | 60° |
| 291107 Lenyk Slim TRK120/6500/21W/80/NB | 1177x71x108mm±1mm | 6500 | 3565 | 21W | 170 | 60° |
| 291108 Lenyk Slim TRK120/3000/21W/80/WB | 1177x71x108mm±1mm | 3000 | 3435 | 21W | 164 | 90° |
| 291109 Lenyk Slim TRK120/4000/21W/80/WB | 1177x71x108mm±1mm | 4000 | 3580 | 21W | 171 | 90° |
| 291110 Lenyk Slim TRK120/5000/21W/80/WB | 1177x71x108mm±1mm | 5000 | 3675 | 21W | 175 | 90° |
| 291111 Lenyk Slim TRK120/6500/21W/80/WB | 1177x71x108mm±1mm | 6500 | 3580 | 21W | 171 | 90° |
| 291112 Lenyk Slim TRK120/3000/21W/80/DA | 1177x71x108mm±1mm | 3000 | 3420 | 21W | 163 | DA |
| 291113 Lenyk Slim TRK120/4000/21W/80/DA | 1177x71x108mm±1mm | 4000 | 3565 | 21W | 170 | DA |
| 291114 Lenyk Slim TRK120/5000/21W/80/DA | 1177x71x108mm±1mm | 5000 | 3660 | 21W | 175 | DA |
| 291115 Lenyk Slim TRK120/6500/21W/80/DA | 1177x71x108mm±1mm | 6500 | 3565 | 21W | 170 | DA |
| 291116 Lenyk Slim TRK120/3000/21W/80/SA | 1177x71x108mm±1mm | 3000 | 3280 | 21W | 157 | SA |
| 291117 Lenyk Slim TRK120/4000/21W/80/SA | 1177x71x108mm±1mm | 4000 | 3415 | 21W | 163 | SA |
| 291118 Lenyk Slim TRK120/5000/21W/80/SA | 1177x71x108mm±1mm | 5000 | 3510 | 21W | 168 | SA |
| 291119 Lenyk Slim TRK120/6500/21W/80/SA | 1177x71x108mm±1mm | 6500 | 3415 | 21W | 163 | SA |
| 291120 Lenyk Slim TRK120/3000/37W/80/TB | 1177x71x108mm±1mm | 3000 | 5615 | 37W | 152 | 30° |
| 291121 Lenyk Slim TRK120/4000/37W/80/TB | 1177x71x108mm±1mm | 4000 | 5850 | 37W | 159 | 30° |
| 291122 Lenyk Slim TRK120/5000/37W/80/TB | 1177x71x108mm±1mm | 5000 | 6010 | 37W | 163 | 30° |
| 291123 Lenyk Slim TRK120/6500/37W/80/TB | 1177x71x108mm±1mm | 6500 | 5850 | 37W | 159 | 30° |
| 291124 Lenyk Slim TRK120/3000/37W/80/NB | 1177x71x108mm±1mm | 3000 | 5575 | 37W | 151 | 60° |
| 291125 Lenyk Slim TRK120/4000/37W/80/NB | 1177x71x108mm±1mm | 4000 | 5810 | 37W | 158 | 60° |
| 291126 Lenyk Slim TRK120/5000/37W/80/NB | 1177x71x108mm±1mm | 5000 | 5965 | 37W | 162 | 60° |
| 291127 Lenyk Slim TRK120/6500/37W/80/NB | 1177x71x108mm±1mm | 6500 | 5810 | 37W | 158 | 60° |
| 291128 Lenyk Slim TRK120/3000/37W/80/WB | 1177x71x108mm±1mm | 3000 | 5600 | 37W | 152 | 90° |
| 291129 Lenyk Slim TRK120/4000/37W/80/WB | 1177x71x108mm±1mm | 4000 | 5835 | 37W | 158 | 90° |
| 291130 Lenyk Slim TRK120/5000/37W/80/WB | 1177x71x108mm±1mm | 5000 | 5995 | 37W | 163 | 90° |
| 291131 Lenyk Slim TRK120/6500/37W/80/WB | 1177x71x108mm±1mm | 6500 | 5835 | 37W | 158 | 90° |
| 291132 Lenyk Slim TRK120/3000/37W/80/DA | 1177x71x108mm±1mm | 3000 | 5575 | 37W | 151 | DA |
| 291133 Lenyk Slim TRK120/4000/37W/80/DA | 1177x71x108mm±1mm | 4000 | 5810 | 37W | 158 | DA |
| 291134 Lenyk Slim TRK120/5000/37W/80/DA | 1177x71x108mm±1mm | 5000 | 5965 | 37W | 162 | DA |
| 291135 Lenyk Slim TRK120/6500/37W/80/DA | 1177x71x108mm±1mm | 6500 | 5810 | 37W | 158 | DA |
| 291136 Lenyk Slim TRK120/3000/37W/80/SA | 1177x71x108mm±1mm | 3000 | 5345 | 37W | 145 | SA |
| 291137 Lenyk Slim TRK120/4000/37W/80/SA | 1177x71x108mm±1mm | 4000 | 5570 | 37W | 151 | SA |
| 291138 Lenyk Slim TRK120/5000/37W/80/SA | 1177x71x108mm±1mm | 5000 | 5720 | 37W | 155 | SA |
| 291139 Lenyk Slim TRK120/6500/37W/80/SA | 1177x71x108mm±1mm | 6500 | 5570 | 37W | 151 | SA |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|-------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 291140 Lenyk Slim TRK120/3000/44W/80/TB | 1177x71x108mm±1mm | 3000 | 6525 | 44W | 149 | 30° |
| 291141 Lenyk Slim TRK120/4000/44W/80/TB | 1177x71x108mm±1mm | 4000 | 6800 | 44W | 155 | 30° |
| 291142 Lenyk Slim TRK120/5000/44W/80/TB | 1177x71x108mm±1mm | 5000 | 6985 | 44W | 159 | 30° |
| 291143 Lenyk Slim TRK120/6500/44W/80/TB | 1177x71x108mm±1mm | 6500 | 6800 | 44W | 155 | 30° |
| 291144 Lenyk Slim TRK120/3000/44W/80/NB | 1177x71x108mm±1mm | 3000 | 6480 | 44W | 148 | 60° |
| 291145 Lenyk Slim TRK120/4000/44W/80/NB | 1177x71x108mm±1mm | 4000 | 6750 | 44W | 154 | 60° |
| 291146 Lenyk Slim TRK120/5000/44W/80/NB | 1177x71x108mm±1mm | 5000 | 6935 | 44W | 158 | 60° |
| 291147 Lenyk Slim TRK120/6500/44W/80/NB | 1177x71x108mm±1mm | 6500 | 6750 | 44W | 154 | 60° |
| 291148 Lenyk Slim TRK120/3000/44W/80/WB | 1177x71x108mm±1mm | 3000 | 6505 | 44W | 148 | 90° |
| 291149 Lenyk Slim TRK120/4000/44W/80/WB | 1177x71x108mm±1mm | 4000 | 6780 | 44W | 155 | 90° |
| 291150 Lenyk Slim TRK120/5000/44W/80/WB | 1177x71x108mm±1mm | 5000 | 6965 | 44W | 159 | 90° |
| 291151 Lenyk Slim TRK120/6500/44W/80/WB | 1177x71x108mm±1mm | 6500 | 6780 | 44W | 155 | 90° |
| 291152 Lenyk Slim TRK120/3000/44W/80/DA | 1177x71x108mm±1mm | 3000 | 6480 | 44W | 148 | DA |
| 291153 Lenyk Slim TRK120/4000/44W/80/DA | 1177x71x108mm±1mm | 4000 | 6750 | 44W | 154 | DA |
| 291154 Lenyk Slim TRK120/5000/44W/80/DA | 1177x71x108mm±1mm | 5000 | 6935 | 44W | 158 | DA |
| 291155 Lenyk Slim TRK120/6500/44W/80/DA | 1177x71x108mm±1mm | 6500 | 6750 | 44W | 154 | DA |
| 291156 Lenyk Slim TRK120/3000/44W/80/SA | 1177x71x108mm±1mm | 3000 | 6210 | 44W | 142 | SA |
| 291157 Lenyk Slim TRK120/4000/44W/80/SA | 1177x71x108mm±1mm | 4000 | 6475 | 44W | 148 | SA |
| 291158 Lenyk Slim TRK120/5000/44W/80/SA | 1177x71x108mm±1mm | 5000 | 6650 | 44W | 152 | SA |
| 291159 Lenyk Slim TRK120/6500/44W/80/SA | 1177x71x108mm±1mm | 6500 | 6475 | 44W | 148 | SA |
| 291160 Lenyk Slim TRK120/3000/50W/80/TB | 1177x71x108mm±1mm | 3000 | 8050 | 50W | 161 | 30° |
| 291161 Lenyk Slim TRK120/4000/50W/80/TB | 1177x71x108mm±1mm | 4000 | 8390 | 50W | 168 | 30° |
| 291162 Lenyk Slim TRK120/5000/50W/80/TB | 1177x71x108mm±1mm | 5000 | 8615 | 50W | 173 | 30° |
| 291163 Lenyk Slim TRK120/6500/50W/80/TB | 1177x71x108mm±1mm | 6500 | 8390 | 50W | 168 | 30° |
| 291164 Lenyk Slim TRK120/3000/50W/80/NB | 1177x71x108mm±1mm | 3000 | 7990 | 50W | 160 | 60° |
| 291165 Lenyk Slim TRK120/4000/50W/80/NB | 1177x71x108mm±1mm | 4000 | 8330 | 50W | 167 | 60° |
| 291166 Lenyk Slim TRK120/5000/50W/80/NB | 1177x71x108mm±1mm | 5000 | 8555 | 50W | 172 | 60° |
| 291167 Lenyk Slim TRK120/6500/50W/80/NB | 1177x71x108mm±1mm | 6500 | 8330 | 50W | 167 | 60° |
| 291168 Lenyk Slim TRK120/3000/50W/80/WB | 1177x71x108mm±1mm | 3000 | 8025 | 50W | 161 | 90° |
| 291169 Lenyk Slim TRK120/4000/50W/80/WB | 1177x71x108mm±1mm | 4000 | 8365 | 50W | 168 | 90° |
| 291170 Lenyk Slim TRK120/5000/50W/80/WB | 1177x71x108mm±1mm | 5000 | 8590 | 50W | 172 | 90° |
| 291171 Lenyk Slim TRK120/6500/50W/80/WB | 1177x71x108mm±1mm | 6500 | 8365 | 50W | 168 | 90° |
| 291172 Lenyk Slim TRK120/3000/50W/80/DA | 1177x71x108mm±1mm | 3000 | 7990 | 50W | 160 | DA |
| 291173 Lenyk Slim TRK120/4000/50W/80/DA | 1177x71x108mm±1mm | 4000 | 8330 | 50W | 167 | DA |
| 291174 Lenyk Slim TRK120/5000/50W/80/DA | 1177x71x108mm±1mm | 5000 | 8555 | 50W | 172 | DA |
| 291175 Lenyk Slim TRK120/6500/50W/80/DA | 1177x71x108mm±1mm | 6500 | 8330 | 50W | 167 | DA |
| 291176 Lenyk Slim TRK120/3000/50W/80/SA | 1177x71x108mm±1mm | 3000 | 7660 | 50W | 154 | SA |
| 291177 Lenyk Slim TRK120/4000/50W/80/SA | 1177x71x108mm±1mm | 4000 | 7985 | 50W | 160 | SA |
| 291178 Lenyk Slim TRK120/5000/50W/80/SA | 1177x71x108mm±1mm | 5000 | 8200 | 50W | 164 | SA |
| 291179 Lenyk Slim TRK120/6500/50W/80/SA | 1177x71x108mm±1mm | 6500 | 7985 | 50W | 160 | SA |
| 291180 Lenyk Slim TRK150/3000/26W/80/TB | 1469x71x108mm±1mm | 3000 | 4150 | 26W | 160 | 30° |
| 291181 Lenyk Slim TRK150/4000/26W/80/TB | 1469x71x108mm±1mm | 4000 | 4325 | 26W | 167 | 30° |
| 291182 Lenyk Slim TRK150/5000/26W/80/TB | 1469x71x108mm±1mm | 5000 | 4445 | 26W | 171 | 30° |
| 291183 Lenyk Slim TRK150/6500/26W/80/TB | 1469x71x108mm±1mm | 6500 | 4325 | 26W | 167 | 30° |
| 291184 Lenyk Slim TRK150/3000/26W/80/NB | 1469x71x108mm±1mm | 3000 | 4120 | 26W | 159 | 60° |
| 291185 Lenyk Slim TRK150/4000/26W/80/NB | 1469x71x108mm±1mm | 4000 | 4295 | 26W | 166 | 60° |
| 291186 Lenyk Slim TRK150/5000/26W/80/NB | 1469x71x108mm±1mm | 5000 | 4410 | 26W | 170 | 60° |
| 291187 Lenyk Slim TRK150/6500/26W/80/NB | 1469x71x108mm±1mm | 6500 | 4295 | 26W | 166 | 60° |
| 291188 Lenyk Slim TRK150/3000/26W/80/WB | 1469x71x108mm±1mm | 3000 | 4140 | 26W | 160 | 90° |
| 291189 Lenyk Slim TRK150/4000/26W/80/WB | 1469x71x108mm±1mm | 4000 | 4315 | 26W | 166 | 90° |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|-------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 291190 Lenyk Slim TRK150/5000/26W/80/WB | 1469x71x108mm±1mm | 5000 | 4430 | 26W | 171 | 90° |
| 291191 Lenyk Slim TRK150/6500/26W/80/WB | 1469x71x108mm±1mm | 6500 | 4315 | 26W | 166 | 90° |
| 291192 Lenyk Slim TRK150/3000/26W/80/DA | 1469x71x108mm±1mm | 3000 | 4120 | 26W | 159 | DA |
| 291193 Lenyk Slim TRK150/4000/26W/80/DA | 1469x71x108mm±1mm | 4000 | 4295 | 26W | 166 | DA |
| 291194 Lenyk Slim TRK150/5000/26W/80/DA | 1469x71x108mm±1mm | 5000 | 4410 | 26W | 170 | DA |
| 291195 Lenyk Slim TRK150/6500/26W/80/DA | 1469x71x108mm±1mm | 6500 | 4295 | 26W | 166 | DA |
| 291196 Lenyk Slim TRK150/3000/26W/80/SA | 1469x71x108mm±1mm | 3000 | 3950 | 26W | 152 | SA |
| 291197 Lenyk Slim TRK150/4000/26W/80/SA | 1469x71x108mm±1mm | 4000 | 4120 | 26W | 159 | SA |
| 291198 Lenyk Slim TRK150/5000/26W/80/SA | 1469x71x108mm±1mm | 5000 | 4230 | 26W | 163 | SA |
| 291199 Lenyk Slim TRK150/6500/26W/80/SA | 1469x71x108mm±1mm | 6500 | 4120 | 26W | 159 | SA |
| 291200 Lenyk Slim TRK150/3000/35W/80/TB | 1469x71x108mm±1mm | 3000 | 5445 | 35W | 156 | 30° |
| 291201 Lenyk Slim TRK150/4000/35W/80/TB | 1469x71x108mm±1mm | 4000 | 5680 | 35W | 163 | 30° |
| 291202 Lenyk Slim TRK150/5000/35W/80/TB | 1469x71x108mm±1mm | 5000 | 5830 | 35W | 167 | 30° |
| 291203 Lenyk Slim TRK150/6500/35W/80/TB | 1469x71x108mm±1mm | 6500 | 5680 | 35W | 163 | 30° |
| 291204 Lenyk Slim TRK150/3000/35W/80/NB | 1469x71x108mm±1mm | 3000 | 5360 | 35W | 154 | 60° |
| 291205 Lenyk Slim TRK150/4000/35W/80/NB | 1469x71x108mm±1mm | 4000 | 5585 | 35W | 160 | 60° |
| 291206 Lenyk Slim TRK150/5000/35W/80/NB | 1469x71x108mm±1mm | 5000 | 5740 | 35W | 164 | 60° |
| 291207 Lenyk Slim TRK150/6500/35W/80/NB | 1469x71x108mm±1mm | 6500 | 5585 | 35W | 160 | 60° |
| 291208 Lenyk Slim TRK150/3000/35W/80/WB | 1469x71x108mm±1mm | 3000 | 5385 | 35W | 154 | 90° |
| 291209 Lenyk Slim TRK150/4000/35W/80/WB | 1469x71x108mm±1mm | 4000 | 5610 | 35W | 161 | 90° |
| 291210 Lenyk Slim TRK150/5000/35W/80/WB | 1469x71x108mm±1mm | 5000 | 5765 | 35W | 165 | 90° |
| 291211 Lenyk Slim TRK150/6500/35W/80/WB | 1469x71x108mm±1mm | 6500 | 5610 | 35W | 161 | 90° |
| 291212 Lenyk Slim TRK150/3000/35W/80/DA | 1469x71x108mm±1mm | 3000 | 5360 | 35W | 154 | DA |
| 291213 Lenyk Slim TRK150/4000/35W/80/DA | 1469x71x108mm±1mm | 4000 | 5585 | 35W | 160 | DA |
| 291214 Lenyk Slim TRK150/5000/35W/80/DA | 1469x71x108mm±1mm | 5000 | 5740 | 35W | 164 | DA |
| 291215 Lenyk Slim TRK150/6500/35W/80/DA | 1469x71x108mm±1mm | 6500 | 5585 | 35W | 160 | DA |
| 291216 Lenyk Slim TRK150/3000/35W/80/SA | 1469x71x108mm±1mm | 3000 | 5115 | 35W | 147 | SA |
| 291217 Lenyk Slim TRK150/4000/35W/80/SA | 1469x71x108mm±1mm | 4000 | 5335 | 35W | 153 | SA |
| 291218 Lenyk Slim TRK150/5000/35W/80/SA | 1469x71x108mm±1mm | 5000 | 5480 | 35W | 157 | SA |
| 291219 Lenyk Slim TRK150/6500/35W/80/SA | 1469x71x108mm±1mm | 6500 | 5335 | 35W | 153 | SA |
| 291220 Lenyk Slim TRK150/3000/45W/80/TB | 1469x71x108mm±1mm | 3000 | 6905 | 45W | 154 | 30° |
| 291221 Lenyk Slim TRK150/4000/45W/80/TB | 1469x71x108mm±1mm | 4000 | 7195 | 45W | 160 | 30° |
| 291222 Lenyk Slim TRK150/5000/45W/80/TB | 1469x71x108mm±1mm | 5000 | 7390 | 45W | 165 | 30° |
| 291223 Lenyk Slim TRK150/6500/45W/80/TB | 1469x71x108mm±1mm | 6500 | 7195 | 45W | 160 | 30° |
| 291224 Lenyk Slim TRK150/3000/45W/80/NB | 1469x71x108mm±1mm | 3000 | 6795 | 45W | 151 | 60° |
| 291225 Lenyk Slim TRK150/4000/45W/80/NB | 1469x71x108mm±1mm | 4000 | 7080 | 45W | 158 | 60° |
| 291226 Lenyk Slim TRK150/5000/45W/80/NB | 1469x71x108mm±1mm | 5000 | 7275 | 45W | 162 | 60° |
| 291227 Lenyk Slim TRK150/6500/45W/80/NB | 1469x71x108mm±1mm | 6500 | 7080 | 45W | 158 | 60° |
| 291228 Lenyk Slim TRK150/3000/45W/80/WB | 1469x71x108mm±1mm | 3000 | 6825 | 45W | 152 | 90° |
| 291229 Lenyk Slim TRK150/4000/45W/80/WB | 1469x71x108mm±1mm | 4000 | 7115 | 45W | 159 | 90° |
| 291230 Lenyk Slim TRK150/5000/45W/80/WB | 1469x71x108mm±1mm | 5000 | 7305 | 45W | 163 | 90° |
| 291231 Lenyk Slim TRK150/6500/45W/80/WB | 1469x71x108mm±1mm | 6500 | 7115 | 45W | 159 | 90° |
| 291232 Lenyk Slim TRK150/3000/45W/80/DA | 1469x71x108mm±1mm | 3000 | 6795 | 45W | 151 | DA |
| 291233 Lenyk Slim TRK150/4000/45W/80/DA | 1469x71x108mm±1mm | 4000 | 7080 | 45W | 158 | DA |
| 291234 Lenyk Slim TRK150/5000/45W/80/DA | 1469x71x108mm±1mm | 5000 | 7275 | 45W | 162 | DA |
| 291235 Lenyk Slim TRK150/6500/45W/80/DA | 1469x71x108mm±1mm | 6500 | 7080 | 45W | 158 | DA |
| 291236 Lenyk Slim TRK150/3000/45W/80/SA | 1469x71x108mm±1mm | 3000 | 6485 | 45W | 145 | SA |
| 291237 Lenyk Slim TRK150/4000/45W/80/SA | 1469x71x108mm±1mm | 4000 | 6760 | 45W | 151 | SA |
| 291238 Lenyk Slim TRK150/5000/45W/80/SA | 1469x71x108mm±1mm | 5000 | 6945 | 45W | 155 | SA |
| 291239 Lenyk Slim TRK150/6500/45W/80/SA | 1469x71x108mm±1mm | 6500 | 6760 | 45W | 151 | SA |

SKU SPECIFICATIONS

| Product Code | Dimensions (mm) | CCT (K) | Lumens (lm) | Power (W) | Eff. (lm/watt) | Lens Angle (°) |
|---|-------------------|---------|-------------|-----------|----------------|----------------|
| CRI 80 | | | | | | |
| 291240 Lenyk Slim TRK150/3000/53W/80/TB | 1469x71x108mm±1mm | 3000 | 7785 | 53W | 147 | 30° |
| 291241 Lenyk Slim TRK150/4000/53W/80/TB | 1469x71x108mm±1mm | 4000 | 8115 | 53W | 154 | 30° |
| 291242 Lenyk Slim TRK150/5000/53W/80/TB | 1469x71x108mm±1mm | 5000 | 8335 | 53W | 158 | 30° |
| 291243 Lenyk Slim TRK150/6500/53W/80/TB | 1469x71x108mm±1mm | 6500 | 8115 | 53W | 154 | 30° |
| 291244 Lenyk Slim TRK150/3000/53W/80/NB | 1469x71x108mm±1mm | 3000 | 7665 | 53W | 145 | 60° |
| 291245 Lenyk Slim TRK150/4000/53W/80/NB | 1469x71x108mm±1mm | 4000 | 7985 | 53W | 151 | 60° |
| 291246 Lenyk Slim TRK150/5000/53W/80/NB | 1469x71x108mm±1mm | 5000 | 8200 | 53W | 155 | 60° |
| 291247 Lenyk Slim TRK150/6500/53W/80/NB | 1469x71x108mm±1mm | 6500 | 7985 | 53W | 151 | 60° |
| 291248 Lenyk Slim TRK150/3000/53W/80/WB | 1469x71x108mm±1mm | 3000 | 7695 | 53W | 146 | 90° |
| 291249 Lenyk Slim TRK150/4000/53W/80/WB | 1469x71x108mm±1mm | 4000 | 8020 | 53W | 152 | 90° |
| 291250 Lenyk Slim TRK150/5000/53W/80/WB | 1469x71x108mm±1mm | 5000 | 8240 | 53W | 156 | 90° |
| 291251 Lenyk Slim TRK150/6500/53W/80/WB | 1469x71x108mm±1mm | 6500 | 8020 | 53W | 152 | 90° |
| 291252 Lenyk Slim TRK150/3000/53W/80/DA | 1469x71x108mm±1mm | 3000 | 7665 | 53W | 145 | DA |
| 291253 Lenyk Slim TRK150/4000/53W/80/DA | 1469x71x108mm±1mm | 4000 | 7985 | 53W | 151 | DA |
| 291254 Lenyk Slim TRK150/5000/53W/80/DA | 1469x71x108mm±1mm | 5000 | 8200 | 53W | 155 | DA |
| 291255 Lenyk Slim TRK150/6500/53W/80/DA | 1469x71x108mm±1mm | 6500 | 7985 | 53W | 151 | DA |
| 291256 Lenyk Slim TRK150/3000/53W/80/SA | 1469x71x108mm±1mm | 3000 | 7315 | 53W | 139 | SA |
| 291257 Lenyk Slim TRK150/4000/53W/80/SA | 1469x71x108mm±1mm | 4000 | 7625 | 53W | 144 | SA |
| 291258 Lenyk Slim TRK150/5000/53W/80/SA | 1469x71x108mm±1mm | 5000 | 7830 | 53W | 148 | SA |
| 291259 Lenyk Slim TRK150/6500/53W/80/SA | 1469x71x108mm±1mm | 6500 | 7625 | 53W | 144 | SA |
| 291260 Lenyk Slim TRK150/3000/62W/80/TB | 1469x71x108mm±1mm | 3000 | 9085 | 62W | 147 | 30° |
| 291261 Lenyk Slim TRK150/4000/62W/80/TB | 1469x71x108mm±1mm | 4000 | 9470 | 62W | 153 | 30° |
| 291262 Lenyk Slim TRK150/5000/62W/80/TB | 1469x71x108mm±1mm | 5000 | 9725 | 62W | 157 | 30° |
| 291263 Lenyk Slim TRK150/6500/62W/80/TB | 1469x71x108mm±1mm | 6500 | 9470 | 62W | 153 | 30° |
| 291264 Lenyk Slim TRK150/3000/62W/80/NB | 1469x71x108mm±1mm | 3000 | 9020 | 62W | 146 | 60° |
| 291265 Lenyk Slim TRK150/4000/62W/80/NB | 1469x71x108mm±1mm | 4000 | 9400 | 62W | 152 | 60° |
| 291266 Lenyk Slim TRK150/5000/62W/80/NB | 1469x71x108mm±1mm | 5000 | 9655 | 62W | 156 | 60° |
| 291267 Lenyk Slim TRK150/6500/62W/80/NB | 1469x71x108mm±1mm | 6500 | 9400 | 62W | 152 | 60° |
| 291268 Lenyk Slim TRK150/3000/62W/80/WB | 1469x71x108mm±1mm | 3000 | 9060 | 62W | 147 | 90° |
| 291269 Lenyk Slim TRK150/4000/62W/80/WB | 1469x71x108mm±1mm | 4000 | 9440 | 62W | 153 | 90° |
| 291270 Lenyk Slim TRK150/5000/62W/80/WB | 1469x71x108mm±1mm | 5000 | 9695 | 62W | 157 | 90° |
| 291271 Lenyk Slim TRK150/6500/62W/80/WB | 1469x71x108mm±1mm | 6500 | 9440 | 62W | 153 | 90° |
| 291272 Lenyk Slim TRK150/3000/62W/80/DA | 1469x71x108mm±1mm | 3000 | 9020 | 62W | 146 | DA |
| 291273 Lenyk Slim TRK150/4000/62W/80/DA | 1469x71x108mm±1mm | 4000 | 9400 | 62W | 152 | DA |
| 291274 Lenyk Slim TRK150/5000/62W/80/DA | 1469x71x108mm±1mm | 5000 | 9655 | 62W | 156 | DA |
| 291275 Lenyk Slim TRK150/6500/62W/80/DA | 1469x71x108mm±1mm | 6500 | 9400 | 62W | 152 | DA |
| 291276 Lenyk Slim TRK150/3000/62W/80/SA | 1469x71x108mm±1mm | 3000 | 8650 | 62W | 140 | SA |
| 291277 Lenyk Slim TRK150/4000/62W/80/SA | 1469x71x108mm±1mm | 4000 | 9015 | 62W | 146 | SA |
| 291278 Lenyk Slim TRK150/5000/62W/80/SA | 1469x71x108mm±1mm | 5000 | 9260 | 62W | 150 | SA |
| 291279 Lenyk Slim TRK150/6500/62W/80/SA | 1469x71x108mm±1mm | 6500 | 9015 | 62W | 146 | SA |

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: November 19, 2019 11:05 AM. www.greentek.eu