

## Galaxy Slim 3R4

### SUSPENDED | DALI SERIES

An ultra-flat housing luminaire suitable for retail, groceries & supermarkets, and DIY stores. Available in different types of optics - for a general lighting that amazes through its impressive efficiency and lighting quality ratings.

Galaxy Slim 3R4 has several series, determined by various add-on and controls:



- Galaxy Slim 3R4 Non-DALI: the standard version for retail, groceries & supermarkets, and DIY stores
- Galaxy Slim 3R4 Non-DALI EM: with emergency lighting kit
- **Galaxy Slim 3R4 DALI: with DALI dimming**

### FEATURES & BENEFITS

- CRI 80 as standard
- 4 color temperatures (3000K, 4000K, 5000K, 6500K)
- Long rated life: L90/B10@50.000h
- Very high efficiency: 169lm/W @4000K
- Dimmable

### APPLICATION

Grocery & Supermarket | Retail | DIY




**SPECIFICATIONS**

Power consumption	77W, 87W, 102W, 117W, 139W
Dimensions	1176.6 x 188.4 x 57.6 ± 1mm
Weight	4.8 Kg
Housing materials	Aluminum & Polycarbonate
IK code	IK02
THD (at 230V, 50Hz, Full load)	<9%
Protection class	Safety class 1
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F
Operating humidity [%]	10 ÷ 85
Power factor	≥0.95
AC Input [Vac]	220 - 240 VAC
Lens angle [°]	30°, 60°, 90°, DA, SA
Lifespan [h]	50.000
Housing color	● Anodised black, ● Anodised grey
Lumen maintenance	L90/B10@50.000h at 25°C
IP factor	IP20
Control optional	DALI
Warranty [years]	5
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F
Emergency option	-

#	Standard
CRI	CRI80
CCT [K]	3000 / 4000 / 5000 / 6500
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

**LIGHT DISTRIBUTION**



**TOLERANCES****Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	38	30	19	62	51	31
≥ 50W	Non-DALI	38	30	19	62	51	31
< 80W	DALI	27	21	13	45	35	21

**RISK GROUP****Standard (CRI80)** RG1**FOOD (BVF, FBS, FSM)** RG1**FOOD <20W (FZM, FSH)** RG2 (dthr=1.8m)**FOOD >20W (FZM, FSH)** RG2 (dthr=2.2m)**FAS** RG1**AMB2200** RG1**ART** RG1**AGI** RG1**CRI90** RG1**CRI95** RG1**ENT** RG1**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

**RG2**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
<b>CRI 80</b>						
269500 Galaxy Slim 3R4 AL/3000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
269500 Galaxy Slim 3R4 AL/3000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
269501 Galaxy Slim 3R4 AL/4000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
269501 Galaxy Slim 3R4 AL/4000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
269502 Galaxy Slim 3R4 AL/5000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
269502 Galaxy Slim 3R4 AL/5000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
269503 Galaxy Slim 3R4 AL/6500/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
269503 Galaxy Slim 3R4 AL/6500/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
269504 Galaxy Slim 3R4 AL/3000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
269504 Galaxy Slim 3R4 AL/3000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
269505 Galaxy Slim 3R4 AL/4000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
269505 Galaxy Slim 3R4 AL/4000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
269506 Galaxy Slim 3R4 AL/5000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
269506 Galaxy Slim 3R4 AL/5000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
269507 Galaxy Slim 3R4 AL/6500/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
269507 Galaxy Slim 3R4 AL/6500/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
269508 Galaxy Slim 3R4 AL/3000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
269508 Galaxy Slim 3R4 AL/3000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
269509 Galaxy Slim 3R4 AL/4000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
269509 Galaxy Slim 3R4 AL/4000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
269510 Galaxy Slim 3R4 AL/5000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
269510 Galaxy Slim 3R4 AL/5000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
269511 Galaxy Slim 3R4 AL/6500/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
269511 Galaxy Slim 3R4 AL/6500/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
269512 Galaxy Slim 3R4 AL/3000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
269512 Galaxy Slim 3R4 AL/3000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
269513 Galaxy Slim 3R4 AL/4000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
269513 Galaxy Slim 3R4 AL/4000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
269514 Galaxy Slim 3R4 AL/5000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
269514 Galaxy Slim 3R4 AL/5000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
269515 Galaxy Slim 3R4 AL/6500/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
269515 Galaxy Slim 3R4 AL/6500/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
269516 Galaxy Slim 3R4 AL/3000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
269516 Galaxy Slim 3R4 AL/3000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
269517 Galaxy Slim 3R4 AL/4000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
269517 Galaxy Slim 3R4 AL/4000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
269518 Galaxy Slim 3R4 AL/5000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
269518 Galaxy Slim 3R4 AL/5000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
269519 Galaxy Slim 3R4 AL/6500/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
269519 Galaxy Slim 3R4 AL/6500/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
269520 Galaxy Slim 3R4 AL/3000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
269520 Galaxy Slim 3R4 AL/3000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
269521 Galaxy Slim 3R4 AL/4000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
269521 Galaxy Slim 3R4 AL/4000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
269522 Galaxy Slim 3R4 AL/5000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
269522 Galaxy Slim 3R4 AL/5000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
269523 Galaxy Slim 3R4 AL/6500/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
269523 Galaxy Slim 3R4 AL/6500/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
269524 Galaxy Slim 3R4 AL/3000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
269524 Galaxy Slim 3R4 AL/3000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
269525 Galaxy Slim 3R4 AL/4000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°
269525 Galaxy Slim 3R4 AL/4000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
<b>CRI 80</b>						
269526 Galaxy Slim 3R4 AL/5000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
269526 Galaxy Slim 3R4 AL/5000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
269527 Galaxy Slim 3R4 AL/6500/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
269527 Galaxy Slim 3R4 AL/6500/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
269528 Galaxy Slim 3R4 AL/3000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
269528 Galaxy Slim 3R4 AL/3000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
269529 Galaxy Slim 3R4 AL/4000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
269529 Galaxy Slim 3R4 AL/4000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
269530 Galaxy Slim 3R4 AL/5000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
269530 Galaxy Slim 3R4 AL/5000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
269531 Galaxy Slim 3R4 AL/6500/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
269531 Galaxy Slim 3R4 AL/6500/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
269532 Galaxy Slim 3R4 AL/3000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
269532 Galaxy Slim 3R4 AL/3000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
269533 Galaxy Slim 3R4 AL/4000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
269533 Galaxy Slim 3R4 AL/4000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
269534 Galaxy Slim 3R4 AL/5000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
269534 Galaxy Slim 3R4 AL/5000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
269535 Galaxy Slim 3R4 AL/6500/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
269535 Galaxy Slim 3R4 AL/6500/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
269536 Galaxy Slim 3R4 AL/3000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
269536 Galaxy Slim 3R4 AL/3000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
269537 Galaxy Slim 3R4 AL/4000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
269537 Galaxy Slim 3R4 AL/4000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
269538 Galaxy Slim 3R4 AL/5000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
269538 Galaxy Slim 3R4 AL/5000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
269539 Galaxy Slim 3R4 AL/6500/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
269539 Galaxy Slim 3R4 AL/6500/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
269540 Galaxy Slim 3R4 AL/3000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
269540 Galaxy Slim 3R4 AL/3000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
269541 Galaxy Slim 3R4 AL/4000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
269541 Galaxy Slim 3R4 AL/4000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
269542 Galaxy Slim 3R4 AL/5000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
269542 Galaxy Slim 3R4 AL/5000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
269543 Galaxy Slim 3R4 AL/6500/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
269543 Galaxy Slim 3R4 AL/6500/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
269544 Galaxy Slim 3R4 AL/3000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
269544 Galaxy Slim 3R4 AL/3000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
269545 Galaxy Slim 3R4 AL/4000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
269545 Galaxy Slim 3R4 AL/4000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
269546 Galaxy Slim 3R4 AL/5000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
269546 Galaxy Slim 3R4 AL/5000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
269547 Galaxy Slim 3R4 AL/6500/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
269547 Galaxy Slim 3R4 AL/6500/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
269548 Galaxy Slim 3R4 AL/3000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
269548 Galaxy Slim 3R4 AL/3000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
269549 Galaxy Slim 3R4 AL/4000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
269549 Galaxy Slim 3R4 AL/4000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
269550 Galaxy Slim 3R4 AL/5000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
269550 Galaxy Slim 3R4 AL/5000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
269551 Galaxy Slim 3R4 AL/6500/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°
269551 Galaxy Slim 3R4 AL/6500/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
<b>CRI 80</b>						
269552 Galaxy Slim 3R4 AL/3000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
269552 Galaxy Slim 3R4 AL/3000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
269553 Galaxy Slim 3R4 AL/4000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
269553 Galaxy Slim 3R4 AL/4000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
269554 Galaxy Slim 3R4 AL/5000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
269554 Galaxy Slim 3R4 AL/5000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
269555 Galaxy Slim 3R4 AL/6500/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
269555 Galaxy Slim 3R4 AL/6500/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
269556 Galaxy Slim 3R4 AL/3000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
269556 Galaxy Slim 3R4 AL/3000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
269557 Galaxy Slim 3R4 AL/4000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
269557 Galaxy Slim 3R4 AL/4000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
269558 Galaxy Slim 3R4 AL/5000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
269558 Galaxy Slim 3R4 AL/5000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
269559 Galaxy Slim 3R4 AL/6500/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
269559 Galaxy Slim 3R4 AL/6500/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
269560 Galaxy Slim 3R4 AL/3000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
269560 Galaxy Slim 3R4 AL/3000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
269561 Galaxy Slim 3R4 AL/4000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
269561 Galaxy Slim 3R4 AL/4000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
269562 Galaxy Slim 3R4 AL/5000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
269562 Galaxy Slim 3R4 AL/5000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
269563 Galaxy Slim 3R4 AL/6500/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
269563 Galaxy Slim 3R4 AL/6500/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
269564 Galaxy Slim 3R4 AL/3000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
269564 Galaxy Slim 3R4 AL/3000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
269565 Galaxy Slim 3R4 AL/4000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
269565 Galaxy Slim 3R4 AL/4000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
269566 Galaxy Slim 3R4 AL/5000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
269566 Galaxy Slim 3R4 AL/5000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
269567 Galaxy Slim 3R4 AL/6500/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
269567 Galaxy Slim 3R4 AL/6500/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
269568 Galaxy Slim 3R4 AL/3000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
269568 Galaxy Slim 3R4 AL/3000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
269569 Galaxy Slim 3R4 AL/4000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
269569 Galaxy Slim 3R4 AL/4000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
269570 Galaxy Slim 3R4 AL/5000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
269570 Galaxy Slim 3R4 AL/5000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
269571 Galaxy Slim 3R4 AL/6500/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
269571 Galaxy Slim 3R4 AL/6500/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
269572 Galaxy Slim 3R4 AL/3000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
269572 Galaxy Slim 3R4 AL/3000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
269573 Galaxy Slim 3R4 AL/4000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
269573 Galaxy Slim 3R4 AL/4000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
269574 Galaxy Slim 3R4 AL/5000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
269574 Galaxy Slim 3R4 AL/5000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
269575 Galaxy Slim 3R4 AL/6500/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
269575 Galaxy Slim 3R4 AL/6500/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
269576 Galaxy Slim 3R4 AL/3000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
269576 Galaxy Slim 3R4 AL/3000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
269577 Galaxy Slim 3R4 AL/4000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA
269577 Galaxy Slim 3R4 AL/4000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA

## SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
<b>CRI 80</b>						
269578 Galaxy Slim 3R4 AL/5000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
269578 Galaxy Slim 3R4 AL/5000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
269579 Galaxy Slim 3R4 AL/6500/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
269579 Galaxy Slim 3R4 AL/6500/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
269580 Galaxy Slim 3R4 AL/3000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
269580 Galaxy Slim 3R4 AL/3000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
269581 Galaxy Slim 3R4 AL/4000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
269581 Galaxy Slim 3R4 AL/4000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
269582 Galaxy Slim 3R4 AL/5000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
269582 Galaxy Slim 3R4 AL/5000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
269583 Galaxy Slim 3R4 AL/6500/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
269583 Galaxy Slim 3R4 AL/6500/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
269584 Galaxy Slim 3R4 AL/3000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
269584 Galaxy Slim 3R4 AL/3000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
269585 Galaxy Slim 3R4 AL/4000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
269585 Galaxy Slim 3R4 AL/4000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
269586 Galaxy Slim 3R4 AL/5000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
269586 Galaxy Slim 3R4 AL/5000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
269587 Galaxy Slim 3R4 AL/6500/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
269587 Galaxy Slim 3R4 AL/6500/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
269588 Galaxy Slim 3R4 AL/3000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
269588 Galaxy Slim 3R4 AL/3000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
269589 Galaxy Slim 3R4 AL/4000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
269589 Galaxy Slim 3R4 AL/4000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
269590 Galaxy Slim 3R4 AL/5000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
269590 Galaxy Slim 3R4 AL/5000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
269591 Galaxy Slim 3R4 AL/6500/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
269591 Galaxy Slim 3R4 AL/6500/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
269592 Galaxy Slim 3R4 AL/3000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
269592 Galaxy Slim 3R4 AL/3000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
269593 Galaxy Slim 3R4 AL/4000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
269593 Galaxy Slim 3R4 AL/4000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
269594 Galaxy Slim 3R4 AL/5000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
269594 Galaxy Slim 3R4 AL/5000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
269595 Galaxy Slim 3R4 AL/6500/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
269595 Galaxy Slim 3R4 AL/6500/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
269596 Galaxy Slim 3R4 AL/3000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
269596 Galaxy Slim 3R4 AL/3000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
269597 Galaxy Slim 3R4 AL/4000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
269597 Galaxy Slim 3R4 AL/4000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
269598 Galaxy Slim 3R4 AL/5000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
269598 Galaxy Slim 3R4 AL/5000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
269599 Galaxy Slim 3R4 AL/6500/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA
269599 Galaxy Slim 3R4 AL/6500/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: August 9, 2022 10:22 AM. [www.greentek.eu](http://www.greentek.eu)