



Ennio UP&DOWN Individual Lens

SUSPENDED | NON-DALI EM SERIES

Ennio UP&DOWN Individual Lens is a versatile suspended luminaire that emits light both upwards and downwards. Providing indirect light on its superior side, Ennio creates a mellow ambient in the working space with reduced glare due to indirect lighting by projecting the light beam towards the ceiling.

Tunable white - Light color temperature can be adjusted to reflect the need or mood of the user. The light provided by the luminaires can be changed from warm to cold, in a range between 2700K - 6500K.

PI-LED - Combines variable white light and light of the RGB color system in one single light source. It can vary the color temperature between 2700K - 6500K along Planckian curve in the course of a day.

Ennio UP&DOWN Individual Lens has several series, determined by various add-on and controls:



- Ennio UP&DOWN Individual Lens Non-DALI: the standard version
- **Ennio UP&DOWN Individual Lens Non-DALI EM: the standard version with emergency option (UP)**
- Ennio UP&DOWN Individual Lens DALI: with DALI controls for illumination adjustments
- Ennio UP&DOWN Individual Lens DALI EM: with DALI controls for illumination adjustments and emergency options (UP)
- Ennio UP&DOWN Individual Lens TW: the tunable white system with adjustable colour temperature
- Ennio UP&DOWN Individual Lens PI-LED - simulates the spectral quality of natural daylight over the entire day.

FEATURES & BENEFITS

- CRI 80 as standard
- Color temperatures: 3000K and 4000K
- Long rated life: L90/B10@50.000h
- Luminaire efficiency (UP/DOWN): 108/129 lm/w @4000K

APPLICATION

Office | Healthcare | Hospitality | DIY




SPECIFICATIONS

Power consumption (UP)	32W, 38W, 50W	37W, 50W, 60W	64W, 76W, 100W	74W, 100W, 120W
Power consumption (DOWN)	16W, 19W, 22W, 26W, 29W	19W, 23W, 28W, 32W, 36W	32W, 38W, 44W, 52W, 58W	38W, 46W, 56W, 64W, 72W
Dimensions	1214 x 57 x 81 ± 1mm	1501 x 57 x 81 ± 1mm	2362 x 57 x 81 ± 1mm	2936 x 57 x 81 ± 1mm
Weight	3.9 kg - 3.9 kg	4.6 kg - 4.7 kg	7.4 kg - 7.6	8.9 kg - 9 kg
Housing materials	Aluminum & Polycarbonate			
IK code	IK02			
THD (at 230V, 50Hz, Full load)	<8%			
Protection class	Safety class 1			
Operating temperature [°C]	+5°C ... +45°C / +41F ... +113F			
Operating humidity [%]	10 ÷ 85			
Power factor	≥0.95			
AC Input [Vac]	220 - 240 VAC			
Lens angle [°] (UP)	100°			
Lens angle [°] (DOWN)	15°, 21°, 28°, 46°, 57°			
Lifespan [h]	50,000			
Housing color	● Anodised black			
Lumen maintenance	L90/B10@50.000h at 25°C			
IP factor	IP20			
Control optional	-			
Warranty [years]	5			
Storage temperature range [°C]	+5°C ... +25°C / +41F ... +77F			
Emergency option	EM1H , EM3H			
Efficiency@4000K (UP)	108 lm/W			
Efficiency@4000K (DOWN)	129 lm/W			

Light application	Standard
CRI	CRI 80
CCT [K]	3000K, 4000K
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 1214 X 57 X 81 ± 1MM AND 1501 X 57 X 81 ± 1MM**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 100W	Non-DALI	19	15	9	31	26	16
≥ 100W	Non-DALI	19	15	9	31	26	16
< 160W	DALI	13	10	6	22	17	10

MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT FOR DIMENSIONS 2362 X 57 X 81 ± 1MM AND 2936 X 57 X 81 ± 1MM

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	9	7	4	15	12	7
≥ 50W	Non-DALI	9	7	4	15	12	7
< 80W	DALI	6	5	3	11	8	5

RISK GROUP

Standard (CRI80)	RG1
FOOD (BVF, FBS, FSM)	RG1
FOOD ≤35W (FZM, FSH)	RG1
FOOD >35W (FZM, FSH)	RG2
FAS	RG1
AMB2200	RG1
ART	RG1
AGI	RG1
CRI90	RG1
CRI95	RG1
ENT	RG1

RG1

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991600 Ennio S120/3000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1895	32W / 16W	100 / 119	100° / 15°
1991601 Ennio S120/3000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2355	32W / 19W	100 / 124	100° / 15°
1991602 Ennio S120/3000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2735	32W / 22W	100 / 125	100° / 15°
1991603 Ennio S120/3000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3110	32W / 26W	100 / 120	100° / 15°
1991604 Ennio S120/3000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3610	32W / 29W	100 / 125	100° / 15°
1991605 Ennio S120/3000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1895	38W / 16W	101 / 119	100° / 15°
1991606 Ennio S120/3000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2355	38W / 19W	101 / 124	100° / 15°
1991607 Ennio S120/3000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2735	38W / 22W	101 / 125	100° / 15°
1991608 Ennio S120/3000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3110	38W / 26W	101 / 120	100° / 15°
1991609 Ennio S120/3000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3610	38W / 29W	101 / 125	100° / 15°
1991610 Ennio S120/3000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1895	50W / 16W	93 / 119	100° / 15°
1991611 Ennio S120/3000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2355	50W / 19W	93 / 124	100° / 15°
1991612 Ennio S120/3000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2735	50W / 22W	93 / 125	100° / 15°
1991613 Ennio S120/3000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3110	50W / 26W	93 / 120	100° / 15°
1991614 Ennio S120/3000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3610	50W / 29W	93 / 125	100° / 15°
1991615 Ennio S120/4000/32W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1895	32W / 16W	104 / 119	100° / 15°
1991616 Ennio S120/4000/32W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2355	32W / 19W	104 / 124	100° / 15°
1991617 Ennio S120/4000/32W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2735	32W / 22W	104 / 125	100° / 15°
1991618 Ennio S120/4000/32W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3110	32W / 26W	104 / 120	100° / 15°
1991619 Ennio S120/4000/32W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3610	32W / 29W	104 / 125	100° / 15°
1991620 Ennio S120/4000/38W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1895	38W / 16W	105 / 119	100° / 15°
1991621 Ennio S120/4000/38W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2355	38W / 19W	105 / 124	100° / 15°
1991622 Ennio S120/4000/38W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2735	38W / 22W	105 / 125	100° / 15°
1991623 Ennio S120/4000/38W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3110	38W / 26W	105 / 120	100° / 15°
1991624 Ennio S120/4000/38W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3610	38W / 29W	105 / 125	100° / 15°
1991625 Ennio S120/4000/50W/16W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1895	50W / 16W	97 / 119	100° / 15°
1991626 Ennio S120/4000/50W/19W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2355	50W / 19W	97 / 124	100° / 15°
1991627 Ennio S120/4000/50W/22W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2735	50W / 22W	97 / 125	100° / 15°
1991628 Ennio S120/4000/50W/26W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3110	50W / 26W	97 / 120	100° / 15°
1991629 Ennio S120/4000/50W/29W/80/A100/A15/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3610	50W / 29W	97 / 125	100° / 15°
1991630 Ennio S120/3000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1915	32W / 16W	100 / 120	100° / 21°
1991631 Ennio S120/3000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2375	32W / 19W	100 / 125	100° / 21°
1991632 Ennio S120/3000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2760	32W / 22W	100 / 126	100° / 21°
1991633 Ennio S120/3000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3140	32W / 26W	100 / 121	100° / 21°
1991634 Ennio S120/3000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3645	32W / 29W	100 / 126	100° / 21°
1991635 Ennio S120/3000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1915	38W / 16W	101 / 120	100° / 21°
1991636 Ennio S120/3000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2375	38W / 19W	101 / 125	100° / 21°
1991637 Ennio S120/3000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2760	38W / 22W	101 / 126	100° / 21°
1991638 Ennio S120/3000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3140	38W / 26W	101 / 121	100° / 21°
1991639 Ennio S120/3000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3645	38W / 29W	101 / 126	100° / 21°
1991640 Ennio S120/3000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1915	50W / 16W	93 / 120	100° / 21°
1991641 Ennio S120/3000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2375	50W / 19W	93 / 125	100° / 21°
1991642 Ennio S120/3000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2760	50W / 22W	93 / 126	100° / 21°
1991643 Ennio S120/3000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3140	50W / 26W	93 / 121	100° / 21°
1991644 Ennio S120/3000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3645	50W / 29W	93 / 126	100° / 21°
1991645 Ennio S120/4000/32W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1915	32W / 16W	104 / 120	100° / 21°
1991646 Ennio S120/4000/32W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2375	32W / 19W	104 / 125	100° / 21°
1991647 Ennio S120/4000/32W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2760	32W / 22W	104 / 126	100° / 21°
1991648 Ennio S120/4000/32W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3140	32W / 26W	104 / 121	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991649 Ennio S120/4000/32W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3645	32W / 29W	104 / 126	100° / 21°
1991650 Ennio S120/4000/38W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1915	38W / 16W	105 / 120	100° / 21°
1991651 Ennio S120/4000/38W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2375	38W / 19W	105 / 125	100° / 21°
1991652 Ennio S120/4000/38W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2760	38W / 22W	105 / 126	100° / 21°
1991653 Ennio S120/4000/38W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3140	38W / 26W	105 / 121	100° / 21°
1991654 Ennio S120/4000/38W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3645	38W / 29W	105 / 126	100° / 21°
1991655 Ennio S120/4000/50W/16W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1915	50W / 16W	97 / 120	100° / 21°
1991656 Ennio S120/4000/50W/19W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2375	50W / 19W	97 / 125	100° / 21°
1991657 Ennio S120/4000/50W/22W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2760	50W / 22W	97 / 126	100° / 21°
1991658 Ennio S120/4000/50W/26W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3140	50W / 26W	97 / 121	100° / 21°
1991659 Ennio S120/4000/50W/29W/80/A100/A21/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3645	50W / 29W	97 / 126	100° / 21°
1991660 Ennio S120/3000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 16W	100 / 115	100° / 28°
1991661 Ennio S120/3000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2285	32W / 19W	100 / 121	100° / 28°
1991662 Ennio S120/3000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2655	32W / 22W	100 / 121	100° / 28°
1991663 Ennio S120/3000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3020	32W / 26W	100 / 117	100° / 28°
1991664 Ennio S120/3000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3505	32W / 29W	100 / 121	100° / 28°
1991665 Ennio S120/3000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 16W	101 / 115	100° / 28°
1991666 Ennio S120/3000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2285	38W / 19W	101 / 121	100° / 28°
1991667 Ennio S120/3000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2655	38W / 22W	101 / 121	100° / 28°
1991668 Ennio S120/3000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3020	38W / 26W	101 / 117	100° / 28°
1991669 Ennio S120/3000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3505	38W / 29W	101 / 121	100° / 28°
1991670 Ennio S120/3000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 16W	93 / 115	100° / 28°
1991671 Ennio S120/3000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2285	50W / 19W	93 / 121	100° / 28°
1991672 Ennio S120/3000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2655	50W / 22W	93 / 121	100° / 28°
1991673 Ennio S120/3000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3020	50W / 26W	93 / 117	100° / 28°
1991674 Ennio S120/3000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3505	50W / 29W	93 / 121	100° / 28°
1991675 Ennio S120/4000/32W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1840	32W / 16W	104 / 115	100° / 28°
1991676 Ennio S120/4000/32W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2285	32W / 19W	104 / 121	100° / 28°
1991677 Ennio S120/4000/32W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2655	32W / 22W	104 / 121	100° / 28°
1991678 Ennio S120/4000/32W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3020	32W / 26W	104 / 117	100° / 28°
1991679 Ennio S120/4000/32W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3505	32W / 29W	104 / 121	100° / 28°
1991680 Ennio S120/4000/38W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1840	38W / 16W	105 / 115	100° / 28°
1991681 Ennio S120/4000/38W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2285	38W / 19W	105 / 121	100° / 28°
1991682 Ennio S120/4000/38W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2655	38W / 22W	105 / 121	100° / 28°
1991683 Ennio S120/4000/38W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3020	38W / 26W	105 / 117	100° / 28°
1991684 Ennio S120/4000/38W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3505	38W / 29W	105 / 121	100° / 28°
1991685 Ennio S120/4000/50W/16W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1840	50W / 16W	97 / 115	100° / 28°
1991686 Ennio S120/4000/50W/19W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2285	50W / 19W	97 / 121	100° / 28°
1991687 Ennio S120/4000/50W/22W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2655	50W / 22W	97 / 121	100° / 28°
1991688 Ennio S120/4000/50W/26W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3020	50W / 26W	97 / 117	100° / 28°
1991689 Ennio S120/4000/50W/29W/80/A100/A28/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3505	50W / 29W	97 / 121	100° / 28°
1991690 Ennio S120/3000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1880	32W / 16W	100 / 118	100° / 46°
1991691 Ennio S120/3000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2330	32W / 19W	100 / 123	100° / 46°
1991692 Ennio S120/3000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2705	32W / 22W	100 / 123	100° / 46°
1991693 Ennio S120/3000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3080	32W / 26W	100 / 119	100° / 46°
1991694 Ennio S120/3000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3575	32W / 29W	100 / 124	100° / 46°
1991695 Ennio S120/3000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1880	38W / 16W	101 / 118	100° / 46°
1991696 Ennio S120/3000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2330	38W / 19W	101 / 123	100° / 46°
1991697 Ennio S120/3000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2705	38W / 22W	101 / 123	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991698 Ennio S120/3000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3080	38W / 26W	101 / 119	100° / 46°
1991699 Ennio S120/3000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3575	38W / 29W	101 / 124	100° / 46°
1991700 Ennio S120/3000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1880	50W / 16W	93 / 118	100° / 46°
1991701 Ennio S120/3000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2330	50W / 19W	93 / 123	100° / 46°
1991702 Ennio S120/3000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2705	50W / 22W	93 / 123	100° / 46°
1991703 Ennio S120/3000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3080	50W / 26W	93 / 119	100° / 46°
1991704 Ennio S120/3000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3575	50W / 29W	93 / 124	100° / 46°
1991705 Ennio S120/4000/32W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 16W	104 / 118	100° / 46°
1991706 Ennio S120/4000/32W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2330	32W / 19W	104 / 123	100° / 46°
1991707 Ennio S120/4000/32W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2705	32W / 22W	104 / 123	100° / 46°
1991708 Ennio S120/4000/32W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3080	32W / 26W	104 / 119	100° / 46°
1991709 Ennio S120/4000/32W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3575	32W / 29W	104 / 124	100° / 46°
1991710 Ennio S120/4000/38W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 16W	105 / 118	100° / 46°
1991711 Ennio S120/4000/38W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2330	38W / 19W	105 / 123	100° / 46°
1991712 Ennio S120/4000/38W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2705	38W / 22W	105 / 123	100° / 46°
1991713 Ennio S120/4000/38W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3080	38W / 26W	105 / 119	100° / 46°
1991714 Ennio S120/4000/38W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3575	38W / 29W	105 / 124	100° / 46°
1991715 Ennio S120/4000/50W/16W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 16W	97 / 118	100° / 46°
1991716 Ennio S120/4000/50W/19W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2330	50W / 19W	97 / 123	100° / 46°
1991717 Ennio S120/4000/50W/22W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2705	50W / 22W	97 / 123	100° / 46°
1991718 Ennio S120/4000/50W/26W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3080	50W / 26W	97 / 119	100° / 46°
1991719 Ennio S120/4000/50W/29W/80/A100/A46/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3575	50W / 29W	97 / 124	100° / 46°
1991720 Ennio S120/3000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 1805	32W / 16W	100 / 113	100° / 57°
1991721 Ennio S120/3000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2235	32W / 19W	100 / 118	100° / 57°
1991722 Ennio S120/3000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2600	32W / 22W	100 / 119	100° / 57°
1991723 Ennio S120/3000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 2955	32W / 26W	100 / 114	100° / 57°
1991724 Ennio S120/3000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3190 / 3430	32W / 29W	100 / 119	100° / 57°
1991725 Ennio S120/3000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 1805	38W / 16W	101 / 113	100° / 57°
1991726 Ennio S120/3000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2235	38W / 19W	101 / 118	100° / 57°
1991727 Ennio S120/3000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2600	38W / 22W	101 / 119	100° / 57°
1991728 Ennio S120/3000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 2955	38W / 26W	101 / 114	100° / 57°
1991729 Ennio S120/3000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	3810 / 3430	38W / 29W	101 / 119	100° / 57°
1991730 Ennio S120/3000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 1805	50W / 16W	93 / 113	100° / 57°
1991731 Ennio S120/3000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2235	50W / 19W	93 / 118	100° / 57°
1991732 Ennio S120/3000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2600	50W / 22W	93 / 119	100° / 57°
1991733 Ennio S120/3000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 2955	50W / 26W	93 / 114	100° / 57°
1991734 Ennio S120/3000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	3000	4620 / 3430	50W / 29W	93 / 119	100° / 57°
1991735 Ennio S120/4000/32W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 1805	32W / 16W	104 / 113	100° / 57°
1991736 Ennio S120/4000/32W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2235	32W / 19W	104 / 118	100° / 57°
1991737 Ennio S120/4000/32W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2600	32W / 22W	104 / 119	100° / 57°
1991738 Ennio S120/4000/32W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 26W	104 / 114	100° / 57°
1991739 Ennio S120/4000/32W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3325 / 3430	32W / 29W	104 / 119	100° / 57°
1991740 Ennio S120/4000/38W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 1805	38W / 16W	105 / 113	100° / 57°
1991741 Ennio S120/4000/38W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2235	38W / 19W	105 / 118	100° / 57°
1991742 Ennio S120/4000/38W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2600	38W / 22W	105 / 119	100° / 57°
1991743 Ennio S120/4000/38W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 26W	105 / 114	100° / 57°
1991744 Ennio S120/4000/38W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	3970 / 3430	38W / 29W	105 / 119	100° / 57°
1991745 Ennio S120/4000/50W/16W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 1805	50W / 16W	97 / 113	100° / 57°
1991746 Ennio S120/4000/50W/19W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2235	50W / 19W	97 / 118	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991747 Ennio S120/4000/50W/22W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2600	50W / 22W	97 / 119	100° / 57°
1991748 Ennio S120/4000/50W/26W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 26W	97 / 114	100° / 57°
1991749 Ennio S120/4000/50W/29W/80/A100/A57/EM1H	1214 x 57 x 81 ± 1mm	4000	4815 / 3430	50W / 29W	97 / 119	100° / 57°
1991750 Ennio S150/3000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2360	37W / 19W	103 / 125	100° / 15°
1991751 Ennio S150/3000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2935	37W / 23W	103 / 128	100° / 15°
1991752 Ennio S150/3000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3410	37W / 28W	103 / 122	100° / 15°
1991753 Ennio S150/3000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3885	37W / 32W	103 / 122	100° / 15°
1991754 Ennio S150/3000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4480	37W / 36W	103 / 125	100° / 15°
1991755 Ennio S150/3000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2360	50W / 19W	100 / 125	100° / 15°
1991756 Ennio S150/3000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2935	50W / 23W	100 / 128	100° / 15°
1991757 Ennio S150/3000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3410	50W / 28W	100 / 122	100° / 15°
1991758 Ennio S150/3000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3885	50W / 32W	100 / 122	100° / 15°
1991759 Ennio S150/3000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4480	50W / 36W	100 / 125	100° / 15°
1991760 Ennio S150/3000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2360	60W / 19W	96 / 125	100° / 15°
1991761 Ennio S150/3000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2935	60W / 23W	96 / 128	100° / 15°
1991762 Ennio S150/3000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3410	60W / 28W	96 / 122	100° / 15°
1991763 Ennio S150/3000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3885	60W / 32W	96 / 122	100° / 15°
1991764 Ennio S150/3000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4480	60W / 36W	96 / 125	100° / 15°
1991765 Ennio S150/4000/37W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2360	37W / 19W	108 / 125	100° / 15°
1991766 Ennio S150/4000/37W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2935	37W / 23W	108 / 128	100° / 15°
1991767 Ennio S150/4000/37W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3410	37W / 28W	108 / 122	100° / 15°
1991768 Ennio S150/4000/37W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3885	37W / 32W	108 / 122	100° / 15°
1991769 Ennio S150/4000/37W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4480	37W / 36W	108 / 125	100° / 15°
1991770 Ennio S150/4000/50W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2360	50W / 19W	105 / 125	100° / 15°
1991771 Ennio S150/4000/50W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2935	50W / 23W	105 / 128	100° / 15°
1991772 Ennio S150/4000/50W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3410	50W / 28W	105 / 122	100° / 15°
1991773 Ennio S150/4000/50W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3885	50W / 32W	105 / 122	100° / 15°
1991774 Ennio S150/4000/50W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4480	50W / 36W	105 / 125	100° / 15°
1991775 Ennio S150/4000/60W/19W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2360	60W / 19W	100 / 125	100° / 15°
1991776 Ennio S150/4000/60W/23W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2935	60W / 23W	100 / 128	100° / 15°
1991777 Ennio S150/4000/60W/28W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3410	60W / 28W	100 / 122	100° / 15°
1991778 Ennio S150/4000/60W/32W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3885	60W / 32W	100 / 122	100° / 15°
1991779 Ennio S150/4000/60W/36W/80/A100/A15/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4480	60W / 36W	100 / 125	100° / 15°
1991780 Ennio S150/3000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2385	37W / 19W	103 / 126	100° / 21°
1991781 Ennio S150/3000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 23W	103 / 129	100° / 21°
1991782 Ennio S150/3000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3445	37W / 28W	103 / 124	100° / 21°
1991783 Ennio S150/3000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3925	37W / 32W	103 / 123	100° / 21°
1991784 Ennio S150/3000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4525	37W / 36W	103 / 126	100° / 21°
1991785 Ennio S150/3000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2385	50W / 19W	100 / 126	100° / 21°
1991786 Ennio S150/3000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 23W	100 / 129	100° / 21°
1991787 Ennio S150/3000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3445	50W / 28W	100 / 124	100° / 21°
1991788 Ennio S150/3000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3925	50W / 32W	100 / 123	100° / 21°
1991789 Ennio S150/3000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4525	50W / 36W	100 / 126	100° / 21°
1991790 Ennio S150/3000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2385	60W / 19W	96 / 126	100° / 21°
1991791 Ennio S150/3000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 23W	96 / 129	100° / 21°
1991792 Ennio S150/3000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3445	60W / 28W	96 / 124	100° / 21°
1991793 Ennio S150/3000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3925	60W / 32W	96 / 123	100° / 21°
1991794 Ennio S150/3000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4525	60W / 36W	96 / 126	100° / 21°
1991795 Ennio S150/4000/37W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2385	37W / 19W	108 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991796 Ennio S150/4000/37W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2965	37W / 23W	108 / 129	100° / 21°
1991797 Ennio S150/4000/37W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3445	37W / 28W	108 / 124	100° / 21°
1991798 Ennio S150/4000/37W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3925	37W / 32W	108 / 123	100° / 21°
1991799 Ennio S150/4000/37W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4525	37W / 36W	108 / 126	100° / 21°
1991800 Ennio S150/4000/50W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2385	50W / 19W	105 / 126	100° / 21°
1991801 Ennio S150/4000/50W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2965	50W / 23W	105 / 129	100° / 21°
1991802 Ennio S150/4000/50W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3445	50W / 28W	105 / 124	100° / 21°
1991803 Ennio S150/4000/50W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3925	50W / 32W	105 / 123	100° / 21°
1991804 Ennio S150/4000/50W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4525	50W / 36W	105 / 126	100° / 21°
1991805 Ennio S150/4000/60W/19W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2385	60W / 19W	100 / 126	100° / 21°
1991806 Ennio S150/4000/60W/23W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2965	60W / 23W	100 / 129	100° / 21°
1991807 Ennio S150/4000/60W/28W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3445	60W / 28W	100 / 124	100° / 21°
1991808 Ennio S150/4000/60W/32W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3925	60W / 32W	100 / 123	100° / 21°
1991809 Ennio S150/4000/60W/36W/80/A100/A21/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4525	60W / 36W	100 / 126	100° / 21°
1991810 Ennio S150/3000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2290	37W / 19W	103 / 121	100° / 28°
1991811 Ennio S150/3000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2850	37W / 23W	103 / 124	100° / 28°
1991812 Ennio S150/3000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3310	37W / 28W	103 / 119	100° / 28°
1991813 Ennio S150/3000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3770	37W / 32W	103 / 118	100° / 28°
1991814 Ennio S150/3000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4350	37W / 36W	103 / 121	100° / 28°
1991815 Ennio S150/3000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2290	50W / 19W	100 / 121	100° / 28°
1991816 Ennio S150/3000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2850	50W / 23W	100 / 124	100° / 28°
1991817 Ennio S150/3000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3310	50W / 28W	100 / 119	100° / 28°
1991818 Ennio S150/3000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3770	50W / 32W	100 / 118	100° / 28°
1991819 Ennio S150/3000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4350	50W / 36W	100 / 121	100° / 28°
1991820 Ennio S150/3000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2290	60W / 19W	96 / 121	100° / 28°
1991821 Ennio S150/3000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2850	60W / 23W	96 / 124	100° / 28°
1991822 Ennio S150/3000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3310	60W / 28W	96 / 119	100° / 28°
1991823 Ennio S150/3000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3770	60W / 32W	96 / 118	100° / 28°
1991824 Ennio S150/3000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4350	60W / 36W	96 / 121	100° / 28°
1991825 Ennio S150/4000/37W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2290	37W / 19W	108 / 121	100° / 28°
1991826 Ennio S150/4000/37W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2850	37W / 23W	108 / 124	100° / 28°
1991827 Ennio S150/4000/37W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3310	37W / 28W	108 / 119	100° / 28°
1991828 Ennio S150/4000/37W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3770	37W / 32W	108 / 118	100° / 28°
1991829 Ennio S150/4000/37W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4350	37W / 36W	108 / 121	100° / 28°
1991830 Ennio S150/4000/50W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2290	50W / 19W	105 / 121	100° / 28°
1991831 Ennio S150/4000/50W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2850	50W / 23W	105 / 124	100° / 28°
1991832 Ennio S150/4000/50W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3310	50W / 28W	105 / 119	100° / 28°
1991833 Ennio S150/4000/50W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3770	50W / 32W	105 / 118	100° / 28°
1991834 Ennio S150/4000/50W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4350	50W / 36W	105 / 121	100° / 28°
1991835 Ennio S150/4000/60W/19W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2290	60W / 19W	100 / 121	100° / 28°
1991836 Ennio S150/4000/60W/23W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2850	60W / 23W	100 / 124	100° / 28°
1991837 Ennio S150/4000/60W/28W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3310	60W / 28W	100 / 119	100° / 28°
1991838 Ennio S150/4000/60W/32W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3770	60W / 32W	100 / 118	100° / 28°
1991839 Ennio S150/4000/60W/36W/80/A100/A28/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4350	60W / 36W	100 / 121	100° / 28°
1991840 Ennio S150/3000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2340	37W / 19W	103 / 124	100° / 46°
1991841 Ennio S150/3000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2905	37W / 23W	103 / 127	100° / 46°
1991842 Ennio S150/3000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3380	37W / 28W	103 / 121	100° / 46°
1991843 Ennio S150/3000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3850	37W / 32W	103 / 121	100° / 46°
1991844 Ennio S150/3000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4435	37W / 36W	103 / 124	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991845 Ennio S150/3000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2340	50W / 19W	100 / 124	100° / 46°
1991846 Ennio S150/3000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2905	50W / 23W	100 / 127	100° / 46°
1991847 Ennio S150/3000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3380	50W / 28W	100 / 121	100° / 46°
1991848 Ennio S150/3000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3850	50W / 32W	100 / 121	100° / 46°
1991849 Ennio S150/3000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4435	50W / 36W	100 / 124	100° / 46°
1991850 Ennio S150/3000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2340	60W / 19W	96 / 124	100° / 46°
1991851 Ennio S150/3000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2905	60W / 23W	96 / 127	100° / 46°
1991852 Ennio S150/3000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3380	60W / 28W	96 / 121	100° / 46°
1991853 Ennio S150/3000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3850	60W / 32W	96 / 121	100° / 46°
1991854 Ennio S150/3000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4435	60W / 36W	96 / 124	100° / 46°
1991855 Ennio S150/4000/37W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2340	37W / 19W	108 / 124	100° / 46°
1991856 Ennio S150/4000/37W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2905	37W / 23W	108 / 127	100° / 46°
1991857 Ennio S150/4000/37W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3380	37W / 28W	108 / 121	100° / 46°
1991858 Ennio S150/4000/37W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3850	37W / 32W	108 / 121	100° / 46°
1991859 Ennio S150/4000/37W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4435	37W / 36W	108 / 124	100° / 46°
1991860 Ennio S150/4000/50W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2340	50W / 19W	105 / 124	100° / 46°
1991861 Ennio S150/4000/50W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2905	50W / 23W	105 / 127	100° / 46°
1991862 Ennio S150/4000/50W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3380	50W / 28W	105 / 121	100° / 46°
1991863 Ennio S150/4000/50W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3850	50W / 32W	105 / 121	100° / 46°
1991864 Ennio S150/4000/50W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4435	50W / 36W	105 / 124	100° / 46°
1991865 Ennio S150/4000/60W/19W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2340	60W / 19W	100 / 124	100° / 46°
1991866 Ennio S150/4000/60W/23W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2905	60W / 23W	100 / 127	100° / 46°
1991867 Ennio S150/4000/60W/28W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3380	60W / 28W	100 / 121	100° / 46°
1991868 Ennio S150/4000/60W/32W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3850	60W / 32W	100 / 121	100° / 46°
1991869 Ennio S150/4000/60W/36W/80/A100/A46/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4435	60W / 36W	100 / 124	100° / 46°
1991870 Ennio S150/3000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2245	37W / 19W	103 / 119	100° / 57°
1991871 Ennio S150/3000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 2790	37W / 23W	103 / 122	100° / 57°
1991872 Ennio S150/3000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3245	37W / 28W	103 / 116	100° / 57°
1991873 Ennio S150/3000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 3695	37W / 32W	103 / 116	100° / 57°
1991874 Ennio S150/3000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	3810 / 4260	37W / 36W	103 / 119	100° / 57°
1991875 Ennio S150/3000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2245	50W / 19W	100 / 119	100° / 57°
1991876 Ennio S150/3000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 2790	50W / 23W	100 / 122	100° / 57°
1991877 Ennio S150/3000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3245	50W / 28W	100 / 116	100° / 57°
1991878 Ennio S150/3000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 3695	50W / 32W	100 / 116	100° / 57°
1991879 Ennio S150/3000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5000 / 4260	50W / 36W	100 / 119	100° / 57°
1991880 Ennio S150/3000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2245	60W / 19W	96 / 119	100° / 57°
1991881 Ennio S150/3000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 2790	60W / 23W	96 / 122	100° / 57°
1991882 Ennio S150/3000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3245	60W / 28W	96 / 116	100° / 57°
1991883 Ennio S150/3000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 3695	60W / 32W	96 / 116	100° / 57°
1991884 Ennio S150/3000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	3000	5750 / 4260	60W / 36W	96 / 119	100° / 57°
1991885 Ennio S150/4000/37W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2245	37W / 19W	108 / 119	100° / 57°
1991886 Ennio S150/4000/37W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 2790	37W / 23W	108 / 122	100° / 57°
1991887 Ennio S150/4000/37W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3245	37W / 28W	108 / 116	100° / 57°
1991888 Ennio S150/4000/37W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 3695	37W / 32W	108 / 116	100° / 57°
1991889 Ennio S150/4000/37W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	3970 / 4260	37W / 36W	108 / 119	100° / 57°
1991890 Ennio S150/4000/50W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2245	50W / 19W	105 / 119	100° / 57°
1991891 Ennio S150/4000/50W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 2790	50W / 23W	105 / 122	100° / 57°
1991892 Ennio S150/4000/50W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3245	50W / 28W	105 / 116	100° / 57°
1991893 Ennio S150/4000/50W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 3695	50W / 32W	105 / 116	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991894 Ennio S150/4000/50W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5210 / 4260	50W / 36W	105 / 119	100° / 57°
1991895 Ennio S150/4000/60W/19W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2245	60W / 19W	100 / 119	100° / 57°
1991896 Ennio S150/4000/60W/23W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 2790	60W / 23W	100 / 122	100° / 57°
1991897 Ennio S150/4000/60W/28W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3245	60W / 28W	100 / 116	100° / 57°
1991898 Ennio S150/4000/60W/32W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 3695	60W / 32W	100 / 116	100° / 57°
1991899 Ennio S150/4000/60W/36W/80/A100/A57/EM1H	1501 x 57 x 81 ± 1mm	4000	5995 / 4260	60W / 36W	100 / 119	100° / 57°
1991900 Ennio S240/3000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3790	64W / 32W	100 / 119	100° / 15°
1991901 Ennio S240/3000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4710	64W / 38W	100 / 124	100° / 15°
1991902 Ennio S240/3000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5470	64W / 44W	100 / 125	100° / 15°
1991903 Ennio S240/3000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6220	64W / 52W	100 / 120	100° / 15°
1991904 Ennio S240/3000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7220	64W / 58W	100 / 125	100° / 15°
1991905 Ennio S240/3000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3790	76W / 32W	101 / 119	100° / 15°
1991906 Ennio S240/3000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4710	76W / 38W	101 / 124	100° / 15°
1991907 Ennio S240/3000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5470	76W / 44W	101 / 125	100° / 15°
1991908 Ennio S240/3000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6220	76W / 52W	101 / 120	100° / 15°
1991909 Ennio S240/3000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7220	76W / 58W	101 / 125	100° / 15°
1991910 Ennio S240/3000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3790	100W / 32W	93 / 119	100° / 15°
1991911 Ennio S240/3000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4710	100W / 38W	93 / 124	100° / 15°
1991912 Ennio S240/3000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5470	100W / 44W	93 / 125	100° / 15°
1991913 Ennio S240/3000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6220	100W / 52W	93 / 120	100° / 15°
1991914 Ennio S240/3000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7220	100W / 58W	93 / 125	100° / 15°
1991915 Ennio S240/4000/64W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3790	64W / 32W	104 / 119	100° / 15°
1991916 Ennio S240/4000/64W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4710	64W / 38W	104 / 124	100° / 15°
1991917 Ennio S240/4000/64W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5470	64W / 44W	104 / 125	100° / 15°
1991918 Ennio S240/4000/64W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6220	64W / 52W	104 / 120	100° / 15°
1991919 Ennio S240/4000/64W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7220	64W / 58W	104 / 125	100° / 15°
1991920 Ennio S240/4000/76W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3790	76W / 32W	105 / 119	100° / 15°
1991921 Ennio S240/4000/76W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4710	76W / 38W	105 / 124	100° / 15°
1991922 Ennio S240/4000/76W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5470	76W / 44W	105 / 125	100° / 15°
1991923 Ennio S240/4000/76W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6220	76W / 52W	105 / 120	100° / 15°
1991924 Ennio S240/4000/76W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7220	76W / 58W	105 / 125	100° / 15°
1991925 Ennio S240/4000/100W/32W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3790	100W / 32W	97 / 119	100° / 15°
1991926 Ennio S240/4000/100W/38W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4710	100W / 38W	97 / 124	100° / 15°
1991927 Ennio S240/4000/100W/44W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5470	100W / 44W	97 / 125	100° / 15°
1991928 Ennio S240/4000/100W/52W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6220	100W / 52W	97 / 120	100° / 15°
1991929 Ennio S240/4000/100W/58W/80/A100/A15/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7220	100W / 58W	97 / 125	100° / 15°
1991930 Ennio S240/3000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3830	64W / 32W	100 / 120	100° / 21°
1991931 Ennio S240/3000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4750	64W / 38W	100 / 125	100° / 21°
1991932 Ennio S240/3000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5520	64W / 44W	100 / 126	100° / 21°
1991933 Ennio S240/3000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6280	64W / 52W	100 / 121	100° / 21°
1991934 Ennio S240/3000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7290	64W / 58W	100 / 126	100° / 21°
1991935 Ennio S240/3000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3830	76W / 32W	101 / 120	100° / 21°
1991936 Ennio S240/3000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4750	76W / 38W	101 / 125	100° / 21°
1991937 Ennio S240/3000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5520	76W / 44W	101 / 126	100° / 21°
1991938 Ennio S240/3000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6280	76W / 52W	101 / 121	100° / 21°
1991939 Ennio S240/3000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7290	76W / 58W	101 / 126	100° / 21°
1991940 Ennio S240/3000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3830	100W / 32W	93 / 120	100° / 21°
1991941 Ennio S240/3000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4750	100W / 38W	93 / 125	100° / 21°
1991942 Ennio S240/3000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5520	100W / 44W	93 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991943 Ennio S240/3000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6280	100W / 52W	93 / 121	100° / 21°
1991944 Ennio S240/3000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7290	100W / 58W	93 / 126	100° / 21°
1991945 Ennio S240/4000/64W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3830	64W / 32W	104 / 120	100° / 21°
1991946 Ennio S240/4000/64W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4750	64W / 38W	104 / 125	100° / 21°
1991947 Ennio S240/4000/64W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5520	64W / 44W	104 / 126	100° / 21°
1991948 Ennio S240/4000/64W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6280	64W / 52W	104 / 121	100° / 21°
1991949 Ennio S240/4000/64W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7290	64W / 58W	104 / 126	100° / 21°
1991950 Ennio S240/4000/76W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3830	76W / 32W	105 / 120	100° / 21°
1991951 Ennio S240/4000/76W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4750	76W / 38W	105 / 125	100° / 21°
1991952 Ennio S240/4000/76W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5520	76W / 44W	105 / 126	100° / 21°
1991953 Ennio S240/4000/76W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6280	76W / 52W	105 / 121	100° / 21°
1991954 Ennio S240/4000/76W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7290	76W / 58W	105 / 126	100° / 21°
1991955 Ennio S240/4000/100W/32W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3830	100W / 32W	97 / 120	100° / 21°
1991956 Ennio S240/4000/100W/38W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4750	100W / 38W	97 / 125	100° / 21°
1991957 Ennio S240/4000/100W/44W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5520	100W / 44W	97 / 126	100° / 21°
1991958 Ennio S240/4000/100W/52W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6280	100W / 52W	97 / 121	100° / 21°
1991959 Ennio S240/4000/100W/58W/80/A100/A21/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7290	100W / 58W	97 / 126	100° / 21°
1991960 Ennio S240/3000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 32W	100 / 115	100° / 28°
1991961 Ennio S240/3000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4570	64W / 38W	100 / 121	100° / 28°
1991962 Ennio S240/3000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5310	64W / 44W	100 / 121	100° / 28°
1991963 Ennio S240/3000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6040	64W / 52W	100 / 117	100° / 28°
1991964 Ennio S240/3000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7010	64W / 58W	100 / 121	100° / 28°
1991965 Ennio S240/3000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 32W	101 / 115	100° / 28°
1991966 Ennio S240/3000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4570	76W / 38W	101 / 121	100° / 28°
1991967 Ennio S240/3000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5310	76W / 44W	101 / 121	100° / 28°
1991968 Ennio S240/3000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6040	76W / 52W	101 / 117	100° / 28°
1991969 Ennio S240/3000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7010	76W / 58W	101 / 121	100° / 28°
1991970 Ennio S240/3000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 32W	93 / 115	100° / 28°
1991971 Ennio S240/3000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4570	100W / 38W	93 / 121	100° / 28°
1991972 Ennio S240/3000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5310	100W / 44W	93 / 121	100° / 28°
1991973 Ennio S240/3000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6040	100W / 52W	93 / 117	100° / 28°
1991974 Ennio S240/3000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7010	100W / 58W	93 / 121	100° / 28°
1991975 Ennio S240/4000/64W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3680	64W / 32W	104 / 115	100° / 28°
1991976 Ennio S240/4000/64W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4570	64W / 38W	104 / 121	100° / 28°
1991977 Ennio S240/4000/64W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5310	64W / 44W	104 / 121	100° / 28°
1991978 Ennio S240/4000/64W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6040	64W / 52W	104 / 117	100° / 28°
1991979 Ennio S240/4000/64W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7010	64W / 58W	104 / 121	100° / 28°
1991980 Ennio S240/4000/76W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3680	76W / 32W	105 / 115	100° / 28°
1991981 Ennio S240/4000/76W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4570	76W / 38W	105 / 121	100° / 28°
1991982 Ennio S240/4000/76W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5310	76W / 44W	105 / 121	100° / 28°
1991983 Ennio S240/4000/76W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6040	76W / 52W	105 / 117	100° / 28°
1991984 Ennio S240/4000/76W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7010	76W / 58W	105 / 121	100° / 28°
1991985 Ennio S240/4000/100W/32W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3680	100W / 32W	97 / 115	100° / 28°
1991986 Ennio S240/4000/100W/38W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4570	100W / 38W	97 / 121	100° / 28°
1991987 Ennio S240/4000/100W/44W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5310	100W / 44W	97 / 121	100° / 28°
1991988 Ennio S240/4000/100W/52W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6040	100W / 52W	97 / 117	100° / 28°
1991989 Ennio S240/4000/100W/58W/80/A100/A28/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7010	100W / 58W	97 / 121	100° / 28°
1991990 Ennio S240/3000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3760	64W / 32W	100 / 118	100° / 46°
1991991 Ennio S240/3000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4660	64W / 38W	100 / 123	100° / 46°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1991992 Ennio S240/3000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5410	64W / 44W	100 / 123	100° / 46°
1991993 Ennio S240/3000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6160	64W / 52W	100 / 119	100° / 46°
1991994 Ennio S240/3000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 7150	64W / 58W	100 / 124	100° / 46°
1991995 Ennio S240/3000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3760	76W / 32W	101 / 118	100° / 46°
1991996 Ennio S240/3000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4660	76W / 38W	101 / 123	100° / 46°
1991997 Ennio S240/3000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5410	76W / 44W	101 / 123	100° / 46°
1991998 Ennio S240/3000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6160	76W / 52W	101 / 119	100° / 46°
1991999 Ennio S240/3000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 7150	76W / 58W	101 / 124	100° / 46°
1992000 Ennio S240/3000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3760	100W / 32W	93 / 118	100° / 46°
1992001 Ennio S240/3000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4660	100W / 38W	93 / 123	100° / 46°
1992002 Ennio S240/3000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5410	100W / 44W	93 / 123	100° / 46°
1992003 Ennio S240/3000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6160	100W / 52W	93 / 119	100° / 46°
1992004 Ennio S240/3000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 7150	100W / 58W	93 / 124	100° / 46°
1992005 Ennio S240/4000/64W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 32W	104 / 118	100° / 46°
1992006 Ennio S240/4000/64W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4660	64W / 38W	104 / 123	100° / 46°
1992007 Ennio S240/4000/64W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5410	64W / 44W	104 / 123	100° / 46°
1992008 Ennio S240/4000/64W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6160	64W / 52W	104 / 119	100° / 46°
1992009 Ennio S240/4000/64W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 7150	64W / 58W	104 / 124	100° / 46°
1992010 Ennio S240/4000/76W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 32W	105 / 118	100° / 46°
1992011 Ennio S240/4000/76W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4660	76W / 38W	105 / 123	100° / 46°
1992012 Ennio S240/4000/76W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5410	76W / 44W	105 / 123	100° / 46°
1992013 Ennio S240/4000/76W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6160	76W / 52W	105 / 119	100° / 46°
1992014 Ennio S240/4000/76W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 7150	76W / 58W	105 / 124	100° / 46°
1992015 Ennio S240/4000/100W/32W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 32W	97 / 118	100° / 46°
1992016 Ennio S240/4000/100W/38W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4660	100W / 38W	97 / 123	100° / 46°
1992017 Ennio S240/4000/100W/44W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5410	100W / 44W	97 / 123	100° / 46°
1992018 Ennio S240/4000/100W/52W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6160	100W / 52W	97 / 119	100° / 46°
1992019 Ennio S240/4000/100W/58W/80/A100/A46/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 7150	100W / 58W	97 / 124	100° / 46°
1992020 Ennio S240/3000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 3610	64W / 32W	100 / 113	100° / 57°
1992021 Ennio S240/3000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 4470	64W / 38W	100 / 118	100° / 57°
1992022 Ennio S240/3000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5200	64W / 44W	100 / 119	100° / 57°
1992023 Ennio S240/3000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 5910	64W / 52W	100 / 114	100° / 57°
1992024 Ennio S240/3000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	6380 / 6860	64W / 58W	100 / 119	100° / 57°
1992025 Ennio S240/3000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 3610	76W / 32W	101 / 113	100° / 57°
1992026 Ennio S240/3000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 4470	76W / 38W	101 / 118	100° / 57°
1992027 Ennio S240/3000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5200	76W / 44W	101 / 119	100° / 57°
1992028 Ennio S240/3000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 5910	76W / 52W	101 / 114	100° / 57°
1992029 Ennio S240/3000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	7620 / 6860	76W / 58W	101 / 119	100° / 57°
1992030 Ennio S240/3000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 3610	100W / 32W	93 / 113	100° / 57°
1992031 Ennio S240/3000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 4470	100W / 38W	93 / 118	100° / 57°
1992032 Ennio S240/3000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5200	100W / 44W	93 / 119	100° / 57°
1992033 Ennio S240/3000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 5910	100W / 52W	93 / 114	100° / 57°
1992034 Ennio S240/3000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	3000	9240 / 6860	100W / 58W	93 / 119	100° / 57°
1992035 Ennio S240/4000/64W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 3610	64W / 32W	104 / 113	100° / 57°
1992036 Ennio S240/4000/64W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 4470	64W / 38W	104 / 118	100° / 57°
1992037 Ennio S240/4000/64W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5200	64W / 44W	104 / 119	100° / 57°
1992038 Ennio S240/4000/64W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 52W	104 / 114	100° / 57°
1992039 Ennio S240/4000/64W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	6650 / 6860	64W / 58W	104 / 119	100° / 57°
1992040 Ennio S240/4000/76W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 3610	76W / 32W	105 / 113	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992041 Ennio S240/4000/76W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 4470	76W / 38W	105 / 118	100° / 57°
1992042 Ennio S240/4000/76W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5200	76W / 44W	105 / 119	100° / 57°
1992043 Ennio S240/4000/76W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 52W	105 / 114	100° / 57°
1992044 Ennio S240/4000/76W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	7940 / 6860	76W / 58W	105 / 119	100° / 57°
1992045 Ennio S240/4000/100W/32W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 3610	100W / 32W	97 / 113	100° / 57°
1992046 Ennio S240/4000/100W/38W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 4470	100W / 38W	97 / 118	100° / 57°
1992047 Ennio S240/4000/100W/44W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5200	100W / 44W	97 / 119	100° / 57°
1992048 Ennio S240/4000/100W/52W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 52W	97 / 114	100° / 57°
1992049 Ennio S240/4000/100W/58W/80/A100/A57/EM1H	2362 x 57 x 81 ± 1mm	4000	9630 / 6860	100W / 58W	97 / 119	100° / 57°
1992050 Ennio S300/3000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4720	74W / 38W	103 / 125	100° / 15°
1992051 Ennio S300/3000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5870	74W / 46W	103 / 128	100° / 15°
1992052 Ennio S300/3000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6820	74W / 56W	103 / 122	100° / 15°
1992053 Ennio S300/3000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7770	74W / 64W	103 / 122	100° / 15°
1992054 Ennio S300/3000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8960	74W / 72W	103 / 125	100° / 15°
1992055 Ennio S300/3000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4720	100W / 38W	100 / 125	100° / 15°
1992056 Ennio S300/3000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5870	100W / 46W	100 / 128	100° / 15°
1992057 Ennio S300/3000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6820	100W / 56W	100 / 122	100° / 15°
1992058 Ennio S300/3000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7770	100W / 64W	100 / 122	100° / 15°
1992059 Ennio S300/3000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8960	100W / 72W	100 / 125	100° / 15°
1992060 Ennio S300/3000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4720	120W / 38W	96 / 125	100° / 15°
1992061 Ennio S300/3000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5870	120W / 46W	96 / 128	100° / 15°
1992062 Ennio S300/3000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6820	120W / 56W	96 / 122	100° / 15°
1992063 Ennio S300/3000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7770	120W / 64W	96 / 122	100° / 15°
1992064 Ennio S300/3000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8960	120W / 72W	96 / 125	100° / 15°
1992065 Ennio S300/4000/74W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4720	74W / 38W	108 / 125	100° / 15°
1992066 Ennio S300/4000/74W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5870	74W / 46W	108 / 128	100° / 15°
1992067 Ennio S300/4000/74W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6820	74W / 56W	108 / 122	100° / 15°
1992068 Ennio S300/4000/74W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7770	74W / 64W	108 / 122	100° / 15°
1992069 Ennio S300/4000/74W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8960	74W / 72W	108 / 125	100° / 15°
1992070 Ennio S300/4000/100W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4720	100W / 38W	105 / 125	100° / 15°
1992071 Ennio S300/4000/100W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5870	100W / 46W	105 / 128	100° / 15°
1992072 Ennio S300/4000/100W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6820	100W / 56W	105 / 122	100° / 15°
1992073 Ennio S300/4000/100W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7770	100W / 64W	105 / 122	100° / 15°
1992074 Ennio S300/4000/100W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8960	100W / 72W	105 / 125	100° / 15°
1992075 Ennio S300/4000/120W/38W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4720	120W / 38W	100 / 125	100° / 15°
1992076 Ennio S300/4000/120W/46W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5870	120W / 46W	100 / 128	100° / 15°
1992077 Ennio S300/4000/120W/56W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6820	120W / 56W	100 / 122	100° / 15°
1992078 Ennio S300/4000/120W/64W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7770	120W / 64W	100 / 122	100° / 15°
1992079 Ennio S300/4000/120W/72W/80/A100/A15/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8960	120W / 72W	100 / 125	100° / 15°
1992080 Ennio S300/3000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4770	74W / 38W	103 / 126	100° / 21°
1992081 Ennio S300/3000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 46W	103 / 129	100° / 21°
1992082 Ennio S300/3000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6890	74W / 56W	103 / 124	100° / 21°
1992083 Ennio S300/3000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7850	74W / 64W	103 / 123	100° / 21°
1992084 Ennio S300/3000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 9050	74W / 72W	103 / 126	100° / 21°
1992085 Ennio S300/3000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4770	100W / 38W	100 / 126	100° / 21°
1992086 Ennio S300/3000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 46W	100 / 129	100° / 21°
1992087 Ennio S300/3000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6890	100W / 56W	100 / 124	100° / 21°
1992088 Ennio S300/3000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7850	100W / 64W	100 / 123	100° / 21°
1992089 Ennio S300/3000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 9050	100W / 72W	100 / 126	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992090 Ennio S300/3000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4770	120W / 38W	96 / 126	100° / 21°
1992091 Ennio S300/3000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 46W	96 / 129	100° / 21°
1992092 Ennio S300/3000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6890	120W / 56W	96 / 124	100° / 21°
1992093 Ennio S300/3000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7850	120W / 64W	96 / 123	100° / 21°
1992094 Ennio S300/3000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 9050	120W / 72W	96 / 126	100° / 21°
1992095 Ennio S300/4000/74W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4770	74W / 38W	108 / 126	100° / 21°
1992096 Ennio S300/4000/74W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5930	74W / 46W	108 / 129	100° / 21°
1992097 Ennio S300/4000/74W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6890	74W / 56W	108 / 124	100° / 21°
1992098 Ennio S300/4000/74W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7850	74W / 64W	108 / 123	100° / 21°
1992099 Ennio S300/4000/74W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 9050	74W / 72W	108 / 126	100° / 21°
1992100 Ennio S300/4000/100W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4770	100W / 38W	105 / 126	100° / 21°
1992101 Ennio S300/4000/100W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5930	100W / 46W	105 / 129	100° / 21°
1992102 Ennio S300/4000/100W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6890	100W / 56W	105 / 124	100° / 21°
1992103 Ennio S300/4000/100W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7850	100W / 64W	105 / 123	100° / 21°
1992104 Ennio S300/4000/100W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 9050	100W / 72W	105 / 126	100° / 21°
1992105 Ennio S300/4000/120W/38W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4770	120W / 38W	100 / 126	100° / 21°
1992106 Ennio S300/4000/120W/46W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5930	120W / 46W	100 / 129	100° / 21°
1992107 Ennio S300/4000/120W/56W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6890	120W / 56W	100 / 124	100° / 21°
1992108 Ennio S300/4000/120W/64W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7850	120W / 64W	100 / 123	100° / 21°
1992109 Ennio S300/4000/120W/72W/80/A100/A21/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 9050	120W / 72W	100 / 126	100° / 21°
1992110 Ennio S300/3000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4580	74W / 38W	103 / 121	100° / 28°
1992111 Ennio S300/3000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5700	74W / 46W	103 / 124	100° / 28°
1992112 Ennio S300/3000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6620	74W / 56W	103 / 119	100° / 28°
1992113 Ennio S300/3000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7540	74W / 64W	103 / 118	100° / 28°
1992114 Ennio S300/3000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8700	74W / 72W	103 / 121	100° / 28°
1992115 Ennio S300/3000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4580	100W / 38W	100 / 121	100° / 28°
1992116 Ennio S300/3000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5700	100W / 46W	100 / 124	100° / 28°
1992117 Ennio S300/3000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6620	100W / 56W	100 / 119	100° / 28°
1992118 Ennio S300/3000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7540	100W / 64W	100 / 118	100° / 28°
1992119 Ennio S300/3000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8700	100W / 72W	100 / 121	100° / 28°
1992120 Ennio S300/3000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4580	120W / 38W	96 / 121	100° / 28°
1992121 Ennio S300/3000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5700	120W / 46W	96 / 124	100° / 28°
1992122 Ennio S300/3000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6620	120W / 56W	96 / 119	100° / 28°
1992123 Ennio S300/3000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7540	120W / 64W	96 / 118	100° / 28°
1992124 Ennio S300/3000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8700	120W / 72W	96 / 121	100° / 28°
1992125 Ennio S300/4000/74W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4580	74W / 38W	108 / 121	100° / 28°
1992126 Ennio S300/4000/74W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5700	74W / 46W	108 / 124	100° / 28°
1992127 Ennio S300/4000/74W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6620	74W / 56W	108 / 119	100° / 28°
1992128 Ennio S300/4000/74W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7540	74W / 64W	108 / 118	100° / 28°
1992129 Ennio S300/4000/74W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8700	74W / 72W	108 / 121	100° / 28°
1992130 Ennio S300/4000/100W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4580	100W / 38W	105 / 121	100° / 28°
1992131 Ennio S300/4000/100W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5700	100W / 46W	105 / 124	100° / 28°
1992132 Ennio S300/4000/100W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6620	100W / 56W	105 / 119	100° / 28°
1992133 Ennio S300/4000/100W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7540	100W / 64W	105 / 118	100° / 28°
1992134 Ennio S300/4000/100W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8700	100W / 72W	105 / 121	100° / 28°
1992135 Ennio S300/4000/120W/38W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4580	120W / 38W	100 / 121	100° / 28°
1992136 Ennio S300/4000/120W/46W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5700	120W / 46W	100 / 124	100° / 28°
1992137 Ennio S300/4000/120W/56W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6620	120W / 56W	100 / 119	100° / 28°
1992138 Ennio S300/4000/120W/64W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7540	120W / 64W	100 / 118	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992139 Ennio S300/4000/120W/72W/80/A100/A28/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8700	120W / 72W	100 / 121	100° / 28°
1992140 Ennio S300/3000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4680	74W / 38W	103 / 124	100° / 46°
1992141 Ennio S300/3000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5810	74W / 46W	103 / 127	100° / 46°
1992142 Ennio S300/3000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6760	74W / 56W	103 / 121	100° / 46°
1992143 Ennio S300/3000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7700	74W / 64W	103 / 121	100° / 46°
1992144 Ennio S300/3000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8870	74W / 72W	103 / 124	100° / 46°
1992145 Ennio S300/3000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4680	100W / 38W	100 / 124	100° / 46°
1992146 Ennio S300/3000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5810	100W / 46W	100 / 127	100° / 46°
1992147 Ennio S300/3000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6760	100W / 56W	100 / 121	100° / 46°
1992148 Ennio S300/3000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7700	100W / 64W	100 / 121	100° / 46°
1992149 Ennio S300/3000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8870	100W / 72W	100 / 124	100° / 46°
1992150 Ennio S300/3000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4680	120W / 38W	96 / 124	100° / 46°
1992151 Ennio S300/3000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5810	120W / 46W	96 / 127	100° / 46°
1992152 Ennio S300/3000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6760	120W / 56W	96 / 121	100° / 46°
1992153 Ennio S300/3000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7700	120W / 64W	96 / 121	100° / 46°
1992154 Ennio S300/3000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8870	120W / 72W	96 / 124	100° / 46°
1992155 Ennio S300/4000/74W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4680	74W / 38W	108 / 124	100° / 46°
1992156 Ennio S300/4000/74W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5810	74W / 46W	108 / 127	100° / 46°
1992157 Ennio S300/4000/74W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6760	74W / 56W	108 / 121	100° / 46°
1992158 Ennio S300/4000/74W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7700	74W / 64W	108 / 121	100° / 46°
1992159 Ennio S300/4000/74W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8870	74W / 72W	108 / 124	100° / 46°
1992160 Ennio S300/4000/100W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4680	100W / 38W	105 / 124	100° / 46°
1992161 Ennio S300/4000/100W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5810	100W / 46W	105 / 127	100° / 46°
1992162 Ennio S300/4000/100W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6760	100W / 56W	105 / 121	100° / 46°
1992163 Ennio S300/4000/100W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7700	100W / 64W	105 / 121	100° / 46°
1992164 Ennio S300/4000/100W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8870	100W / 72W	105 / 124	100° / 46°
1992165 Ennio S300/4000/120W/38W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4680	120W / 38W	100 / 124	100° / 46°
1992166 Ennio S300/4000/120W/46W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5810	120W / 46W	100 / 127	100° / 46°
1992167 Ennio S300/4000/120W/56W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6760	120W / 56W	100 / 121	100° / 46°
1992168 Ennio S300/4000/120W/64W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7700	120W / 64W	100 / 121	100° / 46°
1992169 Ennio S300/4000/120W/72W/80/A100/A46/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8870	120W / 72W	100 / 124	100° / 46°
1992170 Ennio S300/3000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 4490	74W / 38W	103 / 119	100° / 57°
1992171 Ennio S300/3000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 5580	74W / 46W	103 / 122	100° / 57°
1992172 Ennio S300/3000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 6490	74W / 56W	103 / 116	100° / 57°
1992173 Ennio S300/3000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 7390	74W / 64W	103 / 116	100° / 57°
1992174 Ennio S300/3000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	7620 / 8520	74W / 72W	103 / 119	100° / 57°
1992175 Ennio S300/3000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 4490	100W / 38W	100 / 119	100° / 57°
1992176 Ennio S300/3000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 5580	100W / 46W	100 / 122	100° / 57°
1992177 Ennio S300/3000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 6490	100W / 56W	100 / 116	100° / 57°
1992178 Ennio S300/3000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 7390	100W / 64W	100 / 116	100° / 57°
1992179 Ennio S300/3000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	10000 / 8520	100W / 72W	100 / 119	100° / 57°
1992180 Ennio S300/3000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 4490	120W / 38W	96 / 119	100° / 57°
1992181 Ennio S300/3000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 5580	120W / 46W	96 / 122	100° / 57°
1992182 Ennio S300/3000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 6490	120W / 56W	96 / 116	100° / 57°
1992183 Ennio S300/3000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 7390	120W / 64W	96 / 116	100° / 57°
1992184 Ennio S300/3000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	3000	11500 / 8520	120W / 72W	96 / 119	100° / 57°
1992185 Ennio S300/4000/74W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 4490	74W / 38W	108 / 119	100° / 57°
1992186 Ennio S300/4000/74W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 5580	74W / 46W	108 / 122	100° / 57°
1992187 Ennio S300/4000/74W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 6490	74W / 56W	108 / 116	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992188 Ennio S300/4000/74W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 7390	74W / 64W	108 / 116	100° / 57°
1992189 Ennio S300/4000/74W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	7940 / 8520	74W / 72W	108 / 119	100° / 57°
1992190 Ennio S300/4000/100W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 4490	100W / 38W	105 / 119	100° / 57°
1992191 Ennio S300/4000/100W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 5580	100W / 46W	105 / 122	100° / 57°
1992192 Ennio S300/4000/100W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 6490	100W / 56W	105 / 116	100° / 57°
1992193 Ennio S300/4000/100W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 7390	100W / 64W	105 / 116	100° / 57°
1992194 Ennio S300/4000/100W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	10420 / 8520	100W / 72W	105 / 119	100° / 57°
1992195 Ennio S300/4000/120W/38W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 4490	120W / 38W	100 / 119	100° / 57°
1992196 Ennio S300/4000/120W/46W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 5580	120W / 46W	100 / 122	100° / 57°
1992197 Ennio S300/4000/120W/56W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 6490	120W / 56W	100 / 116	100° / 57°
1992198 Ennio S300/4000/120W/64W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 7390	120W / 64W	100 / 116	100° / 57°
1992199 Ennio S300/4000/120W/72W/80/A100/A57/EM1H	2936 x 57 x 81 ± 1mm	4000	11990 / 8520	120W / 72W	100 / 119	100° / 57°
1992200 Ennio S120/3000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1895	32W / 16W	100 / 119	100° / 15°
1992201 Ennio S120/3000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2355	32W / 19W	100 / 124	100° / 15°
1992202 Ennio S120/3000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2735	32W / 22W	100 / 125	100° / 15°
1992203 Ennio S120/3000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3110	32W / 26W	100 / 120	100° / 15°
1992204 Ennio S120/3000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3610	32W / 29W	100 / 125	100° / 15°
1992205 Ennio S120/3000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1895	38W / 16W	101 / 119	100° / 15°
1992206 Ennio S120/3000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2355	38W / 19W	101 / 124	100° / 15°
1992207 Ennio S120/3000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2735	38W / 22W	101 / 125	100° / 15°
1992208 Ennio S120/3000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3110	38W / 26W	101 / 120	100° / 15°
1992209 Ennio S120/3000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3610	38W / 29W	101 / 125	100° / 15°
1992210 Ennio S120/3000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1895	50W / 16W	93 / 119	100° / 15°
1992211 Ennio S120/3000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2355	50W / 19W	93 / 124	100° / 15°
1992212 Ennio S120/3000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2735	50W / 22W	93 / 125	100° / 15°
1992213 Ennio S120/3000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3110	50W / 26W	93 / 120	100° / 15°
1992214 Ennio S120/3000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3610	50W / 29W	93 / 125	100° / 15°
1992215 Ennio S120/4000/32W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1895	32W / 16W	104 / 119	100° / 15°
1992216 Ennio S120/4000/32W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2355	32W / 19W	104 / 124	100° / 15°
1992217 Ennio S120/4000/32W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2735	32W / 22W	104 / 125	100° / 15°
1992218 Ennio S120/4000/32W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3110	32W / 26W	104 / 120	100° / 15°
1992219 Ennio S120/4000/32W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3610	32W / 29W	104 / 125	100° / 15°
1992220 Ennio S120/4000/38W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1895	38W / 16W	105 / 119	100° / 15°
1992221 Ennio S120/4000/38W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2355	38W / 19W	105 / 124	100° / 15°
1992222 Ennio S120/4000/38W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2735	38W / 22W	105 / 125	100° / 15°
1992223 Ennio S120/4000/38W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3110	38W / 26W	105 / 120	100° / 15°
1992224 Ennio S120/4000/38W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3610	38W / 29W	105 / 125	100° / 15°
1992225 Ennio S120/4000/50W/16W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1895	50W / 16W	97 / 119	100° / 15°
1992226 Ennio S120/4000/50W/19W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2355	50W / 19W	97 / 124	100° / 15°
1992227 Ennio S120/4000/50W/22W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2735	50W / 22W	97 / 125	100° / 15°
1992228 Ennio S120/4000/50W/26W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3110	50W / 26W	97 / 120	100° / 15°
1992229 Ennio S120/4000/50W/29W/80/A100/A15/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3610	50W / 29W	97 / 125	100° / 15°
1992230 Ennio S120/3000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1915	32W / 16W	100 / 120	100° / 21°
1992231 Ennio S120/3000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2375	32W / 19W	100 / 125	100° / 21°
1992232 Ennio S120/3000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2760	32W / 22W	100 / 126	100° / 21°
1992233 Ennio S120/3000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3140	32W / 26W	100 / 121	100° / 21°
1992234 Ennio S120/3000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3645	32W / 29W	100 / 126	100° / 21°
1992235 Ennio S120/3000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1915	38W / 16W	101 / 120	100° / 21°
1992236 Ennio S120/3000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2375	38W / 19W	101 / 125	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992237 Ennio S120/3000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2760	38W / 22W	101 / 126	100° / 21°
1992238 Ennio S120/3000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3140	38W / 26W	101 / 121	100° / 21°
1992239 Ennio S120/3000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3645	38W / 29W	101 / 126	100° / 21°
1992240 Ennio S120/3000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1915	50W / 16W	93 / 120	100° / 21°
1992241 Ennio S120/3000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2375	50W / 19W	93 / 125	100° / 21°
1992242 Ennio S120/3000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2760	50W / 22W	93 / 126	100° / 21°
1992243 Ennio S120/3000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3140	50W / 26W	93 / 121	100° / 21°
1992244 Ennio S120/3000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3645	50W / 29W	93 / 126	100° / 21°
1992245 Ennio S120/4000/32W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1915	32W / 16W	104 / 120	100° / 21°
1992246 Ennio S120/4000/32W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2375	32W / 19W	104 / 125	100° / 21°
1992247 Ennio S120/4000/32W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2760	32W / 22W	104 / 126	100° / 21°
1992248 Ennio S120/4000/32W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3140	32W / 26W	104 / 121	100° / 21°
1992249 Ennio S120/4000/32W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3645	32W / 29W	104 / 126	100° / 21°
1992250 Ennio S120/4000/38W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1915	38W / 16W	105 / 120	100° / 21°
1992251 Ennio S120/4000/38W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2375	38W / 19W	105 / 125	100° / 21°
1992252 Ennio S120/4000/38W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2760	38W / 22W	105 / 126	100° / 21°
1992253 Ennio S120/4000/38W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3140	38W / 26W	105 / 121	100° / 21°
1992254 Ennio S120/4000/38W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3645	38W / 29W	105 / 126	100° / 21°
1992255 Ennio S120/4000/50W/16W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1915	50W / 16W	97 / 120	100° / 21°
1992256 Ennio S120/4000/50W/19W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2375	50W / 19W	97 / 125	100° / 21°
1992257 Ennio S120/4000/50W/22W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2760	50W / 22W	97 / 126	100° / 21°
1992258 Ennio S120/4000/50W/26W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3140	50W / 26W	97 / 121	100° / 21°
1992259 Ennio S120/4000/50W/29W/80/A100/A21/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3645	50W / 29W	97 / 126	100° / 21°
1992260 Ennio S120/3000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1840	32W / 16W	100 / 115	100° / 28°
1992261 Ennio S120/3000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2285	32W / 19W	100 / 121	100° / 28°
1992262 Ennio S120/3000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2655	32W / 22W	100 / 121	100° / 28°
1992263 Ennio S120/3000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3020	32W / 26W	100 / 117	100° / 28°
1992264 Ennio S120/3000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3505	32W / 29W	100 / 121	100° / 28°
1992265 Ennio S120/3000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1840	38W / 16W	101 / 115	100° / 28°
1992266 Ennio S120/3000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2285	38W / 19W	101 / 121	100° / 28°
1992267 Ennio S120/3000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2655	38W / 22W	101 / 121	100° / 28°
1992268 Ennio S120/3000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3020	38W / 26W	101 / 117	100° / 28°
1992269 Ennio S120/3000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3505	38W / 29W	101 / 121	100° / 28°
1992270 Ennio S120/3000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1840	50W / 16W	93 / 115	100° / 28°
1992271 Ennio S120/3000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2285	50W / 19W	93 / 121	100° / 28°
1992272 Ennio S120/3000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2655	50W / 22W	93 / 121	100° / 28°
1992273 Ennio S120/3000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3020	50W / 26W	93 / 117	100° / 28°
1992274 Ennio S120/3000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3505	50W / 29W	93 / 121	100° / 28°
1992275 Ennio S120/4000/32W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1840	32W / 16W	104 / 115	100° / 28°
1992276 Ennio S120/4000/32W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2285	32W / 19W	104 / 121	100° / 28°
1992277 Ennio S120/4000/32W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2655	32W / 22W	104 / 121	100° / 28°
1992278 Ennio S120/4000/32W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3020	32W / 26W	104 / 117	100° / 28°
1992279 Ennio S120/4000/32W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3505	32W / 29W	104 / 121	100° / 28°
1992280 Ennio S120/4000/38W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1840	38W / 16W	105 / 115	100° / 28°
1992281 Ennio S120/4000/38W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2285	38W / 19W	105 / 121	100° / 28°
1992282 Ennio S120/4000/38W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2655	38W / 22W	105 / 121	100° / 28°
1992283 Ennio S120/4000/38W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3020	38W / 26W	105 / 117	100° / 28°
1992284 Ennio S120/4000/38W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3505	38W / 29W	105 / 121	100° / 28°
1992285 Ennio S120/4000/50W/16W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1840	50W / 16W	97 / 115	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992286 Ennio S120/4000/50W/19W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2285	50W / 19W	97 / 121	100° / 28°
1992287 Ennio S120/4000/50W/22W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2655	50W / 22W	97 / 121	100° / 28°
1992288 Ennio S120/4000/50W/26W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3020	50W / 26W	97 / 117	100° / 28°
1992289 Ennio S120/4000/50W/29W/80/A100/A28/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3505	50W / 29W	97 / 121	100° / 28°
1992290 Ennio S120/3000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1880	32W / 16W	100 / 118	100° / 46°
1992291 Ennio S120/3000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2330	32W / 19W	100 / 123	100° / 46°
1992292 Ennio S120/3000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2705	32W / 22W	100 / 123	100° / 46°
1992293 Ennio S120/3000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3080	32W / 26W	100 / 119	100° / 46°
1992294 Ennio S120/3000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3575	32W / 29W	100 / 124	100° / 46°
1992295 Ennio S120/3000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1880	38W / 16W	101 / 118	100° / 46°
1992296 Ennio S120/3000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2330	38W / 19W	101 / 123	100° / 46°
1992297 Ennio S120/3000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2705	38W / 22W	101 / 123	100° / 46°
1992298 Ennio S120/3000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3080	38W / 26W	101 / 119	100° / 46°
1992299 Ennio S120/3000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3575	38W / 29W	101 / 124	100° / 46°
1992300 Ennio S120/3000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1880	50W / 16W	93 / 118	100° / 46°
1992301 Ennio S120/3000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2330	50W / 19W	93 / 123	100° / 46°
1992302 Ennio S120/3000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2705	50W / 22W	93 / 123	100° / 46°
1992303 Ennio S120/3000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3080	50W / 26W	93 / 119	100° / 46°
1992304 Ennio S120/3000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3575	50W / 29W	93 / 124	100° / 46°
1992305 Ennio S120/4000/32W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1880	32W / 16W	104 / 118	100° / 46°
1992306 Ennio S120/4000/32W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2330	32W / 19W	104 / 123	100° / 46°
1992307 Ennio S120/4000/32W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2705	32W / 22W	104 / 123	100° / 46°
1992308 Ennio S120/4000/32W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3080	32W / 26W	104 / 119	100° / 46°
1992309 Ennio S120/4000/32W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3575	32W / 29W	104 / 124	100° / 46°
1992310 Ennio S120/4000/38W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1880	38W / 16W	105 / 118	100° / 46°
1992311 Ennio S120/4000/38W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2330	38W / 19W	105 / 123	100° / 46°
1992312 Ennio S120/4000/38W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2705	38W / 22W	105 / 123	100° / 46°
1992313 Ennio S120/4000/38W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3080	38W / 26W	105 / 119	100° / 46°
1992314 Ennio S120/4000/38W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3575	38W / 29W	105 / 124	100° / 46°
1992315 Ennio S120/4000/50W/16W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1880	50W / 16W	97 / 118	100° / 46°
1992316 Ennio S120/4000/50W/19W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2330	50W / 19W	97 / 123	100° / 46°
1992317 Ennio S120/4000/50W/22W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2705	50W / 22W	97 / 123	100° / 46°
1992318 Ennio S120/4000/50W/26W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3080	50W / 26W	97 / 119	100° / 46°
1992319 Ennio S120/4000/50W/29W/80/A100/A46/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3575	50W / 29W	97 / 124	100° / 46°
1992320 Ennio S120/3000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 1805	32W / 16W	100 / 113	100° / 57°
1992321 Ennio S120/3000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2235	32W / 19W	100 / 118	100° / 57°
1992322 Ennio S120/3000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2600	32W / 22W	100 / 119	100° / 57°
1992323 Ennio S120/3000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 2955	32W / 26W	100 / 114	100° / 57°
1992324 Ennio S120/3000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3190 / 3430	32W / 29W	100 / 119	100° / 57°
1992325 Ennio S120/3000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 1805	38W / 16W	101 / 113	100° / 57°
1992326 Ennio S120/3000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2235	38W / 19W	101 / 118	100° / 57°
1992327 Ennio S120/3000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2600	38W / 22W	101 / 119	100° / 57°
1992328 Ennio S120/3000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 2955	38W / 26W	101 / 114	100° / 57°
1992329 Ennio S120/3000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	3810 / 3430	38W / 29W	101 / 119	100° / 57°
1992330 Ennio S120/3000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 1805	50W / 16W	93 / 113	100° / 57°
1992331 Ennio S120/3000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2235	50W / 19W	93 / 118	100° / 57°
1992332 Ennio S120/3000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2600	50W / 22W	93 / 119	100° / 57°
1992333 Ennio S120/3000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 2955	50W / 26W	93 / 114	100° / 57°
1992334 Ennio S120/3000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	3000	4620 / 3430	50W / 29W	93 / 119	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992335 Ennio S120/4000/32W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 1805	32W / 16W	104 / 113	100° / 57°
1992336 Ennio S120/4000/32W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2235	32W / 19W	104 / 118	100° / 57°
1992337 Ennio S120/4000/32W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2600	32W / 22W	104 / 119	100° / 57°
1992338 Ennio S120/4000/32W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 2955	32W / 26W	104 / 114	100° / 57°
1992339 Ennio S120/4000/32W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3325 / 3430	32W / 29W	104 / 119	100° / 57°
1992340 Ennio S120/4000/38W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 1805	38W / 16W	105 / 113	100° / 57°
1992341 Ennio S120/4000/38W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2235	38W / 19W	105 / 118	100° / 57°
1992342 Ennio S120/4000/38W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2600	38W / 22W	105 / 119	100° / 57°
1992343 Ennio S120/4000/38W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 2955	38W / 26W	105 / 114	100° / 57°
1992344 Ennio S120/4000/38W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	3970 / 3430	38W / 29W	105 / 119	100° / 57°
1992345 Ennio S120/4000/50W/16W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 1805	50W / 16W	97 / 113	100° / 57°
1992346 Ennio S120/4000/50W/19W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2235	50W / 19W	97 / 118	100° / 57°
1992347 Ennio S120/4000/50W/22W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2600	50W / 22W	97 / 119	100° / 57°
1992348 Ennio S120/4000/50W/26W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 2955	50W / 26W	97 / 114	100° / 57°
1992349 Ennio S120/4000/50W/29W/80/A100/A57/EM3H	1214 x 57 x 81 ± 1mm	4000	4815 / 3430	50W / 29W	97 / 119	100° / 57°
1992350 Ennio S150/3000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2360	37W / 19W	103 / 125	100° / 15°
1992351 Ennio S150/3000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2935	37W / 23W	103 / 128	100° / 15°
1992352 Ennio S150/3000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3410	37W / 28W	103 / 122	100° / 15°
1992353 Ennio S150/3000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3885	37W / 32W	103 / 122	100° / 15°
1992354 Ennio S150/3000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4480	37W / 36W	103 / 125	100° / 15°
1992355 Ennio S150/3000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2360	50W / 19W	100 / 125	100° / 15°
1992356 Ennio S150/3000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2935	50W / 23W	100 / 128	100° / 15°
1992357 Ennio S150/3000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3410	50W / 28W	100 / 122	100° / 15°
1992358 Ennio S150/3000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3885	50W / 32W	100 / 122	100° / 15°
1992359 Ennio S150/3000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4480	50W / 36W	100 / 125	100° / 15°
1992360 Ennio S150/3000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2360	60W / 19W	96 / 125	100° / 15°
1992361 Ennio S150/3000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2935	60W / 23W	96 / 128	100° / 15°
1992362 Ennio S150/3000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3410	60W / 28W	96 / 122	100° / 15°
1992363 Ennio S150/3000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3885	60W / 32W	96 / 122	100° / 15°
1992364 Ennio S150/3000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4480	60W / 36W	96 / 125	100° / 15°
1992365 Ennio S150/4000/37W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2360	37W / 19W	108 / 125	100° / 15°
1992366 Ennio S150/4000/37W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2935	37W / 23W	108 / 128	100° / 15°
1992367 Ennio S150/4000/37W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3410	37W / 28W	108 / 122	100° / 15°
1992368 Ennio S150/4000/37W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3885	37W / 32W	108 / 122	100° / 15°
1992369 Ennio S150/4000/37W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4480	37W / 36W	108 / 125	100° / 15°
1992370 Ennio S150/4000/50W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2360	50W / 19W	105 / 125	100° / 15°
1992371 Ennio S150/4000/50W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2935	50W / 23W	105 / 128	100° / 15°
1992372 Ennio S150/4000/50W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3410	50W / 28W	105 / 122	100° / 15°
1992373 Ennio S150/4000/50W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3885	50W / 32W	105 / 122	100° / 15°
1992374 Ennio S150/4000/50W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4480	50W / 36W	105 / 125	100° / 15°
1992375 Ennio S150/4000/60W/19W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2360	60W / 19W	100 / 125	100° / 15°
1992376 Ennio S150/4000/60W/23W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2935	60W / 23W	100 / 128	100° / 15°
1992377 Ennio S150/4000/60W/28W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3410	60W / 28W	100 / 122	100° / 15°
1992378 Ennio S150/4000/60W/32W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3885	60W / 32W	100 / 122	100° / 15°
1992379 Ennio S150/4000/60W/36W/80/A100/A15/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4480	60W / 36W	100 / 125	100° / 15°
1992380 Ennio S150/3000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2385	37W / 19W	103 / 126	100° / 21°
1992381 Ennio S150/3000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2965	37W / 23W	103 / 129	100° / 21°
1992382 Ennio S150/3000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3445	37W / 28W	103 / 124	100° / 21°
1992383 Ennio S150/3000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3925	37W / 32W	103 / 123	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992384 Ennio S150/3000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4525	37W / 36W	103 / 126	100° / 21°
1992385 Ennio S150/3000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2385	50W / 19W	100 / 126	100° / 21°
1992386 Ennio S150/3000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2965	50W / 23W	100 / 129	100° / 21°
1992387 Ennio S150/3000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3445	50W / 28W	100 / 124	100° / 21°
1992388 Ennio S150/3000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3925	50W / 32W	100 / 123	100° / 21°
1992389 Ennio S150/3000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4525	50W / 36W	100 / 126	100° / 21°
1992390 Ennio S150/3000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2385	60W / 19W	96 / 126	100° / 21°
1992391 Ennio S150/3000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2965	60W / 23W	96 / 129	100° / 21°
1992392 Ennio S150/3000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3445	60W / 28W	96 / 124	100° / 21°
1992393 Ennio S150/3000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3925	60W / 32W	96 / 123	100° / 21°
1992394 Ennio S150/3000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4525	60W / 36W	96 / 126	100° / 21°
1992395 Ennio S150/4000/37W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2385	37W / 19W	108 / 126	100° / 21°
1992396 Ennio S150/4000/37W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2965	37W / 23W	108 / 129	100° / 21°
1992397 Ennio S150/4000/37W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3445	37W / 28W	108 / 124	100° / 21°
1992398 Ennio S150/4000/37W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3925	37W / 32W	108 / 123	100° / 21°
1992399 Ennio S150/4000/37W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4525	37W / 36W	108 / 126	100° / 21°
1992400 Ennio S150/4000/50W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2385	50W / 19W	105 / 126	100° / 21°
1992401 Ennio S150/4000/50W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2965	50W / 23W	105 / 129	100° / 21°
1992402 Ennio S150/4000/50W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3445	50W / 28W	105 / 124	100° / 21°
1992403 Ennio S150/4000/50W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3925	50W / 32W	105 / 123	100° / 21°
1992404 Ennio S150/4000/50W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4525	50W / 36W	105 / 126	100° / 21°
1992405 Ennio S150/4000/60W/19W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2385	60W / 19W	100 / 126	100° / 21°
1992406 Ennio S150/4000/60W/23W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2965	60W / 23W	100 / 129	100° / 21°
1992407 Ennio S150/4000/60W/28W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3445	60W / 28W	100 / 124	100° / 21°
1992408 Ennio S150/4000/60W/32W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3925	60W / 32W	100 / 123	100° / 21°
1992409 Ennio S150/4000/60W/36W/80/A100/A21/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4525	60W / 36W	100 / 126	100° / 21°
1992410 Ennio S150/3000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2290	37W / 19W	103 / 121	100° / 28°
1992411 Ennio S150/3000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2850	37W / 23W	103 / 124	100° / 28°
1992412 Ennio S150/3000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3310	37W / 28W	103 / 119	100° / 28°
1992413 Ennio S150/3000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3770	37W / 32W	103 / 118	100° / 28°
1992414 Ennio S150/3000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4350	37W / 36W	103 / 121	100° / 28°
1992415 Ennio S150/3000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2290	50W / 19W	100 / 121	100° / 28°
1992416 Ennio S150/3000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2850	50W / 23W	100 / 124	100° / 28°
1992417 Ennio S150/3000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3310	50W / 28W	100 / 119	100° / 28°
1992418 Ennio S150/3000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3770	50W / 32W	100 / 118	100° / 28°
1992419 Ennio S150/3000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4350	50W / 36W	100 / 121	100° / 28°
1992420 Ennio S150/3000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2290	60W / 19W	96 / 121	100° / 28°
1992421 Ennio S150/3000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2850	60W / 23W	96 / 124	100° / 28°
1992422 Ennio S150/3000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3310	60W / 28W	96 / 119	100° / 28°
1992423 Ennio S150/3000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3770	60W / 32W	96 / 118	100° / 28°
1992424 Ennio S150/3000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4350	60W / 36W	96 / 121	100° / 28°
1992425 Ennio S150/4000/37W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2290	37W / 19W	108 / 121	100° / 28°
1992426 Ennio S150/4000/37W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2850	37W / 23W	108 / 124	100° / 28°
1992427 Ennio S150/4000/37W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3310	37W / 28W	108 / 119	100° / 28°
1992428 Ennio S150/4000/37W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3770	37W / 32W	108 / 118	100° / 28°
1992429 Ennio S150/4000/37W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4350	37W / 36W	108 / 121	100° / 28°
1992430 Ennio S150/4000/50W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2290	50W / 19W	105 / 121	100° / 28°
1992431 Ennio S150/4000/50W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2850	50W / 23W	105 / 124	100° / 28°
1992432 Ennio S150/4000/50W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3310	50W / 28W	105 / 119	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992433 Ennio S150/4000/50W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3770	50W / 32W	105 / 118	100° / 28°
1992434 Ennio S150/4000/50W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4350	50W / 36W	105 / 121	100° / 28°
1992435 Ennio S150/4000/60W/19W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2290	60W / 19W	100 / 121	100° / 28°
1992436 Ennio S150/4000/60W/23W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2850	60W / 23W	100 / 124	100° / 28°
1992437 Ennio S150/4000/60W/28W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3310	60W / 28W	100 / 119	100° / 28°
1992438 Ennio S150/4000/60W/32W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3770	60W / 32W	100 / 118	100° / 28°
1992439 Ennio S150/4000/60W/36W/80/A100/A28/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4350	60W / 36W	100 / 121	100° / 28°
1992440 Ennio S150/3000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2340	37W / 19W	103 / 124	100° / 46°
1992441 Ennio S150/3000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2905	37W / 23W	103 / 127	100° / 46°
1992442 Ennio S150/3000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3380	37W / 28W	103 / 121	100° / 46°
1992443 Ennio S150/3000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3850	37W / 32W	103 / 121	100° / 46°
1992444 Ennio S150/3000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4435	37W / 36W	103 / 124	100° / 46°
1992445 Ennio S150/3000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2340	50W / 19W	100 / 124	100° / 46°
1992446 Ennio S150/3000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2905	50W / 23W	100 / 127	100° / 46°
1992447 Ennio S150/3000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3380	50W / 28W	100 / 121	100° / 46°
1992448 Ennio S150/3000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3850	50W / 32W	100 / 121	100° / 46°
1992449 Ennio S150/3000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4435	50W / 36W	100 / 124	100° / 46°
1992450 Ennio S150/3000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2340	60W / 19W	96 / 124	100° / 46°
1992451 Ennio S150/3000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2905	60W / 23W	96 / 127	100° / 46°
1992452 Ennio S150/3000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3380	60W / 28W	96 / 121	100° / 46°
1992453 Ennio S150/3000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3850	60W / 32W	96 / 121	100° / 46°
1992454 Ennio S150/3000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4435	60W / 36W	96 / 124	100° / 46°
1992455 Ennio S150/4000/37W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2340	37W / 19W	108 / 124	100° / 46°
1992456 Ennio S150/4000/37W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2905	37W / 23W	108 / 127	100° / 46°
1992457 Ennio S150/4000/37W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3380	37W / 28W	108 / 121	100° / 46°
1992458 Ennio S150/4000/37W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3850	37W / 32W	108 / 121	100° / 46°
1992459 Ennio S150/4000/37W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4435	37W / 36W	108 / 124	100° / 46°
1992460 Ennio S150/4000/50W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2340	50W / 19W	105 / 124	100° / 46°
1992461 Ennio S150/4000/50W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2905	50W / 23W	105 / 127	100° / 46°
1992462 Ennio S150/4000/50W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3380	50W / 28W	105 / 121	100° / 46°
1992463 Ennio S150/4000/50W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3850	50W / 32W	105 / 121	100° / 46°
1992464 Ennio S150/4000/50W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4435	50W / 36W	105 / 124	100° / 46°
1992465 Ennio S150/4000/60W/19W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2340	60W / 19W	100 / 124	100° / 46°
1992466 Ennio S150/4000/60W/23W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2905	60W / 23W	100 / 127	100° / 46°
1992467 Ennio S150/4000/60W/28W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3380	60W / 28W	100 / 121	100° / 46°
1992468 Ennio S150/4000/60W/32W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3850	60W / 32W	100 / 121	100° / 46°
1992469 Ennio S150/4000/60W/36W/80/A100/A46/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4435	60W / 36W	100 / 124	100° / 46°
1992470 Ennio S150/3000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2245	37W / 19W	103 / 119	100° / 57°
1992471 Ennio S150/3000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 2790	37W / 23W	103 / 122	100° / 57°
1992472 Ennio S150/3000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3245	37W / 28W	103 / 116	100° / 57°
1992473 Ennio S150/3000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 3695	37W / 32W	103 / 116	100° / 57°
1992474 Ennio S150/3000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	3810 / 4260	37W / 36W	103 / 119	100° / 57°
1992475 Ennio S150/3000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2245	50W / 19W	100 / 119	100° / 57°
1992476 Ennio S150/3000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 2790	50W / 23W	100 / 122	100° / 57°
1992477 Ennio S150/3000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3245	50W / 28W	100 / 116	100° / 57°
1992478 Ennio S150/3000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 3695	50W / 32W	100 / 116	100° / 57°
1992479 Ennio S150/3000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5000 / 4260	50W / 36W	100 / 119	100° / 57°
1992480 Ennio S150/3000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2245	60W / 19W	96 / 119	100° / 57°
1992481 Ennio S150/3000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 2790	60W / 23W	96 / 122	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992482 Ennio S150/3000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3245	60W / 28W	96 / 116	100° / 57°
1992483 Ennio S150/3000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 3695	60W / 32W	96 / 116	100° / 57°
1992484 Ennio S150/3000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	3000	5750 / 4260	60W / 36W	96 / 119	100° / 57°
1992485 Ennio S150/4000/37W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2245	37W / 19W	108 / 119	100° / 57°
1992486 Ennio S150/4000/37W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 2790	37W / 23W	108 / 122	100° / 57°
1992487 Ennio S150/4000/37W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3245	37W / 28W	108 / 116	100° / 57°
1992488 Ennio S150/4000/37W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 3695	37W / 32W	108 / 116	100° / 57°
1992489 Ennio S150/4000/37W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	3970 / 4260	37W / 36W	108 / 119	100° / 57°
1992490 Ennio S150/4000/50W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2245	50W / 19W	105 / 119	100° / 57°
1992491 Ennio S150/4000/50W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 2790	50W / 23W	105 / 122	100° / 57°
1992492 Ennio S150/4000/50W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3245	50W / 28W	105 / 116	100° / 57°
1992493 Ennio S150/4000/50W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 3695	50W / 32W	105 / 116	100° / 57°
1992494 Ennio S150/4000/50W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5210 / 4260	50W / 36W	105 / 119	100° / 57°
1992495 Ennio S150/4000/60W/19W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2245	60W / 19W	100 / 119	100° / 57°
1992496 Ennio S150/4000/60W/23W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 2790	60W / 23W	100 / 122	100° / 57°
1992497 Ennio S150/4000/60W/28W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3245	60W / 28W	100 / 116	100° / 57°
1992498 Ennio S150/4000/60W/32W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 3695	60W / 32W	100 / 116	100° / 57°
1992499 Ennio S150/4000/60W/36W/80/A100/A57/EM3H	1501 x 57 x 81 ± 1mm	4000	5995 / 4260	60W / 36W	100 / 119	100° / 57°
1992500 Ennio S240/3000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3790	64W / 32W	100 / 119	100° / 15°
1992501 Ennio S240/3000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4710	64W / 38W	100 / 124	100° / 15°
1992502 Ennio S240/3000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5470	64W / 44W	100 / 125	100° / 15°
1992503 Ennio S240/3000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6220	64W / 52W	100 / 120	100° / 15°
1992504 Ennio S240/3000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7220	64W / 58W	100 / 125	100° / 15°
1992505 Ennio S240/3000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3790	76W / 32W	101 / 119	100° / 15°
1992506 Ennio S240/3000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4710	76W / 38W	101 / 124	100° / 15°
1992507 Ennio S240/3000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5470	76W / 44W	101 / 125	100° / 15°
1992508 Ennio S240/3000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6220	76W / 52W	101 / 120	100° / 15°
1992509 Ennio S240/3000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7220	76W / 58W	101 / 125	100° / 15°
1992510 Ennio S240/3000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3790	100W / 32W	93 / 119	100° / 15°
1992511 Ennio S240/3000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4710	100W / 38W	93 / 124	100° / 15°
1992512 Ennio S240/3000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5470	100W / 44W	93 / 125	100° / 15°
1992513 Ennio S240/3000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6220	100W / 52W	93 / 120	100° / 15°
1992514 Ennio S240/3000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7220	100W / 58W	93 / 125	100° / 15°
1992515 Ennio S240/4000/64W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3790	64W / 32W	104 / 119	100° / 15°
1992516 Ennio S240/4000/64W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4710	64W / 38W	104 / 124	100° / 15°
1992517 Ennio S240/4000/64W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5470	64W / 44W	104 / 125	100° / 15°
1992518 Ennio S240/4000/64W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6220	64W / 52W	104 / 120	100° / 15°
1992519 Ennio S240/4000/64W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7220	64W / 58W	104 / 125	100° / 15°
1992520 Ennio S240/4000/76W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3790	76W / 32W	105 / 119	100° / 15°
1992521 Ennio S240/4000/76W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4710	76W / 38W	105 / 124	100° / 15°
1992522 Ennio S240/4000/76W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5470	76W / 44W	105 / 125	100° / 15°
1992523 Ennio S240/4000/76W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6220	76W / 52W	105 / 120	100° / 15°
1992524 Ennio S240/4000/76W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7220	76W / 58W	105 / 125	100° / 15°
1992525 Ennio S240/4000/100W/32W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3790	100W / 32W	97 / 119	100° / 15°
1992526 Ennio S240/4000/100W/38W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4710	100W / 38W	97 / 124	100° / 15°
1992527 Ennio S240/4000/100W/44W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5470	100W / 44W	97 / 125	100° / 15°
1992528 Ennio S240/4000/100W/52W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6220	100W / 52W	97 / 120	100° / 15°
1992529 Ennio S240/4000/100W/58W/80/A100/A15/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7220	100W / 58W	97 / 125	100° / 15°
1992530 Ennio S240/3000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3830	64W / 32W	100 / 120	100° / 21°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992531 Ennio S240/3000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4750	64W / 38W	100 / 125	100° / 21°
1992532 Ennio S240/3000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5520	64W / 44W	100 / 126	100° / 21°
1992533 Ennio S240/3000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6280	64W / 52W	100 / 121	100° / 21°
1992534 Ennio S240/3000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7290	64W / 58W	100 / 126	100° / 21°
1992535 Ennio S240/3000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3830	76W / 32W	101 / 120	100° / 21°
1992536 Ennio S240/3000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4750	76W / 38W	101 / 125	100° / 21°
1992537 Ennio S240/3000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5520	76W / 44W	101 / 126	100° / 21°
1992538 Ennio S240/3000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6280	76W / 52W	101 / 121	100° / 21°
1992539 Ennio S240/3000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7290	76W / 58W	101 / 126	100° / 21°
1992540 Ennio S240/3000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3830	100W / 32W	93 / 120	100° / 21°
1992541 Ennio S240/3000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4750	100W / 38W	93 / 125	100° / 21°
1992542 Ennio S240/3000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5520	100W / 44W	93 / 126	100° / 21°
1992543 Ennio S240/3000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6280	100W / 52W	93 / 121	100° / 21°
1992544 Ennio S240/3000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7290	100W / 58W	93 / 126	100° / 21°
1992545 Ennio S240/4000/64W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3830	64W / 32W	104 / 120	100° / 21°
1992546 Ennio S240/4000/64W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4750	64W / 38W	104 / 125	100° / 21°
1992547 Ennio S240/4000/64W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5520	64W / 44W	104 / 126	100° / 21°
1992548 Ennio S240/4000/64W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6280	64W / 52W	104 / 121	100° / 21°
1992549 Ennio S240/4000/64W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7290	64W / 58W	104 / 126	100° / 21°
1992550 Ennio S240/4000/76W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3830	76W / 32W	105 / 120	100° / 21°
1992551 Ennio S240/4000/76W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4750	76W / 38W	105 / 125	100° / 21°
1992552 Ennio S240/4000/76W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5520	76W / 44W	105 / 126	100° / 21°
1992553 Ennio S240/4000/76W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6280	76W / 52W	105 / 121	100° / 21°
1992554 Ennio S240/4000/76W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7290	76W / 58W	105 / 126	100° / 21°
1992555 Ennio S240/4000/100W/32W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3830	100W / 32W	97 / 120	100° / 21°
1992556 Ennio S240/4000/100W/38W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4750	100W / 38W	97 / 125	100° / 21°
1992557 Ennio S240/4000/100W/44W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5520	100W / 44W	97 / 126	100° / 21°
1992558 Ennio S240/4000/100W/52W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6280	100W / 52W	97 / 121	100° / 21°
1992559 Ennio S240/4000/100W/58W/80/A100/A21/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7290	100W / 58W	97 / 126	100° / 21°
1992560 Ennio S240/3000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3680	64W / 32W	100 / 115	100° / 28°
1992561 Ennio S240/3000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4570	64W / 38W	100 / 121	100° / 28°
1992562 Ennio S240/3000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5310	64W / 44W	100 / 121	100° / 28°
1992563 Ennio S240/3000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6040	64W / 52W	100 / 117	100° / 28°
1992564 Ennio S240/3000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7010	64W / 58W	100 / 121	100° / 28°
1992565 Ennio S240/3000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3680	76W / 32W	101 / 115	100° / 28°
1992566 Ennio S240/3000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4570	76W / 38W	101 / 121	100° / 28°
1992567 Ennio S240/3000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5310	76W / 44W	101 / 121	100° / 28°
1992568 Ennio S240/3000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6040	76W / 52W	101 / 117	100° / 28°
1992569 Ennio S240/3000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7010	76W / 58W	101 / 121	100° / 28°
1992570 Ennio S240/3000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3680	100W / 32W	93 / 115	100° / 28°
1992571 Ennio S240/3000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4570	100W / 38W	93 / 121	100° / 28°
1992572 Ennio S240/3000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5310	100W / 44W	93 / 121	100° / 28°
1992573 Ennio S240/3000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6040	100W / 52W	93 / 117	100° / 28°
1992574 Ennio S240/3000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7010	100W / 58W	93 / 121	100° / 28°
1992575 Ennio S240/4000/64W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3680	64W / 32W	104 / 115	100° / 28°
1992576 Ennio S240/4000/64W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4570	64W / 38W	104 / 121	100° / 28°
1992577 Ennio S240/4000/64W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5310	64W / 44W	104 / 121	100° / 28°
1992578 Ennio S240/4000/64W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6040	64W / 52W	104 / 117	100° / 28°
1992579 Ennio S240/4000/64W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7010	64W / 58W	104 / 121	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992580 Ennio S240/4000/76W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3680	76W / 32W	105 / 115	100° / 28°
1992581 Ennio S240/4000/76W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4570	76W / 38W	105 / 121	100° / 28°
1992582 Ennio S240/4000/76W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5310	76W / 44W	105 / 121	100° / 28°
1992583 Ennio S240/4000/76W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6040	76W / 52W	105 / 117	100° / 28°
1992584 Ennio S240/4000/76W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7010	76W / 58W	105 / 121	100° / 28°
1992585 Ennio S240/4000/100W/32W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3680	100W / 32W	97 / 115	100° / 28°
1992586 Ennio S240/4000/100W/38W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4570	100W / 38W	97 / 121	100° / 28°
1992587 Ennio S240/4000/100W/44W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5310	100W / 44W	97 / 121	100° / 28°
1992588 Ennio S240/4000/100W/52W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6040	100W / 52W	97 / 117	100° / 28°
1992589 Ennio S240/4000/100W/58W/80/A100/A28/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7010	100W / 58W	97 / 121	100° / 28°
1992590 Ennio S240/3000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3760	64W / 32W	100 / 118	100° / 46°
1992591 Ennio S240/3000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4660	64W / 38W	100 / 123	100° / 46°
1992592 Ennio S240/3000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5410	64W / 44W	100 / 123	100° / 46°
1992593 Ennio S240/3000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6160	64W / 52W	100 / 119	100° / 46°
1992594 Ennio S240/3000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 7150	64W / 58W	100 / 124	100° / 46°
1992595 Ennio S240/3000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3760	76W / 32W	101 / 118	100° / 46°
1992596 Ennio S240/3000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4660	76W / 38W	101 / 123	100° / 46°
1992597 Ennio S240/3000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5410	76W / 44W	101 / 123	100° / 46°
1992598 Ennio S240/3000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6160	76W / 52W	101 / 119	100° / 46°
1992599 Ennio S240/3000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 7150	76W / 58W	101 / 124	100° / 46°
1992600 Ennio S240/3000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3760	100W / 32W	93 / 118	100° / 46°
1992601 Ennio S240/3000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4660	100W / 38W	93 / 123	100° / 46°
1992602 Ennio S240/3000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5410	100W / 44W	93 / 123	100° / 46°
1992603 Ennio S240/3000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6160	100W / 52W	93 / 119	100° / 46°
1992604 Ennio S240/3000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 7150	100W / 58W	93 / 124	100° / 46°
1992605 Ennio S240/4000/64W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3760	64W / 32W	104 / 118	100° / 46°
1992606 Ennio S240/4000/64W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4660	64W / 38W	104 / 123	100° / 46°
1992607 Ennio S240/4000/64W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5410	64W / 44W	104 / 123	100° / 46°
1992608 Ennio S240/4000/64W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6160	64W / 52W	104 / 119	100° / 46°
1992609 Ennio S240/4000/64W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 7150	64W / 58W	104 / 124	100° / 46°
1992610 Ennio S240/4000/76W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3760	76W / 32W	105 / 118	100° / 46°
1992611 Ennio S240/4000/76W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4660	76W / 38W	105 / 123	100° / 46°
1992612 Ennio S240/4000/76W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5410	76W / 44W	105 / 123	100° / 46°
1992613 Ennio S240/4000/76W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6160	76W / 52W	105 / 119	100° / 46°
1992614 Ennio S240/4000/76W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 7150	76W / 58W	105 / 124	100° / 46°
1992615 Ennio S240/4000/100W/32W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3760	100W / 32W	97 / 118	100° / 46°
1992616 Ennio S240/4000/100W/38W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4660	100W / 38W	97 / 123	100° / 46°
1992617 Ennio S240/4000/100W/44W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5410	100W / 44W	97 / 123	100° / 46°
1992618 Ennio S240/4000/100W/52W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6160	100W / 52W	97 / 119	100° / 46°
1992619 Ennio S240/4000/100W/58W/80/A100/A46/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 7150	100W / 58W	97 / 124	100° / 46°
1992620 Ennio S240/3000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 3610	64W / 32W	100 / 113	100° / 57°
1992621 Ennio S240/3000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 4470	64W / 38W	100 / 118	100° / 57°
1992622 Ennio S240/3000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5200	64W / 44W	100 / 119	100° / 57°
1992623 Ennio S240/3000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 5910	64W / 52W	100 / 114	100° / 57°
1992624 Ennio S240/3000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	6380 / 6860	64W / 58W	100 / 119	100° / 57°
1992625 Ennio S240/3000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 3610	76W / 32W	101 / 113	100° / 57°
1992626 Ennio S240/3000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 4470	76W / 38W	101 / 118	100° / 57°
1992627 Ennio S240/3000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5200	76W / 44W	101 / 119	100° / 57°
1992628 Ennio S240/3000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 5910	76W / 52W	101 / 114	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992629 Ennio S240/3000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	7620 / 6860	76W / 58W	101 / 119	100° / 57°
1992630 Ennio S240/3000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 3610	100W / 32W	93 / 113	100° / 57°
1992631 Ennio S240/3000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 4470	100W / 38W	93 / 118	100° / 57°
1992632 Ennio S240/3000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5200	100W / 44W	93 / 119	100° / 57°
1992633 Ennio S240/3000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 5910	100W / 52W	93 / 114	100° / 57°
1992634 Ennio S240/3000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	3000	9240 / 6860	100W / 58W	93 / 119	100° / 57°
1992635 Ennio S240/4000/64W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 3610	64W / 32W	104 / 113	100° / 57°
1992636 Ennio S240/4000/64W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 4470	64W / 38W	104 / 118	100° / 57°
1992637 Ennio S240/4000/64W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5200	64W / 44W	104 / 119	100° / 57°
1992638 Ennio S240/4000/64W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 5910	64W / 52W	104 / 114	100° / 57°
1992639 Ennio S240/4000/64W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	6650 / 6860	64W / 58W	104 / 119	100° / 57°
1992640 Ennio S240/4000/76W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 3610	76W / 32W	105 / 113	100° / 57°
1992641 Ennio S240/4000/76W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 4470	76W / 38W	105 / 118	100° / 57°
1992642 Ennio S240/4000/76W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5200	76W / 44W	105 / 119	100° / 57°
1992643 Ennio S240/4000/76W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 5910	76W / 52W	105 / 114	100° / 57°
1992644 Ennio S240/4000/76W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	7940 / 6860	76W / 58W	105 / 119	100° / 57°
1992645 Ennio S240/4000/100W/32W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 3610	100W / 32W	97 / 113	100° / 57°
1992646 Ennio S240/4000/100W/38W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 4470	100W / 38W	97 / 118	100° / 57°
1992647 Ennio S240/4000/100W/44W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5200	100W / 44W	97 / 119	100° / 57°
1992648 Ennio S240/4000/100W/52W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 5910	100W / 52W	97 / 114	100° / 57°
1992649 Ennio S240/4000/100W/58W/80/A100/A57/EM3H	2362 x 57 x 81 ± 1mm	4000	9630 / 6860	100W / 58W	97 / 119	100° / 57°
1992650 Ennio S300/3000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4720	74W / 38W	103 / 125	100° / 15°
1992651 Ennio S300/3000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5870	74W / 46W	103 / 128	100° / 15°
1992652 Ennio S300/3000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6820	74W / 56W	103 / 122	100° / 15°
1992653 Ennio S300/3000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7770	74W / 64W	103 / 122	100° / 15°
1992654 Ennio S300/3000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8960	74W / 72W	103 / 125	100° / 15°
1992655 Ennio S300/3000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4720	100W / 38W	100 / 125	100° / 15°
1992656 Ennio S300/3000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5870	100W / 46W	100 / 128	100° / 15°
1992657 Ennio S300/3000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6820	100W / 56W	100 / 122	100° / 15°
1992658 Ennio S300/3000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7770	100W / 64W	100 / 122	100° / 15°
1992659 Ennio S300/3000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8960	100W / 72W	100 / 125	100° / 15°
1992660 Ennio S300/3000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4720	120W / 38W	96 / 125	100° / 15°
1992661 Ennio S300/3000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5870	120W / 46W	96 / 128	100° / 15°
1992662 Ennio S300/3000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6820	120W / 56W	96 / 122	100° / 15°
1992663 Ennio S300/3000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7770	120W / 64W	96 / 122	100° / 15°
1992664 Ennio S300/3000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8960	120W / 72W	96 / 125	100° / 15°
1992665 Ennio S300/4000/74W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4720	74W / 38W	108 / 125	100° / 15°
1992666 Ennio S300/4000/74W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5870	74W / 46W	108 / 128	100° / 15°
1992667 Ennio S300/4000/74W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6820	74W / 56W	108 / 122	100° / 15°
1992668 Ennio S300/4000/74W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7770	74W / 64W	108 / 122	100° / 15°
1992669 Ennio S300/4000/74W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8960	74W / 72W	108 / 125	100° / 15°
1992670 Ennio S300/4000/100W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4720	100W / 38W	105 / 125	100° / 15°
1992671 Ennio S300/4000/100W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5870	100W / 46W	105 / 128	100° / 15°
1992672 Ennio S300/4000/100W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6820	100W / 56W	105 / 122	100° / 15°
1992673 Ennio S300/4000/100W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7770	100W / 64W	105 / 122	100° / 15°
1992674 Ennio S300/4000/100W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8960	100W / 72W	105 / 125	100° / 15°
1992675 Ennio S300/4000/120W/38W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4720	120W / 38W	100 / 125	100° / 15°
1992676 Ennio S300/4000/120W/46W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5870	120W / 46W	100 / 128	100° / 15°
1992677 Ennio S300/4000/120W/56W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6820	120W / 56W	100 / 122	100° / 15°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992678 Ennio S300/4000/120W/64W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7770	120W / 64W	100 / 122	100° / 15°
1992679 Ennio S300/4000/120W/72W/80/A100/A15/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8960	120W / 72W	100 / 125	100° / 15°
1992680 Ennio S300/3000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4770	74W / 38W	103 / 126	100° / 21°
1992681 Ennio S300/3000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5930	74W / 46W	103 / 129	100° / 21°
1992682 Ennio S300/3000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6890	74W / 56W	103 / 124	100° / 21°
1992683 Ennio S300/3000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7850	74W / 64W	103 / 123	100° / 21°
1992684 Ennio S300/3000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 9050	74W / 72W	103 / 126	100° / 21°
1992685 Ennio S300/3000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4770	100W / 38W	100 / 126	100° / 21°
1992686 Ennio S300/3000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5930	100W / 46W	100 / 129	100° / 21°
1992687 Ennio S300/3000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6890	100W / 56W	100 / 124	100° / 21°
1992688 Ennio S300/3000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7850	100W / 64W	100 / 123	100° / 21°
1992689 Ennio S300/3000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 9050	100W / 72W	100 / 126	100° / 21°
1992690 Ennio S300/3000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4770	120W / 38W	96 / 126	100° / 21°
1992691 Ennio S300/3000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5930	120W / 46W	96 / 129	100° / 21°
1992692 Ennio S300/3000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6890	120W / 56W	96 / 124	100° / 21°
1992693 Ennio S300/3000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7850	120W / 64W	96 / 123	100° / 21°
1992694 Ennio S300/3000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 9050	120W / 72W	96 / 126	100° / 21°
1992695 Ennio S300/4000/74W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4770	74W / 38W	108 / 126	100° / 21°
1992696 Ennio S300/4000/74W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5930	74W / 46W	108 / 129	100° / 21°
1992697 Ennio S300/4000/74W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6890	74W / 56W	108 / 124	100° / 21°
1992698 Ennio S300/4000/74W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7850	74W / 64W	108 / 123	100° / 21°
1992699 Ennio S300/4000/74W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 9050	74W / 72W	108 / 126	100° / 21°
1992700 Ennio S300/4000/100W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4770	100W / 38W	105 / 126	100° / 21°
1992701 Ennio S300/4000/100W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5930	100W / 46W	105 / 129	100° / 21°
1992702 Ennio S300/4000/100W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6890	100W / 56W	105 / 124	100° / 21°
1992703 Ennio S300/4000/100W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7850	100W / 64W	105 / 123	100° / 21°
1992704 Ennio S300/4000/100W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 9050	100W / 72W	105 / 126	100° / 21°
1992705 Ennio S300/4000/120W/38W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4770	120W / 38W	100 / 126	100° / 21°
1992706 Ennio S300/4000/120W/46W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5930	120W / 46W	100 / 129	100° / 21°
1992707 Ennio S300/4000/120W/56W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6890	120W / 56W	100 / 124	100° / 21°
1992708 Ennio S300/4000/120W/64W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7850	120W / 64W	100 / 123	100° / 21°
1992709 Ennio S300/4000/120W/72W/80/A100/A21/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 9050	120W / 72W	100 / 126	100° / 21°
1992710 Ennio S300/3000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4580	74W / 38W	103 / 121	100° / 28°
1992711 Ennio S300/3000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5700	74W / 46W	103 / 124	100° / 28°
1992712 Ennio S300/3000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6620	74W / 56W	103 / 119	100° / 28°
1992713 Ennio S300/3000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7540	74W / 64W	103 / 118	100° / 28°
1992714 Ennio S300/3000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8700	74W / 72W	103 / 121	100° / 28°
1992715 Ennio S300/3000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4580	100W / 38W	100 / 121	100° / 28°
1992716 Ennio S300/3000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5700	100W / 46W	100 / 124	100° / 28°
1992717 Ennio S300/3000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6620	100W / 56W	100 / 119	100° / 28°
1992718 Ennio S300/3000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7540	100W / 64W	100 / 118	100° / 28°
1992719 Ennio S300/3000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8700	100W / 72W	100 / 121	100° / 28°
1992720 Ennio S300/3000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4580	120W / 38W	96 / 121	100° / 28°
1992721 Ennio S300/3000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5700	120W / 46W	96 / 124	100° / 28°
1992722 Ennio S300/3000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6620	120W / 56W	96 / 119	100° / 28°
1992723 Ennio S300/3000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7540	120W / 64W	96 / 118	100° / 28°
1992724 Ennio S300/3000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8700	120W / 72W	96 / 121	100° / 28°
1992725 Ennio S300/4000/74W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4580	74W / 38W	108 / 121	100° / 28°
1992726 Ennio S300/4000/74W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5700	74W / 46W	108 / 124	100° / 28°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992727 Ennio S300/4000/74W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6620	74W / 56W	108 / 119	100° / 28°
1992728 Ennio S300/4000/74W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7540	74W / 64W	108 / 118	100° / 28°
1992729 Ennio S300/4000/74W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8700	74W / 72W	108 / 121	100° / 28°
1992730 Ennio S300/4000/100W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4580	100W / 38W	105 / 121	100° / 28°
1992731 Ennio S300/4000/100W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5700	100W / 46W	105 / 124	100° / 28°
1992732 Ennio S300/4000/100W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6620	100W / 56W	105 / 119	100° / 28°
1992733 Ennio S300/4000/100W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7540	100W / 64W	105 / 118	100° / 28°
1992734 Ennio S300/4000/100W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8700	100W / 72W	105 / 121	100° / 28°
1992735 Ennio S300/4000/120W/38W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4580	120W / 38W	100 / 121	100° / 28°
1992736 Ennio S300/4000/120W/46W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5700	120W / 46W	100 / 124	100° / 28°
1992737 Ennio S300/4000/120W/56W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6620	120W / 56W	100 / 119	100° / 28°
1992738 Ennio S300/4000/120W/64W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7540	120W / 64W	100 / 118	100° / 28°
1992739 Ennio S300/4000/120W/72W/80/A100/A28/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8700	120W / 72W	100 / 121	100° / 28°
1992740 Ennio S300/3000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4680	74W / 38W	103 / 124	100° / 46°
1992741 Ennio S300/3000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5810	74W / 46W	103 / 127	100° / 46°
1992742 Ennio S300/3000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6760	74W / 56W	103 / 121	100° / 46°
1992743 Ennio S300/3000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7700	74W / 64W	103 / 121	100° / 46°
1992744 Ennio S300/3000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8870	74W / 72W	103 / 124	100° / 46°
1992745 Ennio S300/3000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4680	100W / 38W	100 / 124	100° / 46°
1992746 Ennio S300/3000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5810	100W / 46W	100 / 127	100° / 46°
1992747 Ennio S300/3000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6760	100W / 56W	100 / 121	100° / 46°
1992748 Ennio S300/3000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7700	100W / 64W	100 / 121	100° / 46°
1992749 Ennio S300/3000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8870	100W / 72W	100 / 124	100° / 46°
1992750 Ennio S300/3000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4680	120W / 38W	96 / 124	100° / 46°
1992751 Ennio S300/3000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5810	120W / 46W	96 / 127	100° / 46°
1992752 Ennio S300/3000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6760	120W / 56W	96 / 121	100° / 46°
1992753 Ennio S300/3000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7700	120W / 64W	96 / 121	100° / 46°
1992754 Ennio S300/3000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8870	120W / 72W	96 / 124	100° / 46°
1992755 Ennio S300/4000/74W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4680	74W / 38W	108 / 124	100° / 46°
1992756 Ennio S300/4000/74W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5810	74W / 46W	108 / 127	100° / 46°
1992757 Ennio S300/4000/74W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6760	74W / 56W	108 / 121	100° / 46°
1992758 Ennio S300/4000/74W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7700	74W / 64W	108 / 121	100° / 46°
1992759 Ennio S300/4000/74W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8870	74W / 72W	108 / 124	100° / 46°
1992760 Ennio S300/4000/100W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4680	100W / 38W	105 / 124	100° / 46°
1992761 Ennio S300/4000/100W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5810	100W / 46W	105 / 127	100° / 46°
1992762 Ennio S300/4000/100W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6760	100W / 56W	105 / 121	100° / 46°
1992763 Ennio S300/4000/100W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7700	100W / 64W	105 / 121	100° / 46°
1992764 Ennio S300/4000/100W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8870	100W / 72W	105 / 124	100° / 46°
1992765 Ennio S300/4000/120W/38W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4680	120W / 38W	100 / 124	100° / 46°
1992766 Ennio S300/4000/120W/46W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5810	120W / 46W	100 / 127	100° / 46°
1992767 Ennio S300/4000/120W/56W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6760	120W / 56W	100 / 121	100° / 46°
1992768 Ennio S300/4000/120W/64W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7700	120W / 64W	100 / 121	100° / 46°
1992769 Ennio S300/4000/120W/72W/80/A100/A46/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8870	120W / 72W	100 / 124	100° / 46°
1992770 Ennio S300/3000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 4490	74W / 38W	103 / 119	100° / 57°
1992771 Ennio S300/3000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 5580	74W / 46W	103 / 122	100° / 57°
1992772 Ennio S300/3000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 6490	74W / 56W	103 / 116	100° / 57°
1992773 Ennio S300/3000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 7390	74W / 64W	103 / 116	100° / 57°
1992774 Ennio S300/3000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	7620 / 8520	74W / 72W	103 / 119	100° / 57°
1992775 Ennio S300/3000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 4490	100W / 38W	100 / 119	100° / 57°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm) (UP/DOWN)	Power (W) (UP/DOWN)	Eff. (lm/watt) (UP/DOWN)	Lens Angle (°) (UP/DOWN)
CRI 80						
1992776 Ennio S300/3000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 5580	100W / 46W	100 / 122	100° / 57°
1992777 Ennio S300/3000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 6490	100W / 56W	100 / 116	100° / 57°
1992778 Ennio S300/3000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 7390	100W / 64W	100 / 116	100° / 57°
1992779 Ennio S300/3000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	10000 / 8520	100W / 72W	100 / 119	100° / 57°
1992780 Ennio S300/3000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 4490	120W / 38W	96 / 119	100° / 57°
1992781 Ennio S300/3000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 5580	120W / 46W	96 / 122	100° / 57°
1992782 Ennio S300/3000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 6490	120W / 56W	96 / 116	100° / 57°
1992783 Ennio S300/3000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 7390	120W / 64W	96 / 116	100° / 57°
1992784 Ennio S300/3000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	3000	11500 / 8520	120W / 72W	96 / 119	100° / 57°
1992785 Ennio S300/4000/74W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 4490	74W / 38W	108 / 119	100° / 57°
1992786 Ennio S300/4000/74W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 5580	74W / 46W	108 / 122	100° / 57°
1992787 Ennio S300/4000/74W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 6490	74W / 56W	108 / 116	100° / 57°
1992788 Ennio S300/4000/74W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 7390	74W / 64W	108 / 116	100° / 57°
1992789 Ennio S300/4000/74W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	7940 / 8520	74W / 72W	108 / 119	100° / 57°
1992790 Ennio S300/4000/100W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 4490	100W / 38W	105 / 119	100° / 57°
1992791 Ennio S300/4000/100W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 5580	100W / 46W	105 / 122	100° / 57°
1992792 Ennio S300/4000/100W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 6490	100W / 56W	105 / 116	100° / 57°
1992793 Ennio S300/4000/100W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 7390	100W / 64W	105 / 116	100° / 57°
1992794 Ennio S300/4000/100W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	10420 / 8520	100W / 72W	105 / 119	100° / 57°
1992795 Ennio S300/4000/120W/38W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 4490	120W / 38W	100 / 119	100° / 57°
1992796 Ennio S300/4000/120W/46W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 5580	120W / 46W	100 / 122	100° / 57°
1992797 Ennio S300/4000/120W/56W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 6490	120W / 56W	100 / 116	100° / 57°
1992798 Ennio S300/4000/120W/64W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 7390	120W / 64W	100 / 116	100° / 57°
1992799 Ennio S300/4000/120W/72W/80/A100/A57/EM3H	2936 x 57 x 81 ± 1mm	4000	11990 / 8520	120W / 72W	100 / 119	100° / 57°

PRODUCT CUSTOMIZATION

This product has a great customization capability for combining CRI and CCT.

Below we presented possible CRI / CCT options:

UP	DOWN
2700 CRI80	2400K CRI80
3000 CRI80	2700K CRI80
4000 CRI80	3000K CRI80
5000 CRI80	4000K CRI80
6500 CRI80	2700K CRI90
TW	2700K CRI90
PI	3000K CRI90
	4000K CRI90
	2700K CRI95
	3000K CRI95
	3500K CRI95
	4000K CRI95

For more information please send us a message using the [contact form](#) on our website.