

Galaxy Slim 3R4

SUSPENDED | NON-DALI SERIES

An ultra-flat housing luminaire suitable for retail, groceries & supermarkets, and DIY stores. Available in different types of optics - for a general lighting that amazes through its impressive efficiency and lighting quality ratings.

Galaxy Slim 3R4 has several series, determined by various add-on and controls:



- Galaxy Slim 3R4 Non-DALI: the standard version for retail, groceries & supermarkets, and DIY stores
- Galaxy Slim 3R4 Non-DALI EM: with emergency lighting kit
- Galaxy Slim 3R4 DALI: with DALI dimming

FEATURES & BENEFITS

- CRI 80 as standard
- 4 color temperatures (3000K, 4000K, 5000K, 6500K)
- Long rated life: L90/B10@50.000h
- Very high efficiency: 169lm/W @4000K
- Dimmable (only for DALI Series)

APPLICATION

Grocery & Supermarket | Retail | DIY




SPECIFICATIONS

Power consumption	77W, 87W, 102W, 117W, 139W
Dimensions	1176.6 x 188.4 x 57.6 ± 1mm
Weight	4.7 Kg
Housing materials	Aluminum & Polycarbonate
IK code	IK02
THD (at 230V, 50Hz, Full load)	<20%
Protection class	Safety class 1
Operating temperature [°C]	-20°C ... +45°C / -4F ... +113F
Operating humidity [%]	10 ÷ 85
Power factor	≥0.95
AC Input [Vac]	220 - 240 VAC
Lens angle [°]	30°, 60°, 90°, DA, SA
Lifespan [h]	50.000
Housing color	● Anodised black, ● Anodised grey
Lumen maintenance	L90/B10@50.000h at 25°C
IP factor	IP20
Control optional	-
Warranty [years]	5
Storage temperature range [°C]	-20°C ... +55°C / -4F ... +131F
Emergency option	-

#	Standard
CRI	CRI80
CCT [K]	3000 / 4000 / 5000 / 6500
MacAdam	4

CRI - Color rendering, CCT - Color temperature, MacAdam - Color consistency

LIGHT DISTRIBUTION



TOLERANCES**Luminous flux tolerances:** -/+ 5%**Consumption tolerance:** -/+ 5% for Non-DALI | -/+ 10% for Non-DALI & KIT EM | -/+ 10% for DALI | -/+ 15% for DALI & KIT EM**BATTERY WARRANTY****Non-DALI EM & DALI EM:** 12 months warranty**Non-DALI & DALI:** -**MAXIMUM NO. OF LUMINAIRES ON A CIRCUIT**

Luminaire Power(W)	Control type	Circuit Breaker Type					
		B			C		
		20	16	10	20	16	10
< 50W	Non-DALI	38	30	19	62	51	31
≥ 50W	Non-DALI	38	30	19	62	51	31
< 80W	DALI	27	21	13	45	35	21

RISK GROUP**Standard (CRI80)** RG1**FOOD (BVF, FBS, FSM)** RG1**FOOD <20W (FZM, FSH)** RG2 (dthr=1.8m)**FOOD >20W (FZM, FSH)** RG2 (dthr=2.2m)**FAS** RG1**AMB2200** RG1**ART** RG1**AGI** RG1**CRI90** RG1**CRI95** RG1**ENT** RG1**RG1**

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Low Risk (RG1 – No photobiological hazard under normal behavioral limitations)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

RG2

The evaluation of photobiological safety is carried out according to the standard IEC 62471:2008 ("Photobiological safety of lamps and lamp systems"). Following the definition of the risk grouping system of the mentioned IEC standard, the LEDs mounted on this family fall into the class "Moderate Risk (RG2)". Under real circumstances (regarding exposure time, pupils, observation distance), it is assumed that there is no endangerment to the eye from these devices. As a matter of principle, however, it should be mentioned that intense light sources have a high secondary exposure potential due to their blinding effect.

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169500 Galaxy Slim 3R4 AL/3000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
169500 Galaxy Slim 3R4 AL/3000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12430	77W	162	30°
169501 Galaxy Slim 3R4 AL/4000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
169501 Galaxy Slim 3R4 AL/4000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12955	77W	169	30°
169502 Galaxy Slim 3R4 AL/5000/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
169502 Galaxy Slim 3R4 AL/5000/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13305	77W	173	30°
169503 Galaxy Slim 3R4 AL/6500/77W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
169503 Galaxy Slim 3R4 AL/6500/77W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12955	77W	169	30°
169504 Galaxy Slim 3R4 AL/3000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
169504 Galaxy Slim 3R4 AL/3000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	60°
169505 Galaxy Slim 3R4 AL/4000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
169505 Galaxy Slim 3R4 AL/4000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	60°
169506 Galaxy Slim 3R4 AL/5000/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
169506 Galaxy Slim 3R4 AL/5000/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	60°
169507 Galaxy Slim 3R4 AL/6500/77W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
169507 Galaxy Slim 3R4 AL/6500/77W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	60°
169508 Galaxy Slim 3R4 AL/3000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
169508 Galaxy Slim 3R4 AL/3000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12395	77W	161	90°
169509 Galaxy Slim 3R4 AL/4000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
169509 Galaxy Slim 3R4 AL/4000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12920	77W	168	90°
169510 Galaxy Slim 3R4 AL/5000/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
169510 Galaxy Slim 3R4 AL/5000/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13265	77W	173	90°
169511 Galaxy Slim 3R4 AL/6500/77W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
169511 Galaxy Slim 3R4 AL/6500/77W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12920	77W	168	90°
169512 Galaxy Slim 3R4 AL/3000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
169512 Galaxy Slim 3R4 AL/3000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	12340	77W	161	DA
169513 Galaxy Slim 3R4 AL/4000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
169513 Galaxy Slim 3R4 AL/4000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12860	77W	167	DA
169514 Galaxy Slim 3R4 AL/5000/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
169514 Galaxy Slim 3R4 AL/5000/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	13205	77W	172	DA
169515 Galaxy Slim 3R4 AL/6500/77W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
169515 Galaxy Slim 3R4 AL/6500/77W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12860	77W	167	DA
169516 Galaxy Slim 3R4 AL/3000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
169516 Galaxy Slim 3R4 AL/3000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	11780	77W	153	SA
169517 Galaxy Slim 3R4 AL/4000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
169517 Galaxy Slim 3R4 AL/4000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	12280	77W	160	SA
169518 Galaxy Slim 3R4 AL/5000/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
169518 Galaxy Slim 3R4 AL/5000/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	12610	77W	164	SA
169519 Galaxy Slim 3R4 AL/6500/77W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
169519 Galaxy Slim 3R4 AL/6500/77W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	12280	77W	160	SA
169520 Galaxy Slim 3R4 AL/3000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
169520 Galaxy Slim 3R4 AL/3000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13890	87W	160	30°
169521 Galaxy Slim 3R4 AL/4000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
169521 Galaxy Slim 3R4 AL/4000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14480	87W	167	30°
169522 Galaxy Slim 3R4 AL/5000/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
169522 Galaxy Slim 3R4 AL/5000/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14870	87W	171	30°
169523 Galaxy Slim 3R4 AL/6500/87W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
169523 Galaxy Slim 3R4 AL/6500/87W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14480	87W	167	30°
169524 Galaxy Slim 3R4 AL/3000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
169524 Galaxy Slim 3R4 AL/3000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	60°
169525 Galaxy Slim 3R4 AL/4000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°
169525 Galaxy Slim 3R4 AL/4000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	60°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169526 Galaxy Slim 3R4 AL/5000/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
169526 Galaxy Slim 3R4 AL/5000/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	60°
169527 Galaxy Slim 3R4 AL/6500/87W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
169527 Galaxy Slim 3R4 AL/6500/87W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	60°
169528 Galaxy Slim 3R4 AL/3000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
169528 Galaxy Slim 3R4 AL/3000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13855	87W	160	90°
169529 Galaxy Slim 3R4 AL/4000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
169529 Galaxy Slim 3R4 AL/4000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14440	87W	166	90°
169530 Galaxy Slim 3R4 AL/5000/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
169530 Galaxy Slim 3R4 AL/5000/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14830	87W	171	90°
169531 Galaxy Slim 3R4 AL/6500/87W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
169531 Galaxy Slim 3R4 AL/6500/87W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14440	87W	166	90°
169532 Galaxy Slim 3R4 AL/3000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
169532 Galaxy Slim 3R4 AL/3000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13790	87W	159	DA
169533 Galaxy Slim 3R4 AL/4000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
169533 Galaxy Slim 3R4 AL/4000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	14375	87W	166	DA
169534 Galaxy Slim 3R4 AL/5000/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
169534 Galaxy Slim 3R4 AL/5000/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14760	87W	170	DA
169535 Galaxy Slim 3R4 AL/6500/87W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
169535 Galaxy Slim 3R4 AL/6500/87W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	14375	87W	166	DA
169536 Galaxy Slim 3R4 AL/3000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
169536 Galaxy Slim 3R4 AL/3000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	13165	87W	152	SA
169537 Galaxy Slim 3R4 AL/4000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
169537 Galaxy Slim 3R4 AL/4000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	13725	87W	158	SA
169538 Galaxy Slim 3R4 AL/5000/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
169538 Galaxy Slim 3R4 AL/5000/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	14095	87W	162	SA
169539 Galaxy Slim 3R4 AL/6500/87W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
169539 Galaxy Slim 3R4 AL/6500/87W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	13725	87W	158	SA
169540 Galaxy Slim 3R4 AL/3000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
169540 Galaxy Slim 3R4 AL/3000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15815	102W	156	30°
169541 Galaxy Slim 3R4 AL/4000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
169541 Galaxy Slim 3R4 AL/4000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16485	102W	162	30°
169542 Galaxy Slim 3R4 AL/5000/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
169542 Galaxy Slim 3R4 AL/5000/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16930	102W	166	30°
169543 Galaxy Slim 3R4 AL/6500/102W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
169543 Galaxy Slim 3R4 AL/6500/102W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16485	102W	162	30°
169544 Galaxy Slim 3R4 AL/3000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
169544 Galaxy Slim 3R4 AL/3000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	60°
169545 Galaxy Slim 3R4 AL/4000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
169545 Galaxy Slim 3R4 AL/4000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	60°
169546 Galaxy Slim 3R4 AL/5000/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
169546 Galaxy Slim 3R4 AL/5000/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	60°
169547 Galaxy Slim 3R4 AL/6500/102W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
169547 Galaxy Slim 3R4 AL/6500/102W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	60°
169548 Galaxy Slim 3R4 AL/3000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
169548 Galaxy Slim 3R4 AL/3000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15770	102W	155	90°
169549 Galaxy Slim 3R4 AL/4000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
169549 Galaxy Slim 3R4 AL/4000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16435	102W	162	90°
169550 Galaxy Slim 3R4 AL/5000/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
169550 Galaxy Slim 3R4 AL/5000/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16880	102W	166	90°
169551 Galaxy Slim 3R4 AL/6500/102W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°
169551 Galaxy Slim 3R4 AL/6500/102W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16435	102W	162	90°

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169552 Galaxy Slim 3R4 AL/3000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
169552 Galaxy Slim 3R4 AL/3000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	15700	102W	154	DA
169553 Galaxy Slim 3R4 AL/4000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
169553 Galaxy Slim 3R4 AL/4000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	16365	102W	161	DA
169554 Galaxy Slim 3R4 AL/5000/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
169554 Galaxy Slim 3R4 AL/5000/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16805	102W	165	DA
169555 Galaxy Slim 3R4 AL/6500/102W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
169555 Galaxy Slim 3R4 AL/6500/102W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	16365	102W	161	DA
169556 Galaxy Slim 3R4 AL/3000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
169556 Galaxy Slim 3R4 AL/3000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	14990	102W	147	SA
169557 Galaxy Slim 3R4 AL/4000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
169557 Galaxy Slim 3R4 AL/4000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	15620	102W	154	SA
169558 Galaxy Slim 3R4 AL/5000/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
169558 Galaxy Slim 3R4 AL/5000/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	16045	102W	158	SA
169559 Galaxy Slim 3R4 AL/6500/102W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
169559 Galaxy Slim 3R4 AL/6500/102W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	15620	102W	154	SA
169560 Galaxy Slim 3R4 AL/3000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
169560 Galaxy Slim 3R4 AL/3000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17315	117W	148	30°
169561 Galaxy Slim 3R4 AL/4000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
169561 Galaxy Slim 3R4 AL/4000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	18045	117W	155	30°
169562 Galaxy Slim 3R4 AL/5000/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
169562 Galaxy Slim 3R4 AL/5000/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18530	117W	159	30°
169563 Galaxy Slim 3R4 AL/6500/117W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
169563 Galaxy Slim 3R4 AL/6500/117W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	18045	117W	155	30°
169564 Galaxy Slim 3R4 AL/3000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
169564 Galaxy Slim 3R4 AL/3000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	60°
169565 Galaxy Slim 3R4 AL/4000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
169565 Galaxy Slim 3R4 AL/4000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	60°
169566 Galaxy Slim 3R4 AL/5000/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
169566 Galaxy Slim 3R4 AL/5000/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	60°
169567 Galaxy Slim 3R4 AL/6500/117W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
169567 Galaxy Slim 3R4 AL/6500/117W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	60°
169568 Galaxy Slim 3R4 AL/3000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
169568 Galaxy Slim 3R4 AL/3000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17265	117W	148	90°
169569 Galaxy Slim 3R4 AL/4000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
169569 Galaxy Slim 3R4 AL/4000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17995	117W	154	90°
169570 Galaxy Slim 3R4 AL/5000/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
169570 Galaxy Slim 3R4 AL/5000/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18480	117W	158	90°
169571 Galaxy Slim 3R4 AL/6500/117W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
169571 Galaxy Slim 3R4 AL/6500/117W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17995	117W	154	90°
169572 Galaxy Slim 3R4 AL/3000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
169572 Galaxy Slim 3R4 AL/3000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17190	117W	147	DA
169573 Galaxy Slim 3R4 AL/4000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
169573 Galaxy Slim 3R4 AL/4000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17915	117W	154	DA
169574 Galaxy Slim 3R4 AL/5000/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
169574 Galaxy Slim 3R4 AL/5000/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	18400	117W	158	DA
169575 Galaxy Slim 3R4 AL/6500/117W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
169575 Galaxy Slim 3R4 AL/6500/117W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17915	117W	154	DA
169576 Galaxy Slim 3R4 AL/3000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
169576 Galaxy Slim 3R4 AL/3000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	16410	117W	141	SA
169577 Galaxy Slim 3R4 AL/4000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA
169577 Galaxy Slim 3R4 AL/4000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	17105	117W	147	SA

SKU SPECIFICATIONS

Product Code	Dimensions (mm)	CCT (K)	Lumens (lm)	Power (W)	Eff. (lm/watt)	Lens Angle (°)
CRI 80						
169578 Galaxy Slim 3R4 AL/5000/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
169578 Galaxy Slim 3R4 AL/5000/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	17565	117W	151	SA
169579 Galaxy Slim 3R4 AL/6500/117W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
169579 Galaxy Slim 3R4 AL/6500/117W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	17105	117W	147	SA
169580 Galaxy Slim 3R4 AL/3000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
169580 Galaxy Slim 3R4 AL/3000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18745	139W	135	30°
169581 Galaxy Slim 3R4 AL/4000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
169581 Galaxy Slim 3R4 AL/4000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19535	139W	141	30°
169582 Galaxy Slim 3R4 AL/5000/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
169582 Galaxy Slim 3R4 AL/5000/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	20065	139W	145	30°
169583 Galaxy Slim 3R4 AL/6500/139W/80/A3TB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
169583 Galaxy Slim 3R4 AL/6500/139W/80/A3TB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19535	139W	141	30°
169584 Galaxy Slim 3R4 AL/3000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
169584 Galaxy Slim 3R4 AL/3000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	60°
169585 Galaxy Slim 3R4 AL/4000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
169585 Galaxy Slim 3R4 AL/4000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	60°
169586 Galaxy Slim 3R4 AL/5000/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
169586 Galaxy Slim 3R4 AL/5000/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	60°
169587 Galaxy Slim 3R4 AL/6500/139W/80/A3NB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
169587 Galaxy Slim 3R4 AL/6500/139W/80/A3NB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	60°
169588 Galaxy Slim 3R4 AL/3000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
169588 Galaxy Slim 3R4 AL/3000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18690	139W	135	90°
169589 Galaxy Slim 3R4 AL/4000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
169589 Galaxy Slim 3R4 AL/4000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19480	139W	141	90°
169590 Galaxy Slim 3R4 AL/5000/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
169590 Galaxy Slim 3R4 AL/5000/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	20005	139W	144	90°
169591 Galaxy Slim 3R4 AL/6500/139W/80/A3WB/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
169591 Galaxy Slim 3R4 AL/6500/139W/80/A3WB/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19480	139W	141	90°
169592 Galaxy Slim 3R4 AL/3000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
169592 Galaxy Slim 3R4 AL/3000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	18610	139W	134	DA
169593 Galaxy Slim 3R4 AL/4000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
169593 Galaxy Slim 3R4 AL/4000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	19395	139W	140	DA
169594 Galaxy Slim 3R4 AL/5000/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
169594 Galaxy Slim 3R4 AL/5000/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19915	139W	144	DA
169595 Galaxy Slim 3R4 AL/6500/139W/80/A3DA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
169595 Galaxy Slim 3R4 AL/6500/139W/80/A3DA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	19395	139W	140	DA
169596 Galaxy Slim 3R4 AL/3000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
169596 Galaxy Slim 3R4 AL/3000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	3000	17765	139W	128	SA
169597 Galaxy Slim 3R4 AL/4000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
169597 Galaxy Slim 3R4 AL/4000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	4000	18515	139W	134	SA
169598 Galaxy Slim 3R4 AL/5000/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
169598 Galaxy Slim 3R4 AL/5000/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	5000	19015	139W	137	SA
169599 Galaxy Slim 3R4 AL/6500/139W/80/A3SA/B	1176.6 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA
169599 Galaxy Slim 3R4 AL/6500/139W/80/A3SA/G	1176.6 x 188.4 x 57.6 ± 1mm	6500	18515	139W	134	SA

Technical specifications can be modified without prior notice. All information is property of Greentek Lighting.

The presentation picture is for information purposes only. Latest document update: August 9, 2022 10:44 AM. www.greentek.eu